

SensorName	DateSampleTaken	IsDataValid	Salinity (PSU)	SalinityTelemetryQualifiers	SpecificConductance (µS/cm)	SpecificConductanceTelemetryQualifiers	Temperature (C)	TemperatureTelemetryQualifiers	WaterLevel (ft)	WaterLevelTelemetryQualifiers
TPSWC-1T_AT_155346	6/8/2015 0:00	FALSE	0.768		1509.684		28.063		-0.247	
TPSWC-1T_AT_155346	6/8/2015 1:00	FALSE	0.768		1510.046		27.973		-0.246	
TPSWC-1T_AT_155346	6/8/2015 2:00	FALSE	0.767		1508.561		27.872		-0.243	
TPSWC-1T_AT_155346	6/8/2015 3:00	FALSE	0.767		1507.863		27.781		-0.239	
TPSWC-1T_AT_155346	6/8/2015 4:00	FALSE	0.765		1505.249		27.692		-0.234	
TPSWC-1T_AT_155346	6/8/2015 5:00	FALSE	0.765		1504.268		27.61		-0.232	
TPSWC-1T_AT_155346	6/8/2015 6:00	FALSE	0.766		1506.416		27.546		-0.232	
TPSWC-1T_AT_155346	6/8/2015 7:00	FALSE	0.766		1506.138		27.566		-0.232	
TPSWC-1T_AT_155346	6/8/2015 8:00	FALSE	0.766		1506.075		27.659		-0.235	
TPSWC-1T_AT_155346	6/8/2015 9:00	FALSE	0.763		1500.735		27.803		-0.237	
TPSWC-1T_AT_155346	6/8/2015 10:00	FALSE	0.764		1502.215		28.023		-0.243	
TPSWC-1T_AT_155346	6/8/2015 11:00	FALSE	0.759		1494.353		28.259		-0.245	
TPSWC-1T_AT_155346	6/8/2015 12:00	FALSE	0.762		1499.911		28.577		-0.247	
TPSWC-1T_AT_155346	6/8/2015 13:00	FALSE	0.762		1499.142		28.768		-0.251	
TPSWC-1T_AT_155346	6/8/2015 14:00	FALSE	0.761		1497.433		29.034		-0.252	
TPSWC-1T_AT_155346	6/8/2015 15:00	FALSE	0.761		1497.878		29.124		-0.252	
TPSWC-1T_AT_155346	6/8/2015 16:00	FALSE	0.76		1496.744		29.151		-0.253	
TPSWC-1T_AT_155346	6/8/2015 17:00	FALSE	0.763		1500.984		29.18		-0.252	
TPSWC-1T_AT_155346	6/8/2015 18:00	FALSE	0.766		1507.785		29.23		-0.253	
TPSWC-1T_AT_155346	6/8/2015 19:00	FALSE	0.767		1508.304		29.28		-0.256	
TPSWC-1T_AT_155346	6/8/2015 20:00	FALSE	0.767		1509.778		29.359		-0.259	
TPSWC-1T_AT_155346	6/8/2015 21:00	FALSE	0.766		1507.407		29.449		-0.263	
TPSWC-1T_AT_155346	6/8/2015 22:00	FALSE	0.766		1506.875		29.205		-0.264	
TPSWC-1T_AT_155346	6/8/2015 23:00	FALSE	0.765		1505.823		28.954		-0.271	
TPSWC-1T_AT_155346	6/9/2015 0:00	FALSE	0.766		1506.7		28.762		-0.274	
TPSWC-1T_AT_155346	6/9/2015 1:00	FALSE	0.766		1507.292		28.609		-0.277	
TPSWC-1T_AT_155346	6/9/2015 2:00	FALSE	0.767		1508.384		28.49		-0.279	
TPSWC-1T_AT_155346	6/9/2015 3:00	FALSE	0.766		1507.772		28.368		-0.277	
TPSWC-1T_AT_155346	6/9/2015 4:00	FALSE	0.767		1508.381		28.254		-0.277	
TPSWC-1T_AT_155346	6/9/2015 5:00	FALSE	0.767		1508.184		28.124		-0.277	
TPSWC-1T_AT_155346	6/9/2015 6:00	FALSE	0.766		1507.451		28.044		-0.275	
TPSWC-1T_AT_155346	6/9/2015 7:00	FALSE	0.766		1507.619		27.965		-0.275	
TPSWC-1T_AT_155346	6/9/2015 8:00	FALSE	0.767		1508.745		28.083		-0.278	
TPSWC-1T_AT_155346	6/9/2015 9:00	FALSE	0.767		1508.762		28.152		-0.282	
TPSWC-1T_AT_155346	6/9/2015 10:00	FALSE	0.764		1503.409		28.328		-0.285	
TPSWC-1T_AT_155346	6/9/2015 11:00	FALSE	0.764		1502.748		28.493		-0.281	
TPSWC-1T_AT_155346	6/9/2015 12:00	FALSE	0.764		1502.778		28.647		-0.278	
TPSWC-1T_AT_155346	6/9/2015 13:00	FALSE	0.766		1507.102		28.702		-0.282	
TPSWC-1T_AT_155346	6/9/2015 14:00	FALSE	0.765		1505.737		28.903		-0.272	
TPSWC-1T_AT_155346	6/9/2015 15:00	FALSE	0.764		1503.209		28.877		-0.278	
TPSWC-1T_AT_155346	6/9/2015 16:00	FALSE	0.765		1506.558		28.957		-0.275	
TPSWC-1T_AT_155346	6/9/2015 17:00	FALSE	0.768		1510.841		29.088		-0.258	
TPSWC-1T_AT_155346	6/9/2015 18:00	FALSE	0.765		1506.413		29.277		-0.251	
TPSWC-1T_AT_155346	6/9/2015 19:00	FALSE	0.764		1504.426		29.156		-0.248	
TPSWC-1T_AT_155346	6/9/2015 20:00	FALSE	0.762		1499.859		28.936		-0.245	
TPSWC-1T_AT_155346	6/9/2015 21:00	FALSE	0.763		1500.623		28.728		-0.244	
TPSWC-1T_AT_155346	6/9/2015 22:00	FALSE	0.762		1499.542		28.551		-0.244	
TPSWC-1T_AT_155346	6/9/2015 23:00	FALSE	0.762		1498.853		28.476		-0.244	
TPSWC-1T_AT_155346	6/10/2015 0:00	FALSE	0.762		1499.487		28.431		-0.244	
TPSWC-1T_AT_155346	6/10/2015 1:00	FALSE	0.763		1500.635		28.36		-0.242	
TPSWC-1T_AT_155346	6/10/2015 2:00	FALSE	0.764		1502.474		28.27		-0.241	
TPSWC-1T_AT_155346	6/10/2015 3:00	FALSE	0.764		1502.74		28.181		-0.237	
TPSWC-1T_AT_155346	6/10/2015 4:00	FALSE	0.761		1497.066		28.087		-0.233	
TPSWC-1T_AT_155346	6/10/2015 5:00	FALSE	0.765		1504.789		28.014		-0.23	
TPSWC-1T_AT_155346	6/10/2015 6:00	FALSE	0.765		1505.468		27.928		-0.226	
TPSWC-1T_AT_155346	6/10/2015 7:00	FALSE	0.766		1506.965		27.932		-0.224	
TPSWC-1T_AT_155346	6/10/2015 8:00	FALSE	0.767		1508.339		28.029		-0.222	
TPSWC-1T_AT_155346	6/10/2015 9:00	FALSE	0.767		1509.201		28.257		-0.22	
TPSWC-1T_AT_155346	6/10/2015 10:00	FALSE	0.766		1506.695		28.542		-0.215	
TPSWC-1T_AT_155346	6/10/2015 11:00	FALSE	0.762		1500.084		28.959		-0.218	
TPSWC-1T_AT_155346	6/10/2015 12:00	FALSE	0.757		1490.848		29.441		-0.218	
TPSWC-1T_AT_155346	6/10/2015 13:00	FALSE	0.76		1497.134		29.885		-0.216	
TPSWC-1T_AT_155346	6/10/2015 14:00	FALSE	0.758		1492.662		30.45		-0.214	
TPSWC-1T_AT_155346	6/10/2015 15:00	FALSE	0.757		1492.115		30.854		-0.215	
TPSWC-1T_AT_155346	6/10/2015 16:00	FALSE	0.756		1488.845		31.206		-0.209	
TPSWC-1T_AT_155346	6/10/2015 17:00	FALSE	0.754		1485.285		31.267		-0.205	
TPSWC-1T_AT_155346	6/10/2015 18:00	FALSE	0.751		1480.936		31.188		-0.206	
TPSWC-1T_AT_155346	6/10/2015 19:00	FALSE	0.751		1480.341		31.016		-0.202	
TPSWC-1T_AT_155346	6/10/2015 20:00	FALSE	0.753		1483.353		30.814		-0.203	
TPSWC-1T_AT_155346	6/10/2015 21:00	FALSE	0.752		1482.208		30.593		-0.204	
TPSWC-1T_AT_155346	6/10/2015 22:00	FALSE	0.753		1482.7		30.417		-0.203	
TPSWC-1T_AT_155346	6/10/2015 23:00	FALSE	0.752		1482.287		30.218		-0.208	
TPSWC-1T_AT_155346	6/11/2015 0:00	FALSE	0.754		1484.737		30.124		-0.21	
TPSWC-1T_AT_155346	6/11/2015 1:00	FALSE	0.753		1484.046		29.747		-0.206	
TPSWC-1T_AT_155346	6/11/2015 2:00	FALSE	0.753		1483.389		29.512		-0.207	
TPSWC-1T_AT_155346	6/11/2015 3:00	FALSE	0.755		1487.498		29.35		-0.209	
TPSWC-1T_AT_155346	6/11/2015 4:00	FALSE	0.758		1491.525		29.143		-0.21	
TPSWC-1T_AT_155346	6/11/2015 5:00	FALSE	0.758		1491.725		29.021		-0.206	
TPSWC-1T_AT_155346	6/11/2015 6:00	FALSE	0.756		1489.271		28.894		-0.204	
TPSWC-1T_AT_155346	6/11/2015 7:00	FALSE	0.757		1490.892		28.764		-0.199	
TPSWC-1T_AT_155346	6/11/2015 8:00	FALSE	0.758		1491.673		28.884		-0.197	
TPSWC-1T_AT_155346	6/11/2015 9:00	FALSE	0.76		1496.695		28.967		-0.199	
TPSWC-1T_AT_155346	6/11/2015 10:00	FALSE	0.763		1500.819		29.223		-0.199	
TPSWC-1T_AT_155346	6/11/2015 11:00	FALSE	0.763		1502.196		29.435		-0.206	
TPSWC-1T_AT_155346	6/11/2015 12:00	FALSE	0.759		1493.448		29.544		-0.208	
TPSWC-1T_AT_155346	6/11/2015 13:00	FALSE	0.758		1487.748		29.666		-0.214	
TPSWC-1T_AT_155346	6/11/2015 14:00	FALSE	0.757		1490.626		29.911		-0.215	
TPSWC-1T_AT_155346	6/11/2015 15:00	FALSE	0.756		1488.986		29.942		-0.216	
TPSWC-1T_AT_155346	6/11/2015 16:00	FALSE	0.755		1486.902		30.023		-0.219	
TPSWC-1T_AT_155346	6/11/2015 17:00	FALSE	0.753		1484.286		30.151		-0.218	
TPSWC-1T_AT_155346	6/11/2015 18:00	FALSE	0.756		1488.913		30.182		-0.218	
TPSWC-1T_AT_155346	6/11/2015 19:00	FALSE	0.756		1488.238		30.161		-0.216	
TPSWC-1T_AT_155346	6/11/2015 20:00	FALSE	0.755		1487.034		30.221		-0.217	
TPSWC-1T_AT_155346	6/11/2015 21:00	FALSE	0.759		1494.415		30.109		-0.217	
TPSWC-1T_AT_155346	6/11/2015 22:00	FALSE	0.758		1492.958		29.984		-0.218	
TPSWC-1T_AT_155346	6/11/2015 23:00	FALSE	0.759		1493.685		29.811		-0.221	
TPSWC-1T_AT_155346	6/12/2015 0:00	FALSE	0.759		1494.496		29.642		-0.222	
TPSWC-1T_AT_155346	6/12/2015 1:00	FALSE	0.759		1494.233		29.498		-0.222	
TPSWC-1T_AT_155346	6/12/2015 2:00	FALSE	0.769		1512.684		29.363		-0.225	
TPSWC-1T_AT_155346	6/12/2015 3:00	FALSE	0.765		1505.078		29.236		-0.225	
TPSWC-1T_AT_155346	6/12/2015 4:00	FALSE	0.764		1502.97		29.117		-0.227	
TPSWC-1T_AT_155346	6/12/2015 5:00	FALSE	0.768		1508.248		28.959		-0.227	
TPSWC-1T_AT_155346	6/12/2015 6:00	FALSE	0.773		1520.23		28.869		-0.224	
TPSWC-1T_AT_155346	6/12/2015 7:00	FALSE	0.768		1510.846		28.79		-0.222	
TPSWC-1T_AT_155346	6/12/2015 8:00	FALSE	0.769		1512.043		28.802		-0.228	
TPSWC-1T_AT_155346	6/12/2015 9:00	FALSE	0.768		1510.949		28.875		-0.225	
TPSWC-1T_AT_155346	6/12/2015 10:00	FALSE	0.768		1511.232		29.018		-0.226	
TPSWC-1T_AT_155346	6/12/2015 11:00	FALSE	0.767		1508.359		29.226		-0.23	
TPSWC-1T_AT_155346	6/12/2015 12:00	FALSE	0.766		1508.103		29.52		-0.235	
TPSWC-1T_AT_155346	6/12/2015 13:00	FALSE	0.766		1506.733		29.714		-0.234	
TPSWC-1T_AT_155346	6/12/2015 14:00	FALSE	0.765		1506.026		29.878		-0.238	
TPSWC-1T_AT_155346	6/12/2015 15:00	FALSE	0.765		1505.858		30.184		-0.245	
TPSWC-1T_AT_155346	6/12/2015 16:00	FALSE								

TPSWC-1T_AT_155346	6/13/2015 7:00	FALSE	0.793	1558.531	28.845	-0.231
TPSWC-1T_AT_155346	6/13/2015 8:00	FALSE	0.79	1552.188	28.878	-0.23
TPSWC-1T_AT_155346	6/13/2015 9:00	FALSE	0.789	1550.096	28.959	-0.226
TPSWC-1T_AT_155346	6/13/2015 10:00	FALSE	0.786	1544.807	29.092	-0.228
TPSWC-1T_AT_155346	6/13/2015 11:00	FALSE	0.783	1538.989	29.265	-0.226
TPSWC-1T_AT_155346	6/13/2015 12:00	FALSE	0.783	1539.591	29.514	-0.227
TPSWC-1T_AT_155346	6/13/2015 13:00	FALSE	0.783	1538.834	29.749	-0.232
TPSWC-1T_AT_155346	6/13/2015 14:00	FALSE	0.782	1537.824	30.04	-0.234
TPSWC-1T_AT_155346	6/13/2015 15:00	FALSE	0.78	1533.901	30.268	-0.239
TPSWC-1T_AT_155346	6/13/2015 16:00	FALSE	0.78	1533.358	30.316	-0.244
TPSWC-1T_AT_155346	6/13/2015 17:00	FALSE	0.781	1536.447	30.338	-0.247
TPSWC-1T_AT_155346	6/13/2015 18:00	FALSE	0.783	1539.676	31.138	-0.25
TPSWC-1T_AT_155346	6/13/2015 19:00	FALSE	0.782	1538.139	30.772	-0.248
TPSWC-1T_AT_155346	6/13/2015 20:00	FALSE	0.783	1540.716	30.524	-0.244
TPSWC-1T_AT_155346	6/13/2015 21:00	FALSE	0.782	1538.729	30.29	-0.24
TPSWC-1T_AT_155346	6/13/2015 22:00	FALSE	0.785	1542.621	30.045	-0.241
TPSWC-1T_AT_155346	6/13/2015 23:00	FALSE	0.787	1546.733	29.828	-0.235
TPSWC-1T_AT_155346	6/14/2015 0:00	FALSE	0.788	1548.905	29.629	-0.236
TPSWC-1T_AT_155346	6/14/2015 1:00	FALSE	0.788	1549.52	29.474	-0.237
TPSWC-1T_AT_155346	6/14/2015 2:00	FALSE	0.79	1552.812	29.335	-0.238
TPSWC-1T_AT_155346	6/14/2015 3:00	FALSE	0.792	1555.903	29.199	-0.239
TPSWC-1T_AT_155346	6/14/2015 4:00	FALSE	0.799	1569.18	29.061	-0.241
TPSWC-1T_AT_155346	6/14/2015 5:00	FALSE	0.806	1582.056	28.963	-0.237
TPSWC-1T_AT_155346	6/14/2015 6:00	FALSE	0.805	1580.087	28.784	-0.216
TPSWC-1T_AT_155346	6/14/2015 7:00	FALSE	0.808	1585.701	28.779	-0.211
TPSWC-1T_AT_155346	6/14/2015 8:00	FALSE	0.806	1582.501	28.832	-0.207
TPSWC-1T_AT_155346	6/14/2015 9:00	FALSE	0.806	1581.786	28.934	-0.206
TPSWC-1T_AT_155346	6/14/2015 10:00	FALSE	0.802	1575.577	29.113	-0.202
TPSWC-1T_AT_155346	6/14/2015 11:00	FALSE	0.801	1572.984	29.227	-0.2
TPSWC-1T_AT_155346	6/14/2015 12:00	FALSE	0.8	1570.979	29.405	-0.202
TPSWC-1T_AT_155346	6/14/2015 13:00	FALSE	0.799	1570.328	29.588	-0.205
TPSWC-1T_AT_155346	6/14/2015 14:00	FALSE	0.799	1569.369	29.735	-0.204
TPSWC-1T_AT_155346	6/14/2015 15:00	FALSE	0.798	1567.761	29.887	-0.207
TPSWC-1T_AT_155346	6/14/2015 16:00	FALSE	0.798	1568.398	29.924	-0.217
TPSWC-1T_AT_155346	6/14/2015 17:00	FALSE	0.797	1566.099	30.368	-0.219
TPSWC-1T_AT_155346	6/14/2015 18:00	FALSE	0.8	1572.511	30.429	-0.22
TPSWC-1T_AT_155346	6/14/2015 19:00	FALSE	0.8	1571.636	30.275	-0.222
TPSWC-1T_AT_155346	6/14/2015 20:00	FALSE	0.8	1571.151	30.054	-0.219
TPSWC-1T_AT_155346	6/14/2015 21:00	FALSE	0.802	1575.987	29.899	-0.214
TPSWC-1T_AT_155346	6/14/2015 22:00	FALSE	0.802	1575.243	29.726	-0.211
TPSWC-1T_AT_155346	6/14/2015 23:00	FALSE	0.803	1576.989	29.524	-0.207
TPSWC-1T_AT_155346	6/15/2015 0:00	FALSE	0.805	1579.895	29.357	-0.204

WaterLevel (ft)

