

SensorName	DateSampleTaken	IsDataValid	Salinity (PSU)	SalinityTelemetryQualifiers	SpecificConductance (µS/cm)	SpecificConductanceTelemetryQualifiers	Temperature (C)	TemperatureTelemetryQualifiers	WaterLevel (ft)	WaterLevelTelemetryQualifiers
TPSWC-1T_AT_155346	6/15/2015 0:00	FALSE	0.805		1579.895		29.357		-0.204	
TPSWC-1T_AT_155346	6/15/2015 1:00	FALSE	0.804		1578.533		29.178		-0.204	
TPSWC-1T_AT_155346	6/15/2015 2:00	FALSE	0.805		1580.761		29.04		-0.204	
TPSWC-1T_AT_155346	6/15/2015 3:00	FALSE	0.806		1581.459		28.932		-0.205	
TPSWC-1T_AT_155346	6/15/2015 4:00	FALSE	0.808		1585.284		28.859		-0.208	
TPSWC-1T_AT_155346	6/15/2015 5:00	FALSE	0.809		1586.972		28.785		-0.21	
TPSWC-1T_AT_155346	6/15/2015 6:00	FALSE	0.809		1587.376		28.719		-0.213	
TPSWC-1T_AT_155346	6/15/2015 7:00	FALSE	0.809		1587.564		28.692		-0.212	
TPSWC-1T_AT_155346	6/15/2015 8:00	FALSE	0.81		1590.217		28.74		-0.211	
TPSWC-1T_AT_155346	6/15/2015 9:00	FALSE	0.81		1589.351		28.836		-0.208	
TPSWC-1T_AT_155346	6/15/2015 10:00	FALSE	0.809		1587.673		28.97		-0.204	
TPSWC-1T_AT_155346	6/15/2015 11:00	FALSE	0.809		1588.411		29.24		-0.203	
TPSWC-1T_AT_155346	6/15/2015 12:00	FALSE	0.811		1591.063		29.409		-0.201	
TPSWC-1T_AT_155346	6/15/2015 13:00	FALSE	0.813		1595.447		29.667		-0.208	
TPSWC-1T_AT_155346	6/15/2015 14:00	FALSE	0.812		1594.302		29.929		-0.208	
TPSWC-1T_AT_155346	6/15/2015 15:00	FALSE	0.814		1596.985		29.896		-0.211	
TPSWC-1T_AT_155346	6/15/2015 16:00	FALSE	0.817		1603.209		30.128		-0.218	
TPSWC-1T_AT_155346	6/15/2015 17:00	FALSE	0.819		1607.874		30.188		-0.219	
TPSWC-1T_AT_155346	6/15/2015 18:00	FALSE	0.817		1604.225		30.151		-0.222	
TPSWC-1T_AT_155346	6/15/2015 19:00	FALSE	0.817		1603.224		30.201		-0.226	
TPSWC-1T_AT_155346	6/15/2015 20:00	FALSE	0.815		1600.597		30.219		-0.229	
TPSWC-1T_AT_155346	6/15/2015 21:00	FALSE	0.815		1600.306		30.233		-0.23	
TPSWC-1T_AT_155346	6/15/2015 22:00	FALSE	0.818		1605.546		30.115		-0.229	
TPSWC-1T_AT_155346	6/15/2015 23:00	FALSE	0.818		1605.921		29.893		-0.23	
TPSWC-1T_AT_155346	6/16/2015 0:00	FALSE	0.818		1605.077		29.71		-0.23	
TPSWC-1T_AT_155346	6/16/2015 1:00	FALSE	0.818		1604.881		29.53		-0.23	
TPSWC-1T_AT_155346	6/16/2015 2:00	FALSE	0.819		1607.176		29.372		-0.232	
TPSWC-1T_AT_155346	6/16/2015 3:00	FALSE	0.821		1610.039		29.249		-0.234	
TPSWC-1T_AT_155346	6/16/2015 4:00	FALSE	0.821		1610.118		29.141		-0.238	
TPSWC-1T_AT_155346	6/16/2015 5:00	FALSE	0.822		1612.318		29.037		-0.241	
TPSWC-1T_AT_155346	6/16/2015 6:00	FALSE	0.823		1614.759		28.959		-0.247	
TPSWC-1T_AT_155346	6/16/2015 7:00	FALSE	0.825		1618.557		28.935		-0.25	
TPSWC-1T_AT_155346	6/16/2015 8:00	FALSE	0.826		1619.442		28.95		-0.25	
TPSWC-1T_AT_155346	6/16/2015 9:00	FALSE	0.826		1619.747		29.063		-0.253	
TPSWC-1T_AT_155346	6/16/2015 10:00	FALSE	0.826		1620.036		29.249		-0.254	
TPSWC-1T_AT_155346	6/16/2015 11:00	FALSE	0.825		1617.381		29.459		-0.253	
TPSWC-1T_AT_155346	6/16/2015 12:00	FALSE	0.825		1619.018		29.731		-0.251	
TPSWC-1T_AT_155346	6/16/2015 13:00	FALSE	0.825		1619.03		30.012		-0.256	
TPSWC-1T_AT_155346	6/16/2015 14:00	FALSE	0.825		1618.449		30.26		-0.258	
TPSWC-1T_AT_155346	6/16/2015 15:00	FALSE	0.823		1614.716		30.557		-0.265	
TPSWC-1T_AT_155346	6/16/2015 16:00	FALSE	0.824		1616.038		30.538		-0.268	
TPSWC-1T_AT_155346	6/16/2015 17:00	FALSE	0.825		1618.023		30.688		-0.273	
TPSWC-1T_AT_155346	6/16/2015 18:00	FALSE	0.826		1620.061		30.799		-0.277	
TPSWC-1T_AT_155346	6/16/2015 19:00	FALSE	0.826		1620.799		30.777		-0.281	
TPSWC-1T_AT_155346	6/16/2015 20:00	FALSE	0.828		1623.806		30.791		-0.284	
TPSWC-1T_AT_155346	6/16/2015 21:00	FALSE	0.834		1634.911		30.743		-0.285	
TPSWC-1T_AT_155346	6/16/2015 22:00	FALSE	0.837		1641.49		30.726		-0.288	
TPSWC-1T_AT_155346	6/16/2015 23:00	FALSE	0.836		1638.467		30.571		-0.287	
TPSWC-1T_AT_155346	6/17/2015 0:00	FALSE	0.838		1641.997		30.383		-0.287	
TPSWC-1T_AT_155346	6/17/2015 1:00	FALSE	0.842		1649.846		30.084		-0.286	
TPSWC-1T_AT_155346	6/17/2015 2:00	FALSE	0.843		1651.285		29.902		-0.285	
TPSWC-1T_AT_155346	6/17/2015 3:00	FALSE	0.843		1651.813		29.751		-0.288	
TPSWC-1T_AT_155346	6/17/2015 4:00	FALSE	0.843		1651.436		29.622		-0.291	
TPSWC-1T_AT_155346	6/17/2015 5:00	FALSE	0.842		1650.652		29.496		-0.293	
TPSWC-1T_AT_155346	6/17/2015 6:00	FALSE	0.843		1651.308		29.411		-0.294	
TPSWC-1T_AT_155346	6/17/2015 7:00	FALSE	0.843		1652.017		29.36		-0.296	
TPSWC-1T_AT_155346	6/17/2015 8:00	FALSE	0.844		1652.893		29.429		-0.301	
TPSWC-1T_AT_155346	6/17/2015 9:00	FALSE	0.844		1653.045		29.538		-0.301	
TPSWC-1T_AT_155346	6/17/2015 10:00	FALSE	0.843		1651.626		29.752		-0.302	
TPSWC-1T_AT_155346	6/17/2015 11:00	FALSE	0.843		1652.391		30		-0.302	
TPSWC-1T_AT_155346	6/17/2015 12:00	FALSE	0.843		1651.418		30.233		-0.296	
TPSWC-1T_AT_155346	6/17/2015 13:00	FALSE	0.843		1651.476		30.507		-0.296	
TPSWC-1T_AT_155346	6/17/2015 14:00	FALSE	0.84		1647.666		30.841		-0.297	
TPSWC-1T_AT_155346	6/17/2015 15:00	FALSE	0.84		1645.998		31.01		-0.295	
TPSWC-1T_AT_155346	6/17/2015 16:00	FALSE	0.839		1644.895		31.218		-0.296	
TPSWC-1T_AT_155346	6/17/2015 17:00	FALSE	0.84		1647.135		31.252		-0.298	
TPSWC-1T_AT_155346	6/17/2015 18:00	FALSE	0.841		1648.679		31.418		-0.305	
TPSWC-1T_AT_155346	6/17/2015 19:00	FALSE	0.844		1654.88		31.444		-0.306	
TPSWC-1T_AT_155346	6/17/2015 20:00	FALSE	0.846		1657.511		31.498		-0.307	
TPSWC-1T_AT_155346	6/17/2015 21:00	FALSE	0.846		1658.459		31.53		-0.307	
TPSWC-1T_AT_155346	6/17/2015 22:00	FALSE	0.846		1657.593		31.573		-0.308	
TPSWC-1T_AT_155346	6/17/2015 23:00	FALSE	0.846		1658.358		31.447		-0.304	
TPSWC-1T_AT_155346	6/18/2015 0:00	FALSE	0.847		1660.368		31.147		-0.301	
TPSWC-1T_AT_155346	6/18/2015 1:00	FALSE	0.848		1661.084		30.93		-0.297	
TPSWC-1T_AT_155346	6/18/2015 2:00	FALSE	0.849		1662.622		30.74		-0.292	
TPSWC-1T_AT_155346	6/18/2015 3:00	FALSE	0.849		1663.2		30.567		-0.29	
TPSWC-1T_AT_155346	6/18/2015 4:00	FALSE	0.849		1663.423		30.376		-0.289	
TPSWC-1T_AT_155346	6/18/2015 5:00	FALSE	0.85		1665.4		30.255		-0.289	
TPSWC-1T_AT_155346	6/18/2015 6:00	FALSE	0.851		1665.999		30.106		-0.292	
TPSWC-1T_AT_155346	6/18/2015 7:00	FALSE	0.852		1667.751		29.953		-0.29	
TPSWC-1T_AT_155346	6/18/2015 8:00	FALSE	0.852		1669.106		30.011		-0.294	
TPSWC-1T_AT_155346	6/18/2015 9:00	FALSE	0.852		1669.474		30.134		-0.293	
TPSWC-1T_AT_155346	6/18/2015 10:00	FALSE	0.851		1667.573		30.324		-0.284	
TPSWC-1T_AT_155346	6/18/2015 11:00	FALSE	0.86		1684.171		30.661		-0.181	
TPSWC-1T_AT_155346	6/18/2015 12:00	FALSE	0.862		1688.002		30.836		-0.189	
TPSWC-1T_AT_155346	6/18/2015 13:00	FALSE	0.864		1693.841		31.035		-0.202	
TPSWC-1T_AT_155346	6/18/2015 14:00	FALSE	0.867		1696.906		31.318		-0.212	
TPSWC-1T_AT_155346	6/18/2015 15:00	FALSE	0.865		1694.073		31.576		-0.218	
TPSWC-1T_AT_155346	6/18/2015 16:00	FALSE	0.863		1691.152		31.756		-0.229	
TPSWC-1T_AT_155346	6/18/2015 17:00	FALSE	0.864		1693.208		31.88		-0.236	
TPSWC-1T_AT_155346	6/18/2015 18:00	FALSE	0.866		1695.788		32.006		-0.244	
TPSWC-1T_AT_155346	6/18/2015 19:00	FALSE	0.869		1701.424		31.955		-0.25	
TPSWC-1T_AT_155346	6/18/2015 20:00	FALSE	0.87		1703.379		31.968		-0.253	
TPSWC-1T_AT_155346	6/18/2015 21:00	FALSE	0.87		1703.551		32.054		-0.265	
TPSWC-1T_AT_155346	6/18/2015 22:00	FALSE	0.866		1696.792		31.936		-0.266	
TPSWC-1T_AT_155346	6/18/2015 23:00	FALSE	0.87		1702.565		31.635		-0.27	
TPSWC-1T_AT_155346	6/19/2015 0:00	FALSE	0.871		1704.36		31.382		-0.271	
TPSWC-1T_AT_155346	6/19/2015 1:00	FALSE	0.871		1705.124		31.179		-0.272	
TPSWC-1T_AT_155346	6/19/2015 2:00	FALSE	0.873		1708.516		30.985		-0.271	
TPSWC-1T_AT_155346	6/19/2015 3:00	FALSE	0.874		1710.667		30.806		-0.27	
TPSWC-1T_AT_155346	6/19/2015 4:00	FALSE	0.875		1711.544		30.687		-0.273	
TPSWC-1T_AT_155346	6/19/2015 5:00	FALSE	0.877		1715.805		30.592		-0.275	
TPSWC-1T_AT_155346	6/19/2015 6:00	FALSE	0.879		1719.119		30.486		-0.278	
TPSWC-1T_AT_155346	6/19/2015 7:00	FALSE	0.879		1719.660		30.439		-0.279	
TPSWC-1T_AT_155346	6/19/2015 8:00	FALSE	0.877		1716.033		30.555		-0.284	
TPSWC-1T_AT_155346	6/19/2015 9:00	FALSE	0.878		1718.092		30.668		-0.29	
TPSWC-1T_AT_155346	6/19/2015 10:00	FALSE	0.875		1712.607		30.806		-0.29	
TPSWC-1T_AT_155346	6/19/2015 11:00	FALSE	0.877		1715.585		31.046		-0.293	
TPSWC-1T_AT_155346	6/19/2015 12:00	FALSE	0.876		1714.97		31.326		-0.294	
TPSWC-1T_AT_155346	6/19/2015 13:00	FALSE	0.878		1717.966		31.611		-0.297	
TPSWC-1T_AT_155346	6/19/2015 14:00	FALSE	0.879		1717.569		31.803		-0.299	
TPSWC-1T_AT_155346	6/19/2015 15:00	FALSE	0.876		1714.788		32.038		-0.3	
TPSWC-1T_AT_155346	6/1									

TPSWC-1T_AT_155346	6/20/2015 7:00	FALSE	0.894	1746.558	30.784	-0.325
TPSWC-1T_AT_155346	6/20/2015 8:00	FALSE	0.892	1744.368	30.909	-0.326
TPSWC-1T_AT_155346	6/20/2015 9:00	FALSE	0.891	1741.771	30.967	-0.326
TPSWC-1T_AT_155346	6/20/2015 10:00	FALSE	0.892	1743.989	31.111	-0.329
TPSWC-1T_AT_155346	6/20/2015 11:00	FALSE	0.892	1743.469	31.241	-0.329
TPSWC-1T_AT_155346	6/20/2015 12:00	FALSE	0.894	1747.901	31.402	-0.334
TPSWC-1T_AT_155346	6/20/2015 13:00	FALSE	0.897	1753.039	31.724	-0.33
TPSWC-1T_AT_155346	6/20/2015 14:00	FALSE	0.898	1755.062	31.903	-0.331
TPSWC-1T_AT_155346	6/20/2015 15:00	FALSE	0.895	1750.27	32.215	-0.33
TPSWC-1T_AT_155346	6/20/2015 16:00	FALSE	0.897	1754.68	32.261	-0.329
TPSWC-1T_AT_155346	6/20/2015 17:00	FALSE	0.896	1751.499	32.369	-0.332
TPSWC-1T_AT_155346	6/20/2015 18:00	FALSE	0.897	1753.764	32.389	-0.335
TPSWC-1T_AT_155346	6/20/2015 19:00	FALSE	0.897	1754.271	32.407	-0.337
TPSWC-1T_AT_155346	6/20/2015 20:00	FALSE	0.898	1755.819	32.304	-0.339
TPSWC-1T_AT_155346	6/20/2015 21:00	FALSE	0.9	1760.107	32.003	-0.342
TPSWC-1T_AT_155346	6/20/2015 22:00	FALSE	0.904	1766.58	31.724	-0.344
TPSWC-1T_AT_155346	6/20/2015 23:00	FALSE	0.906	1770.293	31.529	-0.346
TPSWC-1T_AT_155346	6/21/2015 0:00	FALSE	0.904	1766.922	31.324	-0.347
TPSWC-1T_AT_155346	6/21/2015 1:00	FALSE	0.904	1766.119	31.159	-0.345
TPSWC-1T_AT_155346	6/21/2015 2:00	FALSE	0.904	1766.407	31.018	-0.343
TPSWC-1T_AT_155346	6/21/2015 3:00	FALSE	0.905	1767.76	30.894	-0.34
TPSWC-1T_AT_155346	6/21/2015 4:00	FALSE	0.905	1768.66	30.763	-0.338
TPSWC-1T_AT_155346	6/21/2015 5:00	FALSE	0.907	1771.62	30.66	-0.338
TPSWC-1T_AT_155346	6/21/2015 6:00	FALSE	0.908	1773.026	30.57	-0.337
TPSWC-1T_AT_155346	6/21/2015 7:00	FALSE	0.909	1775.354	30.576	-0.338
TPSWC-1T_AT_155346	6/21/2015 8:00	FALSE	0.908	1773.514	30.654	-0.341
TPSWC-1T_AT_155346	6/21/2015 9:00	FALSE	0.907	1771.993	30.784	-0.343
TPSWC-1T_AT_155346	6/21/2015 10:00	FALSE	0.908	1772.75	30.897	-0.345
TPSWC-1T_AT_155346	6/21/2015 11:00	FALSE	0.908	1774.106	31.132	-0.346
TPSWC-1T_AT_155346	6/21/2015 12:00	FALSE	0.908	1773.576	31.528	-0.348
TPSWC-1T_AT_155346	6/21/2015 13:00	FALSE	0.909	1775.22	31.865	-0.349
TPSWC-1T_AT_155346	6/21/2015 14:00	FALSE	0.906	1771.542	32.089	-0.353
TPSWC-1T_AT_155346	6/21/2015 15:00	FALSE	0.903	1765.565	32.318	-0.355
TPSWC-1T_AT_155346	6/21/2015 16:00	FALSE	0.901	1761.516	32.45	-0.352
TPSWC-1T_AT_155346	6/21/2015 17:00	FALSE	0.904	1766.541	32.557	-0.355
TPSWC-1T_AT_155346	6/21/2015 18:00	FALSE	0.904	1766.859	32.633	-0.358
TPSWC-1T_AT_155346	6/21/2015 19:00	FALSE	0.904	1767.415	32.734	-0.357
TPSWC-1T_AT_155346	6/21/2015 20:00	FALSE	0.907	1772.107	32.67	-0.361
TPSWC-1T_AT_155346	6/21/2015 21:00	FALSE	0.909	1775.938	32.496	-0.363
TPSWC-1T_AT_155346	6/21/2015 22:00	FALSE	0.911	1780.254	32.131	-0.366
TPSWC-1T_AT_155346	6/21/2015 23:00	FALSE	0.913	1783.135	31.841	-0.368
TPSWC-1T_AT_155346	6/22/2015 0:00	FALSE	0.913	1783.081	31.584	-0.372

WaterLevel (ft)

