

SensorName	DateSampleTaken	IsDataValid	Salinity (PSU)	SalinityTelemetryQualifiers	SpecificConductance (µS/cm)	SpecificConductanceTelemetryQualifiers	Temperature (C)	TemperatureTelemetryQualifiers	WaterLevel (ft)	WaterLevelTelemetryQualifiers
TPSWC-1T_AT_155346	8/31/2015 0:00	FALSE	0.348		705.786		27.704		0.587	
TPSWC-1T_AT_155346	8/31/2015 1:00	FALSE	0.348		705.832		27.658		0.587	
TPSWC-1T_AT_155346	8/31/2015 2:00	FALSE	0.346		702.854		27.607		0.587	
TPSWC-1T_AT_155346	8/31/2015 3:00	FALSE	0.349		705.294		27.597		0.585	
TPSWC-1T_AT_155346	8/31/2015 4:00	FALSE	0.355		720.136		27.563		0.584	
TPSWC-1T_AT_155346	8/31/2015 5:00	FALSE	0.358		726.486		27.477		0.582	
TPSWC-1T_AT_155346	8/31/2015 6:00	FALSE	0.358		727.109		27.421		0.583	
TPSWC-1T_AT_155346	8/31/2015 7:00	FALSE	0.355		720.613		27.333		0.583	
TPSWC-1T_AT_155346	8/31/2015 8:00	FALSE	0.353		717.305		27.353		0.581	
TPSWC-1T_AT_155346	8/31/2015 9:00	FALSE	0.351		711.828		27.451		0.582	
TPSWC-1T_AT_155346	8/31/2015 10:00	FALSE	0.351		712.327		27.568		0.58	
TPSWC-1T_AT_155346	8/31/2015 11:00	FALSE	0.338		687.826		27.628		0.584	
TPSWC-1T_AT_155346	8/31/2015 12:00	FALSE	0.341		692.841		27.653		0.589	
TPSWC-1T_AT_155346	8/31/2015 13:00	FALSE	0.349		708.425		28.913		0.587	
TPSWC-1T_AT_155346	8/31/2015 14:00	FALSE	0.351		712.317		29.543		0.586	
TPSWC-1T_AT_155346	8/31/2015 15:00	FALSE	0.356		723.585		30.115		0.585	
TPSWC-1T_AT_155346	8/31/2015 16:00	FALSE	0.362		735.461		30.632		0.587	
TPSWC-1T_AT_155346	8/31/2015 17:00	FALSE	0.373		756.271		31.14		0.585	
TPSWC-1T_AT_155346	8/31/2015 18:00	FALSE	0.385		781.027		31.252		0.585	
TPSWC-1T_AT_155346	8/31/2015 19:00	FALSE	0.391		791.473		31.175		0.584	
TPSWC-1T_AT_155346	8/31/2015 20:00	FALSE	0.392		794.513		31.053		0.583	
TPSWC-1T_AT_155346	8/31/2015 21:00	FALSE	0.392		793.855		30.957		0.583	
TPSWC-1T_AT_155346	8/31/2015 22:00	FALSE	0.391		792.335		30.835		0.583	
TPSWC-1T_AT_155346	8/31/2015 23:00	FALSE	0.387		783.672		30.689		0.582	
TPSWC-1T_AT_155346	9/1/2015 0:00	FALSE	0.385		780.573		30.558		0.581	
TPSWC-1T_AT_155346	9/1/2015 1:00	FALSE	0.384		776.941		30.402		0.582	
TPSWC-1T_AT_155346	9/1/2015 2:00	FALSE	0.377		764.311		30.203		0.582	
TPSWC-1T_AT_155346	9/1/2015 3:00	FALSE	0.368		747.324		30.008		0.575	
TPSWC-1T_AT_155346	9/1/2015 4:00	FALSE	0.358		726.998		29.898		0.574	
TPSWC-1T_AT_155346	9/1/2015 5:00	FALSE	0.352		715.653		29.767		0.574	
TPSWC-1T_AT_155346	9/1/2015 6:00	FALSE	0.348		706.288		29.639		0.574	
TPSWC-1T_AT_155346	9/1/2015 7:00	FALSE	0.343		697.012		29.539		0.572	
TPSWC-1T_AT_155346	9/1/2015 8:00	FALSE	0.338		686.896		29.526		0.572	
TPSWC-1T_AT_155346	9/1/2015 9:00	FALSE	0.337		686.526		29.59		0.57	
TPSWC-1T_AT_155346	9/1/2015 10:00	FALSE	0.34		692.101		29.672		0.57	
TPSWC-1T_AT_155346	9/1/2015 11:00	FALSE	0.325		662.961		29.778		0.599	
TPSWC-1T_AT_155346	9/1/2015 12:00	FALSE	0.359		728.668		29.863		0.574	
TPSWC-1T_AT_155346	9/1/2015 13:00	FALSE	0.36		730.508		29.672		0.574	
TPSWC-1T_AT_155346	9/1/2015 14:00	FALSE	0.345		700.985		29.821		0.573	
TPSWC-1T_AT_155346	9/1/2015 15:00	FALSE	0.348		706.311		29.922		0.57	
TPSWC-1T_AT_155346	9/1/2015 16:00	FALSE	0.344		699.391		30.185		0.568	
TPSWC-1T_AT_155346	9/1/2015 17:00	FALSE	0.351		712.443		29.963		0.568	
TPSWC-1T_AT_155346	9/1/2015 18:00	FALSE	0.357		724.866		29.799		0.568	
TPSWC-1T_AT_155346	9/1/2015 19:00	FALSE	0.363		736.452		29.549		0.566	
TPSWC-1T_AT_155346	9/1/2015 20:00	FALSE	0.36		730.508		29.449		0.565	
TPSWC-1T_AT_155346	9/1/2015 21:00	FALSE	0.352		714.196		29.353		0.564	
TPSWC-1T_AT_155346	9/1/2015 22:00	FALSE	0.349		708.528		29.273		0.564	
TPSWC-1T_AT_155346	9/1/2015 23:00	FALSE	0.346		702.379		29.363		0.564	
TPSWC-1T_AT_155346	9/2/2015 0:00	FALSE	0.342		695.847		29.263		0.565	
TPSWC-1T_AT_155346	9/2/2015 1:00	FALSE	0.34		691.249		29.289		0.565	
TPSWC-1T_AT_155346	9/2/2015 2:00	FALSE	0.34		691.737		29.263		0.565	
TPSWC-1T_AT_155346	9/2/2015 3:00	FALSE	0.339		689.919		29.486		0.564	
TPSWC-1T_AT_155346	9/2/2015 4:00	FALSE	0.343		696.854		29.821		0.563	
TPSWC-1T_AT_155346	9/2/2015 5:00	FALSE	0.34		690.914		29.775		0.578	
TPSWC-1T_AT_155346	9/2/2015 6:00	FALSE	0.331		673.97		29.449		0.564	
TPSWC-1T_AT_155346	9/2/2015 7:00	FALSE	0.329		670.118		29.774		0.563	
TPSWC-1T_AT_155346	9/2/2015 8:00	FALSE	0.324		659.123		29.757		0.561	
TPSWC-1T_AT_155346	9/2/2015 9:00	FALSE	0.322		656.803		29.974		0.562	
TPSWC-1T_AT_155346	9/2/2015 10:00	FALSE	0.317		646.215		30.033		0.56	
TPSWC-1T_AT_155346	9/2/2015 11:00	FALSE	0.306		624.255		30.16		0.59	
TPSWC-1T_AT_155346	9/2/2015 12:00	FALSE	0.315		641.519		29.384		0.564	
TPSWC-1T_AT_155346	9/2/2015 13:00	FALSE	0.316		644.349		29.316		0.561	
TPSWC-1T_AT_155346	9/2/2015 14:00	FALSE	0.319		649.557		29.6		0.56	
TPSWC-1T_AT_155346	9/2/2015 15:00	FALSE	0.317		645.396		29.743		0.557	
TPSWC-1T_AT_155346	9/2/2015 16:00	FALSE	0.319		650.535		29.851		0.556	
TPSWC-1T_AT_155346	9/2/2015 17:00	FALSE	0.318		647.517		29.937		0.555	
TPSWC-1T_AT_155346	9/2/2015 18:00	FALSE	0.314		640.401		29.886		0.554	
TPSWC-1T_AT_155346	9/2/2015 19:00	FALSE	0.312		637.181		29.836		0.554	
TPSWC-1T_AT_155346	9/2/2015 20:00	FALSE	0.311		633.986		29.855		0.553	
TPSWC-1T_AT_155346	9/2/2015 21:00	FALSE	0.309		630.411		30.023		0.553	
TPSWC-1T_AT_155346	9/2/2015 22:00	FALSE	0.307		627.588		30.062		0.552	
TPSWC-1T_AT_155346	9/2/2015 23:00	FALSE	0.309		631.275		30.196		0.552	
TPSWC-1T_AT_155346	9/3/2015 0:00	FALSE	0.309		631.373		30.23		0.553	
TPSWC-1T_AT_155346	9/3/2015 1:00	FALSE	0.311		633.796		30.173		0.552	
TPSWC-1T_AT_155346	9/3/2015 2:00	FALSE	0.307		626.814		30.106		0.553	
TPSWC-1T_AT_155346	9/3/2015 3:00	FALSE	0.307		625.68		30.055		0.553	
TPSWC-1T_AT_155346	9/3/2015 4:00	FALSE	0.307		627.099		29.949		0.552	
TPSWC-1T_AT_155346	9/3/2015 5:00	FALSE	0.307		627.004		30.181		0.548	
TPSWC-1T_AT_155346	9/3/2015 6:00	FALSE	0.307		625.841		30.145		0.547	
TPSWC-1T_AT_155346	9/3/2015 7:00	FALSE	0.287		587.118		30.05		0.546	
TPSWC-1T_AT_155346	9/3/2015 8:00	FALSE	0.292		596.024		29.981		0.545	
TPSWC-1T_AT_155346	9/3/2015 9:00	FALSE	0.31		632.77		29.945		0.544	
TPSWC-1T_AT_155346	9/3/2015 10:00	FALSE	0.315		641.806		29.926		0.543	
TPSWC-1T_AT_155346	9/3/2015 11:00	FALSE	0.31		631.849		29.936		0.556	
TPSWC-1T_AT_155346	9/3/2015 12:00	FALSE	0.307		627.019		29.791		0.548	
TPSWC-1T_AT_155346	9/3/2015 13:00	FALSE	0.306		624.662		29.993		0.546	
TPSWC-1T_AT_155346	9/3/2015 14:00	FALSE	0.304		621.504		30.307		0.545	
TPSWC-1T_AT_155346	9/3/2015 15:00	FALSE	0.305		622.679		30.149		0.543	
TPSWC-1T_AT_155346	9/3/2015 16:00	FALSE	0.306		625.057		30.26		0.541	
TPSWC-1T_AT_155346	9/3/2015 17:00	FALSE	0.303		619.694		30.478		0.542	
TPSWC-1T_AT_155346	9/3/2015 18:00	FALSE	0.297		606.857		31.028		0.542	
TPSWC-1T_AT_155346	9/3/2015 19:00	FALSE	0.296		605.75		31.259		0.541	
TPSWC-1T_AT_155346	9/3/2015 20:00	FALSE	0.294		601.273		31.041		0.54	
TPSWC-1T_AT_155346	9/3/2015 21:00	FALSE	0.3		613.202		30.762		0.538	
TPSWC-1T_AT_155346	9/3/2015 22:00	FALSE	0.303		619.309		30.705		0.538	
TPSWC-1T_AT_155346	9/3/2015 23:00	FALSE	0.305		623.534		30.517		0.538	
TPSWC-1T_AT_155346	9/4/2015 0:00	FALSE	0.306		625.326		30.49		0.539	
TPSWC-1T_AT_155346	9/4/2015 1:00	FALSE	0.307		626.557		30.441		0.538	
TPSWC-1T_AT_155346	9/4/2015 2:00	FALSE	0.307		626.356		30.383		0.538	
TPSWC-1T_AT_155346	9/4/2015 3:00	FALSE	0.306		624.242		30.232		0.538	
TPSWC-1T_AT_155346	9/4/2015 4:00	FALSE	0.305		623.276		30.194		0.538	
TPSWC-1T_AT_155346	9/4/2015 5:00	FALSE	0.304		620.97		30.092		0.538	
TPSWC-1T_AT_155346	9/4/2015 6:00	FALSE	0.302		616.191		29.926		0.538	
TPSWC-1T_AT_155346	9/4/2015 7:00	FALSE	0.301		613.922		30.032		0.533	
TPSWC-1T_AT_155346	9/4/2015 8:00	FALSE	0.302		616.502		29.942		0.532	
TPSWC-1T_AT_155346	9/4/2015 9:00	FALSE	0.307		626.554		29.834		0.53	
TPSWC-1T_AT_155346	9/4/2015 10:00	FALSE	0.309		630.098		29.893		0.529	
TPSWC-1T_AT_155346	9/4/2015 11:00	FALSE	0.309		630.771		29.942		0.54	
TPSWC-1T_AT_155346	9/4/2015 12:00	FALSE	0.298		609.059		29.837		0.535	
TPSWC-1T_AT_155346	9/4/2015 13:00	FALSE	0.298		608.563		29.878		0.533	
TPSWC-1T_AT_155346	9/4/2015 14:00	FALSE	0.298		608.501		30.048		0.531	
TPSWC-1T_AT_155346	9/4/2015 15:00	FALSE	0.297		607.45		30.145		0.533	
TPSWC-1T_AT_155346	9/4/2015 16:00	FALSE	0.297		606.147		30.159		0.558	
TPSWC-1T_AT_155346	9/4/2015 17:00	FALSE	0.301		614.683		31.469		0.561	

TPSWC-1T_AT_155346	9/5/2015 8:00	FALSE	0.32	651.336	29.59	0.565
TPSWC-1T_AT_155346	9/5/2015 9:00	FALSE	0.334	680.055	29.579	0.564
TPSWC-1T_AT_155346	9/5/2015 10:00	FALSE	0.353	716.114	29.557	0.565
TPSWC-1T_AT_155346	9/5/2015 11:00	FALSE	0.35	711.691	29.663	0.58
TPSWC-1T_AT_155346	9/5/2015 12:00	FALSE	0.342	694.949	29.546	0.571
TPSWC-1T_AT_155346	9/5/2015 13:00	FALSE	0.354	719.726	29.696	0.575
TPSWC-1T_AT_155346	9/5/2015 14:00	FALSE	0.317	646.827	29.571	0.656
TPSWC-1T_AT_155346	9/5/2015 15:00	FALSE	0.32	651.591	29.748	0.664
TPSWC-1T_AT_155346	9/5/2015 16:00	FALSE	0.313	638.266	29.355	0.671
TPSWC-1T_AT_155346	9/5/2015 17:00	FALSE	0.313	637.942	29.498	0.672
TPSWC-1T_AT_155346	9/5/2015 18:00	FALSE	0.313	637.863	29.509	0.673
TPSWC-1T_AT_155346	9/5/2015 19:00	FALSE	0.312	635.554	29.427	0.675
TPSWC-1T_AT_155346	9/5/2015 20:00	FALSE	0.313	637.572	29.317	0.676
TPSWC-1T_AT_155346	9/5/2015 21:00	FALSE	0.313	637.603	29.196	0.677
TPSWC-1T_AT_155346	9/5/2015 22:00	FALSE	0.314	639.481	29.064	0.675
TPSWC-1T_AT_155346	9/5/2015 23:00	FALSE	0.316	644.67	28.983	0.676
TPSWC-1T_AT_155346	9/6/2015 0:00	FALSE	0.317	646.113	28.902	0.679
TPSWC-1T_AT_155346	9/6/2015 1:00	FALSE	0.318	648.486	28.806	0.681
TPSWC-1T_AT_155346	9/6/2015 2:00	FALSE	0.319	650.888	28.733	0.682
TPSWC-1T_AT_155346	9/6/2015 3:00	FALSE	0.319	650.708	28.649	0.684
TPSWC-1T_AT_155346	9/6/2015 4:00	FALSE	0.321	653.385	28.572	0.686
TPSWC-1T_AT_155346	9/6/2015 5:00	FALSE	0.32	651.411	28.485	0.686
TPSWC-1T_AT_155346	9/6/2015 6:00	FALSE	0.322	655.709	28.42	0.687
TPSWC-1T_AT_155346	9/6/2015 7:00	FALSE	0.323	657.784	28.364	0.687
TPSWC-1T_AT_155346	9/6/2015 8:00	FALSE	0.324	659.591	28.405	0.686
TPSWC-1T_AT_155346	9/6/2015 9:00	FALSE	0.325	662.343	28.48	0.685
TPSWC-1T_AT_155346	9/6/2015 10:00	FALSE	0.335	681.876	28.704	0.686
TPSWC-1T_AT_155346	9/6/2015 11:00	FALSE	0.334	679.831	28.65	0.699
TPSWC-1T_AT_155346	9/6/2015 12:00	FALSE	0.331	674.517	28.68	0.693
TPSWC-1T_AT_155346	9/6/2015 13:00	FALSE	0.332	674.631	28.795	0.691
TPSWC-1T_AT_155346	9/6/2015 14:00	FALSE	0.34	691.817	29.075	0.689
TPSWC-1T_AT_155346	9/6/2015 15:00	FALSE	0.339	689.886	29.046	0.692
TPSWC-1T_AT_155346	9/6/2015 16:00	FALSE	0.334	678.774	29.494	0.756
TPSWC-1T_AT_155346	9/6/2015 17:00	FALSE	0.338	687.625	29.273	0.755
TPSWC-1T_AT_155346	9/6/2015 18:00	FALSE	0.366	742.381	29.508	0.758
TPSWC-1T_AT_155346	9/6/2015 19:00	FALSE	0.37	750.833	29.68	0.76
TPSWC-1T_AT_155346	9/6/2015 20:00	FALSE	0.371	751.391	29.605	0.762
TPSWC-1T_AT_155346	9/6/2015 21:00	FALSE	0.377	763.663	29.508	0.763
TPSWC-1T_AT_155346	9/6/2015 22:00	FALSE	0.384	777.82	29.425	0.762
TPSWC-1T_AT_155346	9/6/2015 23:00	FALSE	0.389	787.903	29.426	0.762
TPSWC-1T_AT_155346	9/7/2015 0:00	FALSE	0.401	809.798	29.428	0.762

WaterLevel (ft)

