

SensorName	DateSampleTaken	IsDataValid	Salinity (PSU)	SalinityTelemetryQualifiers	SpecificConductance (µS/cm)	SpecificConductanceTelemetryQualifiers	Temperature (C)	TemperatureTelemetryQualifiers	WaterLevel (ft)	WaterLevelTelemetryQualifiers
TPSWC-2T_AT_334132	9/28/2015 10:00	FALSE	0.283		578.182		28.84		0.919	
TPSWC-2T_AT_334132	9/28/2015 11:00	FALSE	0.285		583.811		28.95		0.917	
TPSWC-2T_AT_334132	9/28/2015 12:00	FALSE	0.284		580.623		28.915		0.914	
TPSWC-2T_AT_334132	9/28/2015 13:00	FALSE	0.285		583.066		29.002		0.914	
TPSWC-2T_AT_334132	9/28/2015 14:00	FALSE	0.286		585.209		29.058		0.915	
TPSWC-2T_AT_334132	9/28/2015 15:00	FALSE	0.291		595.166		29.322		0.917	
TPSWC-2T_AT_334132	9/28/2015 16:00	FALSE	0.289		591.346		29.276		0.914	
TPSWC-2T_AT_334132	9/28/2015 17:00	FALSE	0.29		593.765		29.31		0.916	
TPSWC-2T_AT_334132	9/28/2015 18:00	FALSE	0.291		594.1		29.315		0.917	
TPSWC-2T_AT_334132	9/28/2015 19:00	FALSE	0.288		589.045		29.423		0.916	
TPSWC-2T_AT_334132	9/28/2015 20:00	FALSE	0.293		598.93		29.784		0.915	
TPSWC-2T_AT_334132	9/28/2015 21:00	FALSE	0.294		601.647		29.953		0.916	
TPSWC-2T_AT_334132	9/28/2015 22:00	FALSE	0.296		604.478		29.818		0.915	
TPSWC-2T_AT_334132	9/28/2015 23:00	FALSE	0.295		603.357		29.868		0.915	
TPSWC-2T_AT_334132	9/29/2015 0:00	FALSE	0.292		597.118		29.902		0.914	
TPSWC-2T_AT_334132	9/29/2015 1:00	FALSE	0.292		596.971		29.886		0.913	
TPSWC-2T_AT_334132	9/29/2015 2:00	FALSE	0.283		579.518		30.02		0.914	
TPSWC-2T_AT_334132	9/29/2015 3:00	FALSE	0.264		541.144		30.233		0.914	
TPSWC-2T_AT_334132	9/29/2015 4:00	FALSE	0.251		514.984		30.267		0.915	
TPSWC-2T_AT_334132	9/29/2015 5:00	FALSE	0.245		503.358		30.204		0.915	
TPSWC-2T_AT_334132	9/29/2015 6:00	FALSE	0.254		521.391		30.033		0.915	
TPSWC-2T_AT_334132	9/29/2015 7:00	FALSE	0.254		520.893		29.92		0.916	
TPSWC-2T_AT_334132	9/29/2015 8:00	FALSE	0.25		512.926		29.828		0.923	
TPSWC-2T_AT_334132	9/29/2015 9:00	FALSE	0.262		536.806		29.614		0.931	
TPSWC-2T_AT_334132	9/29/2015 10:00	FALSE	0.268		548.367		29.459		0.93	
TPSWC-2T_AT_334132	9/29/2015 11:00	FALSE	0.282		576.775		29.205		0.927	
TPSWC-2T_AT_334132	9/29/2015 12:00	FALSE	0.28		572.389		29.282		0.924	
TPSWC-2T_AT_334132	9/29/2015 13:00	FALSE	0.277		567.434		29.386		0.926	
TPSWC-2T_AT_334132	9/29/2015 14:00	FALSE	0.277		566.477		29.488		0.925	
TPSWC-2T_AT_334132	9/29/2015 15:00	FALSE	0.28		573.567		29.539		0.926	
TPSWC-2T_AT_334132	9/29/2015 16:00	FALSE	0.27		553.359		29.915		0.928	
TPSWC-2T_AT_334132	9/29/2015 17:00	FALSE	0.297		606.197		29.366		0.927	
TPSWC-2T_AT_334132	9/29/2015 18:00	FALSE	0.285		582.145		29.588		0.924	
TPSWC-2T_AT_334132	9/29/2015 19:00	FALSE	0.292		597.803		29.484		0.927	
TPSWC-2T_AT_334132	9/29/2015 20:00	FALSE	0.276		566.034		29.857		0.93	
TPSWC-2T_AT_334132	9/29/2015 21:00	FALSE	0.257		526.676		30.14		0.93	
TPSWC-2T_AT_334132	9/29/2015 22:00	FALSE	0.248		509.759		30.186		0.931	
TPSWC-2T_AT_334132	9/29/2015 23:00	FALSE	0.244		502.243		30.145		0.931	
TPSWC-2T_AT_334132	9/30/2015 0:00	FALSE	0.243		499.432		30.067		0.931	
TPSWC-2T_AT_334132	9/30/2015 1:00	FALSE	0.245		504.476		29.942		0.931	
TPSWC-2T_AT_334132	9/30/2015 2:00	FALSE	0.248		510.28		29.793		0.93	
TPSWC-2T_AT_334132	9/30/2015 3:00	FALSE	0.25		513.244		29.662		0.929	
TPSWC-2T_AT_334132	9/30/2015 4:00	FALSE	0.251		515.423		29.577		0.928	
TPSWC-2T_AT_334132	9/30/2015 5:00	FALSE	0.252		516.656		29.48		0.928	
TPSWC-2T_AT_334132	9/30/2015 6:00	FALSE	0.254		521.319		29.393		0.928	
TPSWC-2T_AT_334132	9/30/2015 7:00	FALSE	0.254		521.814		29.319		0.927	
TPSWC-2T_AT_334132	9/30/2015 8:00	FALSE	0.258		528.407		29.27		0.928	
TPSWC-2T_AT_334132	9/30/2015 9:00	FALSE	0.263		538.768		29.235		0.926	
TPSWC-2T_AT_334132	9/30/2015 10:00	FALSE	0.27		552.239		29.159		0.926	
TPSWC-2T_AT_334132	9/30/2015 11:00	FALSE	0.267		547.313		29.279		0.924	
TPSWC-2T_AT_334132	9/30/2015 12:00	FALSE	0.265		543.798		29.407		0.923	
TPSWC-2T_AT_334132	9/30/2015 13:00	FALSE	0.272		558.061		29.326		0.923	
TPSWC-2T_AT_334132	9/30/2015 14:00	FALSE	0.277		567.412		29.38		0.921	
TPSWC-2T_AT_334132	9/30/2015 15:00	FALSE	0.274		561.861		29.58		0.931	
TPSWC-2T_AT_334132	9/30/2015 16:00	FALSE	0.269		550.565		29.869		0.924	
TPSWC-2T_AT_334132	9/30/2015 17:00	FALSE	0.272		556.912		29.786		0.924	
TPSWC-2T_AT_334132	9/30/2015 18:00	FALSE	0.266		545.998		29.935		0.924	
TPSWC-2T_AT_334132	9/30/2015 19:00	FALSE	0.269		552.032		29.976		0.924	
TPSWC-2T_AT_334132	9/30/2015 20:00	FALSE	0.263		538.925		30.255		0.924	
TPSWC-2T_AT_334132	9/30/2015 21:00	FALSE	0.261		536.068		30.414		0.923	
TPSWC-2T_AT_334132	9/30/2015 22:00	FALSE	0.262		538.003		30.316		0.924	
TPSWC-2T_AT_334132	9/30/2015 23:00	FALSE	0.251		516.372		30.643		0.924	
TPSWC-2T_AT_334132	10/1/2015 0:00	FALSE	0.242		497.283		30.678		0.924	
TPSWC-2T_AT_334132	10/1/2015 1:00	FALSE	0.241		495.638		30.507		0.923	
TPSWC-2T_AT_334132	10/1/2015 2:00	FALSE	0.245		503.131		30.367		0.922	
TPSWC-2T_AT_334132	10/1/2015 3:00	FALSE	0.243		500.686		30.216		0.92	
TPSWC-2T_AT_334132	10/1/2015 4:00	FALSE	0.245		503.016		30.083		0.92	
TPSWC-2T_AT_334132	10/1/2015 5:00	FALSE	0.247		508.495		29.91		0.921	
TPSWC-2T_AT_334132	10/1/2015 6:00	FALSE	0.248		510.35		29.742		0.92	
TPSWC-2T_AT_334132	10/1/2015 7:00	FALSE	0.251		515.715		29.6		0.92	
TPSWC-2T_AT_334132	10/1/2015 8:00	FALSE	0.252		516.654		29.514		0.92	
TPSWC-2T_AT_334132	10/1/2015 9:00	FALSE	0.252		517.811		29.533		0.92	
TPSWC-2T_AT_334132	10/1/2015 10:00	FALSE	0.255		524.23		29.39		0.919	
TPSWC-2T_AT_334132	10/1/2015 11:00	FALSE	0.256		526.068		29.527		0.919	
TPSWC-2T_AT_334132	10/1/2015 12:00	FALSE	0.256		526.299		29.605		0.917	
TPSWC-2T_AT_334132	10/1/2015 13:00	FALSE	0.258		529.508		29.752		0.915	
TPSWC-2T_AT_334132	10/1/2015 14:00	FALSE	0.26		532.894		29.986		0.915	
TPSWC-2T_AT_334132	10/1/2015 15:00	FALSE	0.262		536.745		30.186		0.912	
TPSWC-2T_AT_334132	10/1/2015 16:00	FALSE	0.264		541.587		30.173		0.909	
TPSWC-2T_AT_334132	10/1/2015 17:00	FALSE	0.265		543.156		30.412		0.906	
TPSWC-2T_AT_334132	10/1/2015 18:00	FALSE	0.264		542.717		31.069		0.908	
TPSWC-2T_AT_334132	10/1/2015 19:00	FALSE	0.264		542.485		31.551		0.91	
TPSWC-2T_AT_334132	10/1/2015 20:00	FALSE	0.256		526.893		31.731		0.91	
TPSWC-2T_AT_334132	10/1/2015 21:00	FALSE	0.256		526.57		31.568		0.909	
TPSWC-2T_AT_334132	10/1/2015 22:00	FALSE	0.256		526.637		31.391		0.909	
TPSWC-2T_AT_334132	10/1/2015 23:00	FALSE	0.257		527.403		31.216		0.908	
TPSWC-2T_AT_334132	10/2/2015 0:00	FALSE	0.258		529.055		30.988		0.906	
TPSWC-2T_AT_334132	10/2/2015 1:00	FALSE	0.257		526.876		30.76		0.906	
TPSWC-2T_AT_334132	10/2/2015 2:00	FALSE	0.256		524.935		30.561		0.906	
TPSWC-2T_AT_334132	10/2/2015 3:00	FALSE	0.256		525.026		30.377		0.904	
TPSWC-2T_AT_334132	10/2/2015 4:00	FALSE	0.257		528.056		30.186		0.904	
TPSWC-2T_AT_334132	10/2/2015 5:00	FALSE	0.258		530.064		30.023		0.903	
TPSWC-2T_AT_334132	10/2/2015 6:00	FALSE	0.261		535.51		29.871		0.904	
TPSWC-2T_AT_334132	10/2/2015 7:00	FALSE	0.262		537.983		29.714		0.903	
TPSWC-2T_AT_334132	10/2/2015 8:00	FALSE	0.263		538.531		29.599		0.904	
TPSWC-2T_AT_334132	10/2/2015 9:00	FALSE	0.265		542.389		29.565		0.902	
TPSWC-2T_AT_334132	10/2/2015 10:00	FALSE	0.267		548.092		29.407		0.9	
TPSWC-2T_AT_334132	10/2/2015 11:00	FALSE	0.268		549.709		29.451		0.899	
TPSWC-2T_AT_334132	10/2/2015 12:00	FALSE	0.27		554.134		29.604		0.899	
TPSWC-2T_AT_334132	10/2/2015 13:00	FALSE	0.273		558.76		29.727		0.896	
TPSWC-2T_AT_334132	10/2/2015 14:00	FALSE	0.273		559.259		29.796		0.896	
TPSWC-2T_AT_334132	10/2/2015 15:00	FALSE	0.274		560.81		29.754		0.891	
TPSWC-2T_AT_334132	10/2/2015 16:00	FALSE	0.273		558.655		30.025		0.892	
TPSWC-2T_AT_334132	10/2/2015 17:00	FALSE	0.274		560.686		30.202		0.89	
TPSWC-2T_AT_334132	10/2/2015 18:00	FALSE	0.274		561.86		30.375		0.892	
TPSWC-2T_AT_334132	10/2/2015 19:00	FALSE	0.274		562.166		30.999		0.895	
TPSWC-2T_AT_334132	10/2/2015 20:00	FALSE	0.268		550.662		30.995		0.895	
TPSWC-2T_AT_334132	10/2/2015 21:00	FALSE	0.264		541.828		30.943		0.895	
TPSWC-2T_AT_334132	10/2/2015 22:00	FALSE	0.264		540.989		30.742		0.895	
TPSWC-2T_AT_334132	10/2/2015 23:00	FALSE	0.264		542		30.591		0.893	
TPSWC-2T_AT_334132	10/3/2015 0:00	FALSE	0.263		540.294		30.36		0.891	
TPSWC-2T_AT_334132	10/3/2015 1:00	FALSE	0.264		541.641		30.141		0.889	
TPSWC-2T_AT_334132	10/3/2015 2:00	FALSE	0.265		544.131		29.947		0.889	
TPSWC-2T_AT_334132	1									

TPSWC-2T_AT_334132	10/3/2015 7:00	FALSE	0.272	557.988	29.179	0.885
TPSWC-2T_AT_334132	10/3/2015 8:00	FALSE	0.275	562.972	29.076	0.883
TPSWC-2T_AT_334132	10/3/2015 9:00	FALSE	0.272	557.786	29.092	0.885
TPSWC-2T_AT_334132	10/3/2015 10:00	FALSE	0.279	570.434	28.959	0.886
TPSWC-2T_AT_334132	10/3/2015 11:00	FALSE	0.274	560.284	29.083	0.886
TPSWC-2T_AT_334132	10/3/2015 12:00	FALSE	0.278	568.311	29.147	0.887
TPSWC-2T_AT_334132	10/3/2015 13:00	FALSE	0.28	574.06	29.329	0.888
TPSWC-2T_AT_334132	10/3/2015 14:00	FALSE	0.284	581.966	29.476	0.884
TPSWC-2T_AT_334132	10/3/2015 15:00	FALSE	0.283	578.366	29.689	0.884
TPSWC-2T_AT_334132	10/3/2015 16:00	FALSE	0.284	582.055	29.768	0.886
TPSWC-2T_AT_334132	10/3/2015 17:00	FALSE	0.282	576.648	29.896	0.881
TPSWC-2T_AT_334132	10/3/2015 18:00	FALSE	0.281	575.128	29.73	0.879
TPSWC-2T_AT_334132	10/3/2015 19:00	FALSE	0.283	578.91	29.584	0.875
TPSWC-2T_AT_334132	10/3/2015 20:00	FALSE	0.284	580.776	29.462	0.87
TPSWC-2T_AT_334132	10/3/2015 21:00	FALSE	0.279	572.086	29.438	0.867
TPSWC-2T_AT_334132	10/3/2015 22:00	FALSE	0.278	569.532	29.253	0.864
TPSWC-2T_AT_334132	10/3/2015 23:00	FALSE	0.282	577.462	29.083	0.863
TPSWC-2T_AT_334132	10/4/2015 0:00	FALSE	0.279	571.157	28.966	0.861
TPSWC-2T_AT_334132	10/4/2015 1:00	FALSE	0.274	561.037	28.885	0.86
TPSWC-2T_AT_334132	10/4/2015 2:00	FALSE	0.271	555.042	28.792	0.86
TPSWC-2T_AT_334132	10/4/2015 3:00	FALSE	0.271	555.687	28.687	0.858
TPSWC-2T_AT_334132	10/4/2015 4:00	FALSE	0.272	557.638	28.586	0.857
TPSWC-2T_AT_334132	10/4/2015 5:00	FALSE	0.274	561.191	28.476	0.855
TPSWC-2T_AT_334132	10/4/2015 6:00	FALSE	0.277	567.536	28.363	0.854
TPSWC-2T_AT_334132	10/4/2015 7:00	FALSE	0.28	571.958	28.254	0.851
TPSWC-2T_AT_334132	10/4/2015 8:00	FALSE	0.281	575.123	28.172	0.849
TPSWC-2T_AT_334132	10/4/2015 9:00	FALSE	0.282	576.773	28.18	0.849
TPSWC-2T_AT_334132	10/4/2015 10:00	FALSE	0.282	576.12	28.163	0.848
TPSWC-2T_AT_334132	10/4/2015 11:00	FALSE	0.282	577.606	28.242	0.853
TPSWC-2T_AT_334132	10/4/2015 12:00	FALSE	0.284	580.151	28.474	0.853
TPSWC-2T_AT_334132	10/4/2015 13:00	FALSE	0.284	580.024	28.585	0.855
TPSWC-2T_AT_334132	10/4/2015 14:00	FALSE	0.284	581.734	28.659	0.85
TPSWC-2T_AT_334132	10/4/2015 15:00	FALSE	0.285	582.534	28.729	0.853
TPSWC-2T_AT_334132	10/4/2015 16:00	FALSE	0.284	579.966	28.862	0.847
TPSWC-2T_AT_334132	10/4/2015 17:00	FALSE	0.284	581.288	28.965	0.843
TPSWC-2T_AT_334132	10/4/2015 18:00	FALSE	0.285	582.193	28.961	0.84
TPSWC-2T_AT_334132	10/4/2015 19:00	FALSE	0.289	590.67	28.643	0.837
TPSWC-2T_AT_334132	10/4/2015 20:00	FALSE	0.288	588.129	28.649	0.835
TPSWC-2T_AT_334132	10/4/2015 21:00	FALSE	0.277	566.503	28.947	0.833
TPSWC-2T_AT_334132	10/4/2015 22:00	FALSE	0.277	567.354	28.802	0.83
TPSWC-2T_AT_334132	10/4/2015 23:00	FALSE	0.275	562.98	28.701	0.829
TPSWC-2T_AT_334132	10/5/2015 0:00	FALSE	0.272	557.3	28.614	0.828

WaterLevel (ft)

