

SensorName	DateSampleTaken	IsDataValid	Salinity (PSU)	SalinityTelemetryQualifiers	SpecificConductance (µS/cm)	SpecificConductanceTelemetryQualifiers	Temperature (C)	TemperatureTelemetryQualifiers	WaterLevel (ft)	WaterLevelTelemetryQualifiers
TPSWC-2T_AT_334132	10/12/2015 0:00	FALSE	0.308		629.284		29.088		0.823	
TPSWC-2T_AT_334132	10/12/2015 1:00	FALSE	0.31		633.237		28.988		0.822	
TPSWC-2T_AT_334132	10/12/2015 2:00	FALSE	0.311		633.536		28.894		0.823	
TPSWC-2T_AT_334132	10/12/2015 3:00	FALSE	0.312		635.999		28.803		0.821	
TPSWC-2T_AT_334132	10/12/2015 4:00	FALSE	0.312		635.892		28.697		0.822	
TPSWC-2T_AT_334132	10/12/2015 5:00	FALSE	0.315		642.795		28.611		0.821	
TPSWC-2T_AT_334132	10/12/2015 6:00	FALSE	0.317		646.421		28.525		0.821	
TPSWC-2T_AT_334132	10/12/2015 7:00	FALSE	0.319		650.695		28.436		0.82	
TPSWC-2T_AT_334132	10/12/2015 8:00	FALSE	0.32		651.431		28.363		0.818	
TPSWC-2T_AT_334132	10/12/2015 9:00	FALSE	0.318		647.091		28.376		0.815	
TPSWC-2T_AT_334132	10/12/2015 10:00	FALSE	0.319		650.172		28.362		0.814	
TPSWC-2T_AT_334132	10/12/2015 11:00	FALSE	0.321		654.701		28.431		0.814	
TPSWC-2T_AT_334132	10/12/2015 12:00	FALSE	0.324		660.607		28.567		0.817	
TPSWC-2T_AT_334132	10/12/2015 13:00	FALSE	0.327		666.386		28.539		0.813	
TPSWC-2T_AT_334132	10/12/2015 14:00	FALSE	0.327		666.557		28.729		0.815	
TPSWC-2T_AT_334132	10/12/2015 15:00	FALSE	0.329		669.766		28.839		0.818	
TPSWC-2T_AT_334132	10/12/2015 16:00	FALSE	0.331		674.049		28.975		0.818	
TPSWC-2T_AT_334132	10/12/2015 17:00	FALSE	0.329		670.163		29.279		0.817	
TPSWC-2T_AT_334132	10/12/2015 18:00	FALSE	0.334		678.652		29.065		0.816	
TPSWC-2T_AT_334132	10/12/2015 19:00	FALSE	0.337		685.706		28.83		0.813	
TPSWC-2T_AT_334132	10/12/2015 20:00	FALSE	0.339		689.173		28.899		0.811	
TPSWC-2T_AT_334132	10/12/2015 21:00	FALSE	0.338		687.468		28.85		0.809	
TPSWC-2T_AT_334132	10/12/2015 22:00	FALSE	0.335		682.216		29.015		0.809	
TPSWC-2T_AT_334132	10/12/2015 23:00	FALSE	0.333		678.07		28.939		0.807	
TPSWC-2T_AT_334132	10/13/2015 0:00	FALSE	0.311		634.762		29.133		0.807	
TPSWC-2T_AT_334132	10/13/2015 1:00	FALSE	0.31		633.032		28.987		0.805	
TPSWC-2T_AT_334132	10/13/2015 2:00	FALSE	0.308		628.716		28.886		0.804	
TPSWC-2T_AT_334132	10/13/2015 3:00	FALSE	0.308		628.971		28.774		0.804	
TPSWC-2T_AT_334132	10/13/2015 4:00	FALSE	0.308		627.597		28.678		0.802	
TPSWC-2T_AT_334132	10/13/2015 5:00	FALSE	0.309		629.625		28.586		0.803	
TPSWC-2T_AT_334132	10/13/2015 6:00	FALSE	0.31		631.642		28.498		0.803	
TPSWC-2T_AT_334132	10/13/2015 7:00	FALSE	0.311		633.901		28.408		0.801	
TPSWC-2T_AT_334132	10/13/2015 8:00	FALSE	0.312		636.922		28.346		0.799	
TPSWC-2T_AT_334132	10/13/2015 9:00	FALSE	0.312		636.947		28.39		0.796	
TPSWC-2T_AT_334132	10/13/2015 10:00	FALSE	0.316		643.29		28.31		0.793	
TPSWC-2T_AT_334132	10/13/2015 11:00	FALSE	0.316		644.112		28.44		0.793	
TPSWC-2T_AT_334132	10/13/2015 12:00	FALSE	0.316		643.362		28.559		0.791	
TPSWC-2T_AT_334132	10/13/2015 13:00	FALSE	0.315		641.835		28.618		0.791	
TPSWC-2T_AT_334132	10/13/2015 14:00	FALSE	0.315		641.763		28.763		0.794	
TPSWC-2T_AT_334132	10/13/2015 15:00	FALSE	0.316		644.152		28.893		0.792	
TPSWC-2T_AT_334132	10/13/2015 16:00	FALSE	0.317		646.763		29.105		0.796	
TPSWC-2T_AT_334132	10/13/2015 17:00	FALSE	0.319		649.876		29.201		0.793	
TPSWC-2T_AT_334132	10/13/2015 18:00	FALSE	0.322		656.569		29.056		0.792	
TPSWC-2T_AT_334132	10/13/2015 19:00	FALSE	0.325		662.239		28.856		0.79	
TPSWC-2T_AT_334132	10/13/2015 20:00	FALSE	0.328		667.754		28.906		0.787	
TPSWC-2T_AT_334132	10/13/2015 21:00	FALSE	0.331		673.172		28.863		0.788	
TPSWC-2T_AT_334132	10/13/2015 22:00	FALSE	0.33		671.812		29.1		0.788	
TPSWC-2T_AT_334132	10/13/2015 23:00	FALSE	0.305		622.986		29.669		0.788	
TPSWC-2T_AT_334132	10/14/2015 0:00	FALSE	0.303		619.451		29.616		0.788	
TPSWC-2T_AT_334132	10/14/2015 1:00	FALSE	0.304		621.469		29.538		0.787	
TPSWC-2T_AT_334132	10/14/2015 2:00	FALSE	0.303		618.885		29.482		0.787	
TPSWC-2T_AT_334132	10/14/2015 3:00	FALSE	0.305		623.302		29.39		0.787	
TPSWC-2T_AT_334132	10/14/2015 4:00	FALSE	0.306		623.91		29.282		0.787	
TPSWC-2T_AT_334132	10/14/2015 5:00	FALSE	0.308		628.887		29.174		0.787	
TPSWC-2T_AT_334132	10/14/2015 6:00	FALSE	0.31		631.987		29.07		0.787	
TPSWC-2T_AT_334132	10/14/2015 7:00	FALSE	0.31		632.504		29.001		0.786	
TPSWC-2T_AT_334132	10/14/2015 8:00	FALSE	0.312		637.049		28.938		0.783	
TPSWC-2T_AT_334132	10/14/2015 9:00	FALSE	0.318		648.875		28.835		0.781	
TPSWC-2T_AT_334132	10/14/2015 10:00	FALSE	0.327		665.704		28.734		0.78	
TPSWC-2T_AT_334132	10/14/2015 11:00	FALSE	0.325		660.984		28.848		0.778	
TPSWC-2T_AT_334132	10/14/2015 12:00	FALSE	0.325		662.26		28.888		0.779	
TPSWC-2T_AT_334132	10/14/2015 13:00	FALSE	0.326		664.398		28.985		0.779	
TPSWC-2T_AT_334132	10/14/2015 14:00	FALSE	0.328		666.968		29.193		0.779	
TPSWC-2T_AT_334132	10/14/2015 15:00	FALSE	0.318		647.8		29.992		0.869	
TPSWC-2T_AT_334132	10/14/2015 16:00	FALSE	0.306		624.997		30.328		0.853	
TPSWC-2T_AT_334132	10/14/2015 17:00	FALSE	0.309		629.871		30.126		0.851	
TPSWC-2T_AT_334132	10/14/2015 18:00	FALSE	0.303		618.198		30.148		0.853	
TPSWC-2T_AT_334132	10/14/2015 19:00	FALSE	0.314		641.116		29.887		0.851	
TPSWC-2T_AT_334132	10/14/2015 20:00	FALSE	0.316		644.845		29.622		0.848	
TPSWC-2T_AT_334132	10/14/2015 21:00	FALSE	0.307		627.384		29.596		0.847	
TPSWC-2T_AT_334132	10/14/2015 22:00	FALSE	0.283		578.578		29.768		0.846	
TPSWC-2T_AT_334132	10/14/2015 23:00	FALSE	0.285		583.741		29.668		0.845	
TPSWC-2T_AT_334132	10/15/2015 0:00	FALSE	0.292		596.158		29.509		0.844	
TPSWC-2T_AT_334132	10/15/2015 1:00	FALSE	0.29		592.372		29.354		0.843	
TPSWC-2T_AT_334132	10/15/2015 2:00	FALSE	0.296		603.89		29.21		0.841	
TPSWC-2T_AT_334132	10/15/2015 3:00	FALSE	0.299		611.195		29.07		0.84	
TPSWC-2T_AT_334132	10/15/2015 4:00	FALSE	0.304		620.829		28.942		0.839	
TPSWC-2T_AT_334132	10/15/2015 5:00	FALSE	0.31		632.572		28.823		0.837	
TPSWC-2T_AT_334132	10/15/2015 6:00	FALSE	0.316		643.484		28.72		0.836	
TPSWC-2T_AT_334132	10/15/2015 7:00	FALSE	0.319		650.609		28.607		0.834	
TPSWC-2T_AT_334132	10/15/2015 8:00	FALSE	0.319		650.701		28.536		0.832	
TPSWC-2T_AT_334132	10/15/2015 9:00	FALSE	0.32		651.325		28.538		0.829	
TPSWC-2T_AT_334132	10/15/2015 10:00	FALSE	0.319		650.189		28.761		0.825	
TPSWC-2T_AT_334132	10/15/2015 11:00	FALSE	0.317		646.886		28.898		0.82	
TPSWC-2T_AT_334132	10/15/2015 12:00	FALSE	0.309		629.841		29.435		0.814	
TPSWC-2T_AT_334132	10/15/2015 13:00	FALSE	0.306		625.104		29.707		0.814	
TPSWC-2T_AT_334132	10/15/2015 14:00	FALSE	0.303		617.92		29.768		0.813	
TPSWC-2T_AT_334132	10/15/2015 15:00	FALSE	0.299		611.171		29.729		0.817	
TPSWC-2T_AT_334132	10/15/2015 16:00	FALSE	0.299		610.199		29.621		0.817	
TPSWC-2T_AT_334132	10/15/2015 17:00	FALSE	0.296		605.592		29.507		0.813	
TPSWC-2T_AT_334132	10/15/2015 18:00	FALSE	0.297		606.34		29.332		0.815	
TPSWC-2T_AT_334132	10/15/2015 19:00	FALSE	0.299		609.839		29.168		0.813	
TPSWC-2T_AT_334132	10/15/2015 20:00	FALSE	0.298		609.036		29.014		0.814	
TPSWC-2T_AT_334132	10/15/2015 21:00	FALSE	0.299		609.873		28.864		0.812	
TPSWC-2T_AT_334132	10/15/2015 22:00	FALSE	0.3		611.655		28.726		0.811	
TPSWC-2T_AT_334132	10/15/2015 23:00	FALSE	0.301		613.523		28.588		0.809	
TPSWC-2T_AT_334132	10/16/2015 0:00	FALSE	0.302		616.993		28.446		0.806	
TPSWC-2T_AT_334132	10/16/2015 1:00	FALSE	0.303		618.405		28.316		0.805	
TPSWC-2T_AT_334132	10/16/2015 2:00	FALSE	0.304		620.949		28.191		0.805	
TPSWC-2T_AT_334132	10/16/2015 3:00	FALSE	0.306		623.897		28.08		0.804	
TPSWC-2T_AT_334132	10/16/2015 4:00	FALSE	0.308		627.901		27.98		0.804	
TPSWC-2T_AT_334132	10/16/2015 5:00	FALSE	0.31		631.304		27.899		0.804	
TPSWC-2T_AT_334132	10/16/2015 6:00	FALSE	0.311		633.318		27.824		0.803	
TPSWC-2T_AT_334132	10/16/2015 7:00	FALSE	0.312		636.647		27.758		0.801	
TPSWC-2T_AT_334132	10/16/2015 8:00	FALSE	0.313		638.294		27.696		0.809	
TPSWC-2T_AT_334132	10/16/2015 9:00	FALSE	0.313		638.276		27.648		0.824	
TPSWC-2T_AT_334132	10/16/2015 10:00	FALSE	0.314		640.446		27.638		0.831	
TPSWC-2T_AT_334132	10/16/2015 11:00	FALSE	0.314		640.639		27.628		0.857	
TPSWC-2T_AT_334132	10/16/2015 12:00	FALSE	0.312		636.696		27.551		0.863	
TPSWC-2T_AT_334132	10/16/2015 13:00	FALSE	0.311		634.029		27.503		0.876	
TPSWC-2T_AT_334132	10/16/2015 14:00	FALSE	0.307		626.593		27.447		0.878	
TPSWC-2T_AT_334132	10/16/2015 15:00	FALSE	0.306		623.795		27.345		0.882	
TPSWC-2T_AT_33										

TPSWC-2T_AT_334132	10/16/2015 21:00	FALSE	0.302	616.221	27.121	0.894
TPSWC-2T_AT_334132	10/16/2015 22:00	FALSE	0.301	613.186	27.047	0.894
TPSWC-2T_AT_334132	10/16/2015 23:00	FALSE	0.3	611.359	27.004	0.894
TPSWC-2T_AT_334132	10/17/2015 0:00	FALSE	0.299	610.495	26.961	0.894
TPSWC-2T_AT_334132	10/17/2015 1:00	FALSE	0.299	609.236	26.924	0.895
TPSWC-2T_AT_334132	10/17/2015 2:00	FALSE	0.299	609.758	26.888	0.892
TPSWC-2T_AT_334132	10/17/2015 3:00	FALSE	0.299	609.735	26.849	0.895
TPSWC-2T_AT_334132	10/17/2015 4:00	FALSE	0.297	607.061	26.795	0.898
TPSWC-2T_AT_334132	10/17/2015 5:00	FALSE	0.297	606.348	26.739	0.897
TPSWC-2T_AT_334132	10/17/2015 6:00	FALSE	0.298	607.685	26.717	0.897
TPSWC-2T_AT_334132	10/17/2015 7:00	FALSE	0.297	606.457	26.682	0.896
TPSWC-2T_AT_334132	10/17/2015 8:00	FALSE	0.297	606.346	26.639	0.898
TPSWC-2T_AT_334132	10/17/2015 9:00	FALSE	0.297	605.692	26.659	0.893
TPSWC-2T_AT_334132	10/17/2015 10:00	FALSE	0.297	605.667	26.751	0.888
TPSWC-2T_AT_334132	10/17/2015 11:00	FALSE	0.297	607	26.764	0.884
TPSWC-2T_AT_334132	10/17/2015 12:00	FALSE	0.299	610.661	26.884	0.883
TPSWC-2T_AT_334132	10/17/2015 13:00	FALSE	0.3	612.768	27.012	0.881
TPSWC-2T_AT_334132	10/17/2015 14:00	FALSE	0.3	612.937	27.139	0.881
TPSWC-2T_AT_334132	10/17/2015 15:00	FALSE	0.299	610.779	27.184	0.881
TPSWC-2T_AT_334132	10/17/2015 16:00	FALSE	0.298	608.157	27.214	0.882
TPSWC-2T_AT_334132	10/17/2015 17:00	FALSE	0.297	606.957	27.186	0.881
TPSWC-2T_AT_334132	10/17/2015 18:00	FALSE	0.298	607.379	27.113	0.881
TPSWC-2T_AT_334132	10/17/2015 19:00	FALSE	0.298	607.319	27.006	0.882
TPSWC-2T_AT_334132	10/17/2015 20:00	FALSE	0.298	607.41	26.93	0.882
TPSWC-2T_AT_334132	10/17/2015 21:00	FALSE	0.298	607.523	26.885	0.879
TPSWC-2T_AT_334132	10/17/2015 22:00	FALSE	0.297	606.202	26.812	0.882
TPSWC-2T_AT_334132	10/17/2015 23:00	FALSE	0.296	603.858	26.76	0.881
TPSWC-2T_AT_334132	10/18/2015 0:00	FALSE	0.296	603.646	26.709	0.881
TPSWC-2T_AT_334132	10/18/2015 1:00	FALSE	0.296	604.638	26.659	0.88
TPSWC-2T_AT_334132	10/18/2015 2:00	FALSE	0.294	600.571	26.584	0.878
TPSWC-2T_AT_334132	10/18/2015 3:00	FALSE	0.294	599.978	26.528	0.878
TPSWC-2T_AT_334132	10/18/2015 4:00	FALSE	0.292	595.29	26.454	0.877
TPSWC-2T_AT_334132	10/18/2015 5:00	FALSE	0.29	593.196	26.365	0.877
TPSWC-2T_AT_334132	10/18/2015 6:00	FALSE	0.289	591.247	26.283	0.875
TPSWC-2T_AT_334132	10/18/2015 7:00	FALSE	0.289	590.615	26.226	0.875
TPSWC-2T_AT_334132	10/18/2015 8:00	FALSE	0.289	590.637	26.175	0.874
TPSWC-2T_AT_334132	10/18/2015 9:00	FALSE	0.293	598.679	26.156	0.871
TPSWC-2T_AT_334132	10/18/2015 10:00	FALSE	0.294	600.989	26.256	0.866
TPSWC-2T_AT_334132	10/18/2015 11:00	FALSE	0.297	606.963	26.535	0.862
TPSWC-2T_AT_334132	10/18/2015 12:00	FALSE	0.301	613.92	26.834	0.858
TPSWC-2T_AT_334132	10/18/2015 13:00	FALSE	0.299	611.103	27.177	0.855
TPSWC-2T_AT_334132	10/18/2015 14:00	FALSE	0.299	610.436	27.342	0.854
TPSWC-2T_AT_334132	10/18/2015 15:00	FALSE	0.3	612.575	27.335	0.856
TPSWC-2T_AT_334132	10/18/2015 16:00	FALSE	0.3	613.109	27.354	0.853
TPSWC-2T_AT_334132	10/18/2015 17:00	FALSE	0.301	614.644	27.28	0.852
TPSWC-2T_AT_334132	10/18/2015 18:00	FALSE	0.302	615.502	27.191	0.852
TPSWC-2T_AT_334132	10/18/2015 19:00	FALSE	0.301	614.092	27.077	0.853
TPSWC-2T_AT_334132	10/18/2015 20:00	FALSE	0.301	614.397	26.989	0.853
TPSWC-2T_AT_334132	10/18/2015 21:00	FALSE	0.301	613.81	26.928	0.855
TPSWC-2T_AT_334132	10/18/2015 22:00	FALSE	0.3	612.807	26.845	0.853
TPSWC-2T_AT_334132	10/18/2015 23:00	FALSE	0.3	611.863	26.77	0.856
TPSWC-2T_AT_334132	10/19/2015 0:00	FALSE	0.299	610.935	26.654	0.848
TPSWC-2T_AT_334132	10/19/2015 1:00	FALSE	0.298	608.337	26.54	0.85
TPSWC-2T_AT_334132	10/19/2015 2:00	FALSE	0.298	607.976	26.475	0.856
TPSWC-2T_AT_334132	10/19/2015 3:00	FALSE	0.297	605.6	26.381	0.85
TPSWC-2T_AT_334132	10/19/2015 4:00	FALSE	0.298	607.978	26.266	0.85
TPSWC-2T_AT_334132	10/19/2015 5:00	FALSE	0.299	609.201	26.145	0.851
TPSWC-2T_AT_334132	10/19/2015 6:00	FALSE	0.298	608.869	26.046	0.853
TPSWC-2T_AT_334132	10/19/2015 7:00	FALSE	0.299	609.791	25.934	0.848
TPSWC-2T_AT_334132	10/19/2015 8:00	FALSE	0.299	610.01	25.849	0.852
TPSWC-2T_AT_334132	10/19/2015 9:00	FALSE	0.299	610.57	25.831	0.853
TPSWC-2T_AT_334132	10/19/2015 10:00	FALSE	0.3	612.28	25.896	0.849
TPSWC-2T_AT_334132	10/19/2015 11:00	FALSE	0.302	615.474	26.078	0.846
TPSWC-2T_AT_334132	10/19/2015 12:00	FALSE	0.304	619.892	26.319	0.843
TPSWC-2T_AT_334132	10/19/2015 13:00	FALSE	0.304	620.665	26.423	0.846
TPSWC-2T_AT_334132	10/19/2015 14:00	FALSE	0.304	619.436	26.446	0.845
TPSWC-2T_AT_334132	10/19/2015 15:00	FALSE	0.304	619.523	26.477	0.851
TPSWC-2T_AT_334132	10/19/2015 16:00	FALSE	0.304	619.758	26.45	0.848
TPSWC-2T_AT_334132	10/19/2015 17:00	FALSE	0.303	618.396	26.408	0.848
TPSWC-2T_AT_334132	10/19/2015 18:00	FALSE	0.303	617.854	26.332	0.851
TPSWC-2T_AT_334132	10/19/2015 19:00	FALSE	0.303	617.897	26.257	0.851
TPSWC-2T_AT_334132	10/19/2015 20:00	FALSE	0.303	618.293	26.195	0.853
TPSWC-2T_AT_334132	10/19/2015 21:00	FALSE	0.303	618.217	26.128	0.861
TPSWC-2T_AT_334132	10/19/2015 22:00	FALSE	0.303	618.051	26.063	0.86
TPSWC-2T_AT_334132	10/19/2015 23:00	FALSE	0.303	617.481	25.974	0.862
TPSWC-2T_AT_334132	10/20/2015 0:00	FALSE	0.303	617.135	25.864	0.865
TPSWC-2T_AT_334132	10/20/2015 1:00	FALSE	0.302	616.309	25.766	0.865
TPSWC-2T_AT_334132	10/20/2015 2:00	FALSE	0.302	616.588	25.71	0.865
TPSWC-2T_AT_334132	10/20/2015 3:00	FALSE	0.302	616.101	25.679	0.864
TPSWC-2T_AT_334132	10/20/2015 4:00	FALSE	0.302	616.526	25.62	0.865
TPSWC-2T_AT_334132	10/20/2015 5:00	FALSE	0.3	612.789	25.531	0.87
TPSWC-2T_AT_334132	10/20/2015 6:00	FALSE	0.3	611.483	25.437	0.869
TPSWC-2T_AT_334132	10/20/2015 7:00	FALSE	0.299	610.894	25.357	0.868
TPSWC-2T_AT_334132	10/20/2015 8:00	FALSE	0.299	610.455	25.293	0.868
TPSWC-2T_AT_334132	10/20/2015 9:00	FALSE	0.299	609.527	25.283	0.871
TPSWC-2T_AT_334132	10/20/2015 10:00	FALSE	0.298	608.618	25.368	0.873
TPSWC-2T_AT_334132	10/20/2015 11:00	FALSE	0.298	608.021	25.458	0.873
TPSWC-2T_AT_334132	10/20/2015 12:00	FALSE	0.297	606.224	25.657	0.871
TPSWC-2T_AT_334132	10/20/2015 13:00	FALSE	0.298	607.467	26.119	0.87
TPSWC-2T_AT_334132	10/20/2015 14:00	FALSE	0.298	608.046	26.26	0.869
TPSWC-2T_AT_334132	10/20/2015 15:00	FALSE	0.298	607.825	26.489	0.867
TPSWC-2T_AT_334132	10/20/2015 16:00	FALSE	0.297	607.066	26.54	0.871
TPSWC-2T_AT_334132	10/20/2015 17:00	FALSE	0.297	607.08	26.761	0.871
TPSWC-2T_AT_334132	10/20/2015 18:00	FALSE	0.297	606.473	26.709	0.874
TPSWC-2T_AT_334132	10/20/2015 19:00	FALSE	0.296	605.023	26.521	0.875
TPSWC-2T_AT_334132	10/20/2015 20:00	FALSE	0.296	603.57	26.347	0.874
TPSWC-2T_AT_334132	10/20/2015 21:00	FALSE	0.295	601.379	26.157	0.876
TPSWC-2T_AT_334132	10/20/2015 22:00	FALSE	0.293	598.536	26.016	0.874
TPSWC-2T_AT_334132	10/20/2015 23:00	FALSE	0.292	596.202	25.882	0.879
TPSWC-2T_AT_334132	10/21/2015 0:00	FALSE	0.291	594.691	25.813	0.878
TPSWC-2T_AT_334132	10/21/2015 1:00	FALSE	0.29	592.902	25.744	0.877
TPSWC-2T_AT_334132	10/21/2015 2:00	FALSE	0.289	590.531	25.67	0.879
TPSWC-2T_AT_334132	10/21/2015 3:00	FALSE	0.288	589.146	25.589	0.876
TPSWC-2T_AT_334132	10/21/2015 4:00	FALSE	0.288	588.17	25.523	0.876
TPSWC-2T_AT_334132	10/21/2015 5:00	FALSE	0.287	587.189	25.454	0.878
TPSWC-2T_AT_334132	10/21/2015 6:00	FALSE	0.287	586.746	25.386	0.878
TPSWC-2T_AT_334132	10/21/2015 7:00	FALSE	0.287	586.654	25.325	0.879
TPSWC-2T_AT_334132	10/21/2015 8:00	FALSE	0.287	586.722	25.279	0.879
TPSWC-2T_AT_334132	10/21/2015 9:00	FALSE	0.286	584.853	25.278	0.879
TPSWC-2T_AT_334132	10/21/2015 10:00	FALSE	0.285	581.638	25.372	0.873
TPSWC-2T_AT_334132	10/21/2015 11:00	FALSE	0.284	580.595	25.421	0.874
TPSWC-2T_AT_334132	10/21/2015 12:00	FALSE	0.283	577.873	25.504	0.874
TPSWC-2T_AT_334132	10/21/2015 13:00	FALSE	0.283	577.392	25.705	0.868
TPSWC-2T_AT_334132	10/21/2015 14:00	FALSE	0.282	575.448	25.83	0.87
TPSWC-2T_AT_334132	10/21/2015 15:00	FALSE	0.282	576.366	26.313	0.867
TPSWC-2T_AT_334132	10/21/2015 16:00	FALSE	0.289	590.209	27.112	0.864
TPSWC-2T_AT_334132	10/21/2015 17:00	FALSE	0.292	596.504	27.335	0.863
TPSWC-2T_AT_334132	10/21/2015 18:00	FALSE	0.292	597.047	27.193	0.865

TPSWC-2T_AT_334132	10/21/2015 19:00	FALSE	0.293	597.626	27.048	0.864
TPSWC-2T_AT_334132	10/21/2015 20:00	FALSE	0.293	598.819	26.894	0.864
TPSWC-2T_AT_334132	10/21/2015 21:00	FALSE	0.293	599.134	26.798	0.866
TPSWC-2T_AT_334132	10/21/2015 22:00	FALSE	0.293	598.661	26.692	0.865
TPSWC-2T_AT_334132	10/21/2015 23:00	FALSE	0.293	597.659	26.601	0.866
TPSWC-2T_AT_334132	10/22/2015 0:00	FALSE	0.293	597.973	26.522	0.868
TPSWC-2T_AT_334132	10/22/2015 1:00	FALSE	0.293	597.383	26.427	0.866
TPSWC-2T_AT_334132	10/22/2015 2:00	FALSE	0.292	595.972	26.334	0.867
TPSWC-2T_AT_334132	10/22/2015 3:00	FALSE	0.291	594.402	26.239	0.867
TPSWC-2T_AT_334132	10/22/2015 4:00	FALSE	0.291	593.772	26.156	0.866
TPSWC-2T_AT_334132	10/22/2015 5:00	FALSE	0.291	594.492	26.086	0.864
TPSWC-2T_AT_334132	10/22/2015 6:00	FALSE	0.291	594.136	26.035	0.863
TPSWC-2T_AT_334132	10/22/2015 7:00	FALSE	0.29	591.781	25.978	0.862
TPSWC-2T_AT_334132	10/22/2015 8:00	FALSE	0.29	591.846	25.96	0.86
TPSWC-2T_AT_334132	10/22/2015 9:00	FALSE	0.292	595.903	26.07	0.859
TPSWC-2T_AT_334132	10/22/2015 10:00	FALSE	0.292	596.7	26.197	0.857
TPSWC-2T_AT_334132	10/22/2015 11:00	FALSE	0.292	596.64	26.129	0.854
TPSWC-2T_AT_334132	10/22/2015 12:00	FALSE	0.293	597.536	26.163	0.854
TPSWC-2T_AT_334132	10/22/2015 13:00	FALSE	0.293	598.359	26.331	0.851
TPSWC-2T_AT_334132	10/22/2015 14:00	FALSE	0.293	597.563	26.583	0.848
TPSWC-2T_AT_334132	10/22/2015 15:00	FALSE	0.296	604.65	27.523	0.844
TPSWC-2T_AT_334132	10/22/2015 16:00	FALSE	0.297	606.829	27.638	0.844
TPSWC-2T_AT_334132	10/22/2015 17:00	FALSE	0.297	606.898	27.703	0.844
TPSWC-2T_AT_334132	10/22/2015 18:00	FALSE	0.297	606.838	27.51	0.844
TPSWC-2T_AT_334132	10/22/2015 19:00	FALSE	0.298	607.815	27.325	0.841
TPSWC-2T_AT_334132	10/22/2015 20:00	FALSE	0.298	608.915	27.151	0.844
TPSWC-2T_AT_334132	10/22/2015 21:00	FALSE	0.299	609.383	27.019	0.842
TPSWC-2T_AT_334132	10/22/2015 22:00	FALSE	0.299	610.03	26.903	0.844
TPSWC-2T_AT_334132	10/22/2015 23:00	FALSE	0.299	610.771	26.777	0.843
TPSWC-2T_AT_334132	10/23/2015 0:00	FALSE	0.3	611.206	26.683	0.843
TPSWC-2T_AT_334132	10/23/2015 1:00	FALSE	0.3	611.852	26.6	0.844
TPSWC-2T_AT_334132	10/23/2015 2:00	FALSE	0.3	612.063	26.514	0.843
TPSWC-2T_AT_334132	10/23/2015 3:00	FALSE	0.3	612.533	26.449	0.843
TPSWC-2T_AT_334132	10/23/2015 4:00	FALSE	0.3	612.827	26.38	0.843
TPSWC-2T_AT_334132	10/23/2015 5:00	FALSE	0.301	613.863	26.295	0.843
TPSWC-2T_AT_334132	10/23/2015 6:00	FALSE	0.301	613.932	26.221	0.841
TPSWC-2T_AT_334132	10/23/2015 7:00	FALSE	0.301	613.522	26.121	0.839
TPSWC-2T_AT_334132	10/23/2015 8:00	FALSE	0.301	613.906	26.127	0.836
TPSWC-2T_AT_334132	10/23/2015 9:00	FALSE	0.302	615.129	26.194	0.834
TPSWC-2T_AT_334132	10/23/2015 10:00	FALSE	0.302	616.705	26.148	0.83
TPSWC-2T_AT_334132	10/23/2015 11:00	FALSE	0.302	616.232	26.195	0.827
TPSWC-2T_AT_334132	10/23/2015 12:00	FALSE	0.302	615.375	26.225	0.826
TPSWC-2T_AT_334132	10/23/2015 13:00	FALSE	0.302	616.237	26.306	0.826
TPSWC-2T_AT_334132	10/23/2015 14:00	FALSE	0.302	616.807	26.315	0.824
TPSWC-2T_AT_334132	10/23/2015 15:00	FALSE	0.302	616.344	26.505	0.822
TPSWC-2T_AT_334132	10/23/2015 16:00	FALSE	0.301	614.397	27.248	0.817
TPSWC-2T_AT_334132	10/23/2015 17:00	FALSE	0.3	612.51	27.142	0.831
TPSWC-2T_AT_334132	10/23/2015 18:00	FALSE	0.299	610.325	27.05	0.835
TPSWC-2T_AT_334132	10/23/2015 19:00	FALSE	0.298	608.121	26.912	0.833
TPSWC-2T_AT_334132	10/23/2015 20:00	FALSE	0.298	608.172	26.78	0.833
TPSWC-2T_AT_334132	10/23/2015 21:00	FALSE	0.299	609.241	26.667	0.831
TPSWC-2T_AT_334132	10/23/2015 22:00	FALSE	0.299	609.414	26.554	0.833
TPSWC-2T_AT_334132	10/23/2015 23:00	FALSE	0.299	610.164	26.461	0.83
TPSWC-2T_AT_334132	10/24/2015 0:00	FALSE	0.299	610.718	26.37	0.832
TPSWC-2T_AT_334132	10/24/2015 1:00	FALSE	0.299	610.058	26.282	0.832
TPSWC-2T_AT_334132	10/24/2015 2:00	FALSE	0.299	609.414	26.208	0.832
TPSWC-2T_AT_334132	10/24/2015 3:00	FALSE	0.299	609.763	26.149	0.833
TPSWC-2T_AT_334132	10/24/2015 4:00	FALSE	0.301	613.403	26.091	0.833
TPSWC-2T_AT_334132	10/24/2015 5:00	FALSE	0.302	616.313	26.022	0.832
TPSWC-2T_AT_334132	10/24/2015 6:00	FALSE	0.301	614.628	25.94	0.832
TPSWC-2T_AT_334132	10/24/2015 7:00	FALSE	0.299	610.907	25.879	0.832
TPSWC-2T_AT_334132	10/24/2015 8:00	FALSE	0.299	609.757	25.873	0.828
TPSWC-2T_AT_334132	10/24/2015 9:00	FALSE	0.298	607.043	25.913	0.826
TPSWC-2T_AT_334132	10/24/2015 10:00	FALSE	0.297	606.496	25.914	0.822
TPSWC-2T_AT_334132	10/24/2015 11:00	FALSE	0.298	607.594	26.006	0.82
TPSWC-2T_AT_334132	10/24/2015 12:00	FALSE	0.299	609.444	26.206	0.817
TPSWC-2T_AT_334132	10/24/2015 13:00	FALSE	0.299	610.518	26.463	0.817
TPSWC-2T_AT_334132	10/24/2015 14:00	FALSE	0.302	615.228	27.08	0.814
TPSWC-2T_AT_334132	10/24/2015 15:00	FALSE	0.303	618.334	27.233	0.817
TPSWC-2T_AT_334132	10/24/2015 16:00	FALSE	0.304	620.92	27.435	0.822
TPSWC-2T_AT_334132	10/24/2015 17:00	FALSE	0.307	626.148	27.702	0.819
TPSWC-2T_AT_334132	10/24/2015 18:00	FALSE	0.307	625.407	27.612	0.818
TPSWC-2T_AT_334132	10/24/2015 19:00	FALSE	0.306	624.935	27.532	0.818
TPSWC-2T_AT_334132	10/24/2015 20:00	FALSE	0.307	625.754	27.43	0.818
TPSWC-2T_AT_334132	10/24/2015 21:00	FALSE	0.307	626.568	27.323	0.818
TPSWC-2T_AT_334132	10/24/2015 22:00	FALSE	0.307	626.473	27.206	0.819
TPSWC-2T_AT_334132	10/24/2015 23:00	FALSE	0.308	627.037	27.109	0.817
TPSWC-2T_AT_334132	10/25/2015 0:00	FALSE	0.308	627.033	27.016	0.815
TPSWC-2T_AT_334132	10/25/2015 1:00	FALSE	0.307	626.764	26.922	0.816
TPSWC-2T_AT_334132	10/25/2015 2:00	FALSE	0.308	626.992	26.818	0.816
TPSWC-2T_AT_334132	10/25/2015 3:00	FALSE	0.308	627.183	26.719	0.814
TPSWC-2T_AT_334132	10/25/2015 4:00	FALSE	0.308	627.481	26.619	0.814
TPSWC-2T_AT_334132	10/25/2015 5:00	FALSE	0.307	625.14	26.527	0.815
TPSWC-2T_AT_334132	10/25/2015 6:00	FALSE	0.307	625.856	26.425	0.815
TPSWC-2T_AT_334132	10/25/2015 7:00	FALSE	0.306	624.734	26.344	0.815
TPSWC-2T_AT_334132	10/25/2015 8:00	FALSE	0.305	622.37	26.309	0.813
TPSWC-2T_AT_334132	10/25/2015 9:00	FALSE	0.305	621.081	26.32	0.811
TPSWC-2T_AT_334132	10/25/2015 10:00	FALSE	0.303	618.191	26.302	0.807
TPSWC-2T_AT_334132	10/25/2015 11:00	FALSE	0.301	614.38	26.342	0.805
TPSWC-2T_AT_334132	10/25/2015 12:00	FALSE	0.305	622.745	26.422	0.804
TPSWC-2T_AT_334132	10/25/2015 13:00	FALSE	0.306	623.026	26.465	0.805
TPSWC-2T_AT_334132	10/25/2015 14:00	FALSE	0.307	625.034	26.578	0.804
TPSWC-2T_AT_334132	10/25/2015 15:00	FALSE	0.305	622.615	26.638	0.804
TPSWC-2T_AT_334132	10/25/2015 16:00	FALSE	0.306	623.743	26.7	0.804
TPSWC-2T_AT_334132	10/25/2015 17:00	FALSE	0.306	623.77	26.785	0.803
TPSWC-2T_AT_334132	10/25/2015 18:00	FALSE	0.306	624.827	26.748	0.804
TPSWC-2T_AT_334132	10/25/2015 19:00	FALSE	0.305	622.891	26.773	0.803
TPSWC-2T_AT_334132	10/25/2015 20:00	FALSE	0.306	622.979	26.764	0.803
TPSWC-2T_AT_334132	10/25/2015 21:00	FALSE	0.306	623.365	26.751	0.802
TPSWC-2T_AT_334132	10/25/2015 22:00	FALSE	0.305	621.984	26.742	0.803
TPSWC-2T_AT_334132	10/25/2015 23:00	FALSE	0.305	622.293	26.835	0.801
TPSWC-2T_AT_334132	10/26/2015 0:00	FALSE	0.305	621.701	26.807	0.801

WaterLevel (ft)

