



SensorName	DateSampleTaken	IsDataValid	Salinity (PSU)	SalinityTelemetryQualifiers	SpecificConductance (µS/cm)	SpecificConductanceTelemetryQualifiers	Temperature (C)	TemperatureTelemetryQualifiers	WaterLevel (ft)	WaterLevelTelemetryQualifiers
TPSWCCS-2B_AT_376736	6/22/2015 0:00	FALSE	99.602		127159.781		30.723		-0.668	
TPSWCCS-2B_AT_376736	6/22/2015 1:00	FALSE	100.447		128033.992		30.625		-0.666	
TPSWCCS-2B_AT_376736	6/22/2015 2:00	FALSE	100.289		127887.313		30.459		-0.669	
TPSWCCS-2B_AT_376736	6/22/2015 3:00	FALSE	99.983		127589.438		30.288		-0.667	
TPSWCCS-2B_AT_376736	6/22/2015 4:00	FALSE	99.945		127578.43		29.999		-0.664	
TPSWCCS-2B_AT_376736	6/22/2015 5:00	FALSE	100.027		127656.68		30.059		-0.663	
TPSWCCS-2B_AT_376736	6/22/2015 6:00	FALSE	99.93		127578.094		29.838		-0.619	
TPSWCCS-2B_AT_376736	6/22/2015 7:00	FALSE	99.965		127633.813		29.63		-0.665	
TPSWCCS-2B_AT_376736	6/22/2015 8:00	FALSE	100.378		128059.203		29.614		-0.663	
TPSWCCS-2B_AT_376736	6/22/2015 9:00	FALSE	99.99		127661.727		29.614		-0.664	
TPSWCCS-2B_AT_376736	6/22/2015 10:00	FALSE	100.144		127812.492		29.685		-0.665	
TPSWCCS-2B_AT_376736	6/22/2015 11:00	FALSE	99.912		127558.148		29.853		-0.679	
TPSWCCS-2B_AT_376736	6/22/2015 12:00	FALSE	99.856		127385.211		31.128		-0.679	
TPSWCCS-2B_AT_376736	6/22/2015 13:00	FALSE	100		127419.227		32.558		-0.678	
TPSWCCS-2B_AT_376736	6/22/2015 14:00	FALSE	99.157		126523.234		33.007		-0.69	
TPSWCCS-2B_AT_376736	6/22/2015 15:00	FALSE	99.486		126771.539		34.38		-0.701	
TPSWCCS-2B_AT_376736	6/22/2015 16:00	FALSE	98.712		125911.352		35.569		-0.682	
TPSWCCS-2B_AT_376736	6/22/2015 17:00	FALSE	98.853		126117.625		34.47		-0.683	
TPSWCCS-2B_AT_376736	6/22/2015 18:00	FALSE	98.69		125969.344		34.156		-0.681	
TPSWCCS-2B_AT_376736	6/22/2015 19:00	FALSE	98.97		126317.805		33.208		-0.674	
TPSWCCS-2B_AT_376736	6/22/2015 20:00	FALSE	99.21		126730.281		31.03		-0.672	
TPSWCCS-2B_AT_376736	6/22/2015 21:00	FALSE	99.249		126715.805		31.686		-0.673	
TPSWCCS-2B_AT_376736	6/22/2015 22:00	FALSE	99.356		126897.32		30.831		-0.673	
TPSWCCS-2B_AT_376736	6/22/2015 23:00	FALSE	100.036		127575.797		31.05		-0.673	
TPSWCCS-2B_AT_376736	6/23/2015 0:00	FALSE	99.893		127398.617		31.414		-0.673	
TPSWCCS-2B_AT_376736	6/23/2015 1:00	FALSE	99.788		127313.016		31.151		-0.671	
TPSWCCS-2B_AT_376736	6/23/2015 2:00	FALSE	99.735		127331.938		30.327		-0.669	
TPSWCCS-2B_AT_376736	6/23/2015 3:00	FALSE	99.873		127414.898		30.979		-0.668	
TPSWCCS-2B_AT_376736	6/23/2015 4:00	FALSE	100.014		127605.531		30.466		-0.671	
TPSWCCS-2B_AT_376736	6/23/2015 5:00	FALSE	99.756		127393.063		29.902		-0.667	
TPSWCCS-2B_AT_376736	6/23/2015 6:00	FALSE	100.037		127692.078		29.794		-0.667	
TPSWCCS-2B_AT_376736	6/23/2015 7:00	FALSE	100.431		128078.047		29.98		-0.662	
TPSWCCS-2B_AT_376736	6/23/2015 8:00	FALSE	100.546		128177.828		30.169		-0.665	
TPSWCCS-2B_AT_376736	6/23/2015 9:00	FALSE	100.906		128555.336		30.074		-0.661	
TPSWCCS-2B_AT_376736	6/23/2015 10:00	FALSE	101.237		128819.977		30.874		-0.663	
TPSWCCS-2B_AT_376736	6/23/2015 11:00	FALSE	101.187		128767.969		30.886		-0.673	
TPSWCCS-2B_AT_376736	6/23/2015 12:00	FALSE	100.867		128448.328		30.795		-0.664	
TPSWCCS-2B_AT_376736	6/23/2015 13:00	FALSE	101.116		128747.617		30.309		-0.665	
TPSWCCS-2B_AT_376736	6/23/2015 14:00	FALSE	100.906		128512.289		30.528		-0.67	
TPSWCCS-2B_AT_376736	6/23/2015 15:00	FALSE	101.015		128575.422		31.074		-0.665	
TPSWCCS-2B_AT_376736	6/23/2015 16:00	FALSE	101.428		129055.328		30.426		-0.679	
TPSWCCS-2B_AT_376736	6/23/2015 17:00	FALSE	101.258		128821.648		31.099		-0.676	
TPSWCCS-2B_AT_376736	6/23/2015 18:00	FALSE	101.466		129074.797		30.641		-0.676	
TPSWCCS-2B_AT_376736	6/23/2015 19:00	FALSE	101.682		129196.32		31.774		-0.673	
TPSWCCS-2B_AT_376736	6/23/2015 20:00	FALSE	101.381		128891.172		31.761		-0.679	
TPSWCCS-2B_AT_376736	6/23/2015 21:00	FALSE	101.524		129059.313		31.487		-0.679	
TPSWCCS-2B_AT_376736	6/23/2015 22:00	FALSE	101.326		128882.805		31.185		-0.676	
TPSWCCS-2B_AT_376736	6/23/2015 23:00	FALSE	101.618		129209.539		30.856		-0.677	
TPSWCCS-2B_AT_376736	6/24/2015 0:00	FALSE	101.901		129546.578		30.4		-0.678	
TPSWCCS-2B_AT_376736	6/24/2015 1:00	FALSE	101.589		129217.713		30.451		-0.676	
TPSWCCS-2B_AT_376736	6/24/2015 2:00	FALSE	101.457		129081.5		30.463		-0.681	
TPSWCCS-2B_AT_376736	6/24/2015 3:00	FALSE	101.235		128889.633		30.092		-0.679	
TPSWCCS-2B_AT_376736	6/24/2015 4:00	FALSE	101.383		129012.133		30.398		-0.676	
TPSWCCS-2B_AT_376736	6/24/2015 5:00	FALSE	101.389		129043.18		30.129		-0.675	
TPSWCCS-2B_AT_376736	6/24/2015 6:00	FALSE	101.523		129195.93		29.963		-0.676	
TPSWCCS-2B_AT_376736	6/24/2015 7:00	FALSE	101.212		128880.891		29.941		-0.672	
TPSWCCS-2B_AT_376736	6/24/2015 8:00	FALSE	101.157		128826.766		29.92		-0.676	
TPSWCCS-2B_AT_376736	6/24/2015 9:00	FALSE	101.162		128827.938		29.956		-0.658	
TPSWCCS-2B_AT_376736	6/24/2015 10:00	FALSE	101.488		129120.906		29.957		-0.673	
TPSWCCS-2B_AT_376736	6/24/2015 11:00	FALSE	101.086		128733.703		30.128		-0.676	
TPSWCCS-2B_AT_376736	6/24/2015 12:00	FALSE	101.44		129082.328		30.274		-0.678	
TPSWCCS-2B_AT_376736	6/24/2015 13:00	FALSE	100.964		128599.852		30.234		-0.685	
TPSWCCS-2B_AT_376736	6/24/2015 14:00	FALSE	101.155		128741.852		30.811		-0.687	
TPSWCCS-2B_AT_376736	6/24/2015 15:00	FALSE	101.095		128648.445		31.169		-0.692	
TPSWCCS-2B_AT_376736	6/24/2015 16:00	FALSE	101.157		128705.328		31.251		-0.695	
TPSWCCS-2B_AT_376736	6/24/2015 17:00	FALSE	101.242		128792.516		31.248		-0.71	
TPSWCCS-2B_AT_376736	6/24/2015 18:00	FALSE	101.229		128790.898		31.107		-0.695	
TPSWCCS-2B_AT_376736	6/24/2015 19:00	FALSE	101.229		128762.113		31.135		-0.694	
TPSWCCS-2B_AT_376736	6/24/2015 20:00	FALSE	101.292		128862.547		31.02		-0.695	
TPSWCCS-2B_AT_376736	6/24/2015 21:00	FALSE	101.223		128812.695		30.787		-0.695	
TPSWCCS-2B_AT_376736	6/24/2015 22:00	FALSE	100.986		128582.648		30.663		-0.689	
TPSWCCS-2B_AT_376736	6/24/2015 23:00	FALSE	101.342		128946.898		30.65		-0.691	
TPSWCCS-2B_AT_376736	6/25/2015 0:00	FALSE	100.843		128445.422		30.564		-0.692	
TPSWCCS-2B_AT_376736	6/25/2015 1:00	FALSE	100.957		128584.484		30.316		-0.69	
TPSWCCS-2B_AT_376736	6/25/2015 2:00	FALSE	101.028		128665.547		30.224		-0.687	
TPSWCCS-2B_AT_376736	6/25/2015 3:00	FALSE	101.185		128612.391		30.37		-0.685	
TPSWCCS-2B_AT_376736	6/25/2015 4:00	FALSE	101.339		128658.893		30.481		-0.687	
TPSWCCS-2B_AT_376736	6/25/2015 5:00	FALSE	101.081		128709.406		30.334		-0.686	
TPSWCCS-2B_AT_376736	6/25/2015 6:00	FALSE	101.157		128799.633		30.199		-0.688	
TPSWCCS-2B_AT_376736	6/25/2015 7:00	FALSE	101.142		128791.063		30.128		-0.688	
TPSWCCS-2B_AT_376736	6/25/2015 8:00	FALSE	101.054		128710.531		30.037		-0.689	
TPSWCCS-2B_AT_376736	6/25/2015 9:00	FALSE	100.915		128580.453		29.907		-0.726	
TPSWCCS-2B_AT_376736	6/25/2015 10:00	FALSE	100.774		128414.508		30.135		-0.683	
TPSWCCS-2B_AT_376736	6/25/2015 11:00	FALSE	100.959		128603.938		30.128		-0.688	
TPSWCCS-2B_AT_376736	6/25/2015 12:00	FALSE	100.987		128629.555		30.162		-0.688	
TPSWCCS-2B_AT_376736	6/25/2015 13:00	FALSE	101.169		128797.891		30.355		-0.686	
TPSWCCS-2B_AT_376736	6/25/2015 14:00	FALSE	100.865		128437.617		30.895		-0.684	
TPSWCCS-2B_AT_376736	6/25/2015 15:00	FALSE	100.982		128579.688		30.645		-0.693	
TPSWCCS-2B_AT_376736	6/25/2015 16:00	FALSE	100.877		128454.359		30.851		-0.69	
TPSWCCS-2B_AT_376736	6/25/2015 17:00	FALSE	101.22		128732.18		31.696		-0.692	
TPSWCCS-2B_AT_376736	6/25/2015 18:00	FALSE	101.066		128567.352		31.791		-0.693	
TPSWCCS-2B_AT_376736	6/25/2015 19:00	FALSE	100.968		128471.336		31.746		-0.692	
TPSWCCS-2B_AT_376736	6/25/2015 20:00	FALSE	101.037		128539.719		31.762		-0.693	
TPSWCCS-2B_AT_376736	6/25/2015 21:00	FALSE	101.299		128802.648		31.82		-0.691	
TPSWCCS-2B_AT_376736	6/25/2015 22:00	FALSE	100.922		128442.891		31.511		-0.697	
TPSWCCS-2B_AT_376736	6/25/2015 23:00	FALSE	101.062		128609.883		31.232		-0.696	
TPSWCCS-2B_AT_376736	6/26/2015 0:00	FALSE	100.955		128535.172		30.834		-0.692	
TPSWCCS-2B_AT_376736	6/26/2015 1:00	FALSE	101.165		128809.961		30.178		-0.691	
TPSWCCS-2B_AT_376736	6/26/2015 2:00	FALSE	100.74		128357.57		30.366		-0.69	
TPSWCCS-2B_AT_376736	6/26/2015 3:00	FALSE	100.885		128501.57		30.415		-0.688	
TPSWCCS-2B_AT_376736	6/26/2015 4:00	FALSE	100.99		128614.031		30.358		-0.689	
TPSWCCS-2B_AT_376736	6/26/2015 5:00	FALSE	100.7		128324.18		30.284		-0.687	
TPSWCCS-2B_AT_376736	6/26/2015 6:00	FALSE	100.754		128378.719		30.3		-0.683	
TPSWCCS-2B_AT_376736	6/26/2015 7:00	FALSE	100.35		127963.828		30.308		-0.667	
TPSWCCS-2B_AT_376736	6/26/2015 8:00	FALSE	100.261		127871.281		30.325		-0.683	
TPSWCCS-2B_AT_376736	6/26/2015 9:00	FALSE	100.262		127869.953		30.351		-0.681	
TPSWCCS-2B_AT_376736	6/26/2015 10:00	FALSE	100.698		128308.359		30.439		-0.687	
TPSWCCS-2B_AT_376736	6/26/2015 11:00	FALSE	100.43							

TPSWCCS-2B_AT_376736	6/27/2015 7:00	FALSE	100.318	127910.891	30.535	-0.665
TPSWCCS-2B_AT_376736	6/27/2015 8:00	FALSE	100.521	128114.383	30.582	-0.661
TPSWCCS-2B_AT_376736	6/27/2015 9:00	FALSE	100.539	128120.945	30.708	-0.66
TPSWCCS-2B_AT_376736	6/27/2015 10:00	FALSE	100.607	128177.141	30.865	-0.654
TPSWCCS-2B_AT_376736	6/27/2015 11:00	FALSE	100.443	128007.023	30.884	-0.661
TPSWCCS-2B_AT_376736	6/27/2015 12:00	FALSE	100.425	127983.883	30.937	-0.654
TPSWCCS-2B_AT_376736	6/27/2015 13:00	FALSE	100.425	127977.852	31.01	-0.676
TPSWCCS-2B_AT_376736	6/27/2015 14:00	FALSE	100.62	128169.648	31.093	-0.652
TPSWCCS-2B_AT_376736	6/27/2015 15:00	FALSE	100.11	127624.586	31.365	-0.653
TPSWCCS-2B_AT_376736	6/27/2015 16:00	FALSE	100.817	128294.797	32.028	-0.648
TPSWCCS-2B_AT_376736	6/27/2015 17:00	FALSE	100.432	127895.398	32.1	-0.655
TPSWCCS-2B_AT_376736	6/27/2015 18:00	FALSE	100.665	128133.813	32.095	-0.662
TPSWCCS-2B_AT_376736	6/27/2015 19:00	FALSE	100.773	128247.406	32.06	-0.662
TPSWCCS-2B_AT_376736	6/27/2015 20:00	FALSE	100.443	127942.852	31.65	-0.663
TPSWCCS-2B_AT_376736	6/27/2015 21:00	FALSE	100.898	128409.953	31.615	-0.665
TPSWCCS-2B_AT_376736	6/27/2015 22:00	FALSE	100.65	128172.563	31.429	-0.663
TPSWCCS-2B_AT_376736	6/27/2015 23:00	FALSE	100.501	128028.961	31.323	-0.666
TPSWCCS-2B_AT_376736	6/28/2015 0:00	FALSE	100.572	128099.313	31.348	-0.66


Temperature (C)



Salinity (PSU)



SpecificConductance (μS/cm)



WaterLevel (ft)

