



SensorName	DateSampleTaken	isDataValid	Salinity (PSU)	SalinityTelemetryQualifiers	SpecificConductance (uS/cm)	SpecificConductanceTelemetryQualifiers	Temperature (C)	TemperatureTelemetryQualifiers	WaterLevel (ft)	WaterLevelTelemetryQualifiers
TPSWCCS-1B_AT_407341	7/20/2015 0:00	FALSE	96.137		121206.539		42.476		-0.176	
TPSWCCS-1B_AT_407341	7/20/2015 1:00	FALSE	95.748		122601.141		43.372		-0.226	
TPSWCCS-1B_AT_407341	7/20/2015 2:00	FALSE	95.794		122654.555		43.076		-0.224	
TPSWCCS-1B_AT_407341	7/20/2015 3:00	FALSE	96.173		123047.219		42.982		-0.233	
TPSWCCS-1B_AT_407341	7/20/2015 4:00	FALSE	96.122		122999.148		42.799		-0.235	
TPSWCCS-1B_AT_407341	7/20/2015 5:00	FALSE	96.413		123301.695		42.661		-0.228	
TPSWCCS-1B_AT_407341	7/20/2015 6:00	FALSE	96.571		123460.234		42.575		-0.231	
TPSWCCS-1B_AT_407341	7/20/2015 7:00	FALSE	96.06		123799.664		42.578		-0.235	
TPSWCCS-1B_AT_407341	7/20/2015 8:00	FALSE	96.667		123162.961		42.645		-0.217	
TPSWCCS-1B_AT_407341	7/20/2015 9:00	FALSE	96.711		123603		42.877		-0.222	
TPSWCCS-1B_AT_407341	7/20/2015 10:00	FALSE	97.07		123960.898		42.143		-0.214	
TPSWCCS-1B_AT_407341	7/20/2015 11:00	FALSE	96.998		123890.148		43.217		-0.206	
TPSWCCS-1B_AT_407341	7/20/2015 12:00	FALSE	96.999		123171.836		43.507		-0.195	
TPSWCCS-1B_AT_407341	7/20/2015 13:00	FALSE	95.723		122560.859		43.648		-0.186	
TPSWCCS-1B_AT_407341	7/20/2015 14:00	FALSE	97.45		124343.094		43.751		-0.206	
TPSWCCS-1B_AT_407341	7/20/2015 15:00	FALSE	97.205		124085		43.902		-0.174	
TPSWCCS-1B_AT_407341	7/20/2015 16:00	FALSE	97.295		124758.563		44.073		-0.162	
TPSWCCS-1B_AT_407341	7/20/2015 17:00	FALSE	97.562		124450.313		44.169		-0.169	
TPSWCCS-1B_AT_407341	7/20/2015 18:00	FALSE	97.143		124020.438		44.209		-0.148	
TPSWCCS-1B_AT_407341	7/20/2015 19:00	FALSE	97.185		124068.966		44.227		-0.168	
TPSWCCS-1B_AT_407341	7/20/2015 20:00	FALSE	97.213		124095.055		44.026		-0.18	
TPSWCCS-1B_AT_407341	7/20/2015 21:00	FALSE	97.031		123914.172		43.743		-0.199	
TPSWCCS-1B_AT_407341	7/20/2015 22:00	FALSE	97.39		124080.609		43.59		-0.209	
TPSWCCS-1B_AT_407341	7/20/2015 23:00	FALSE	96.976		123864.406		43.406		-0.216	
TPSWCCS-1B_AT_407341	7/21/2015 0:00	FALSE	96.185		123054.508		43.245		-0.223	
TPSWCCS-1B_AT_407341	7/21/2015 1:00	FALSE	96.144		123014.25		43.03		-0.181	
TPSWCCS-1B_AT_407341	7/21/2015 2:00	FALSE	96.565		123452.82		42.868		-0.234	
TPSWCCS-1B_AT_407341	7/21/2015 3:00	FALSE	97.367		124277.727		42.8		-0.19	
TPSWCCS-1B_AT_407341	7/21/2015 4:00	FALSE	97.466		124381.805		42.713		-0.24	
TPSWCCS-1B_AT_407341	7/21/2015 5:00	FALSE	98.079		125010.508		42.656		-0.232	
TPSWCCS-1B_AT_407341	7/21/2015 6:00	FALSE	97.462		124378.922		42.643		-0.235	
TPSWCCS-1B_AT_407341	7/21/2015 7:00	FALSE	97.5		124413.602		42.833		-0.233	
TPSWCCS-1B_AT_407341	7/21/2015 8:00	FALSE	97.131		124029.289		43.134		-0.222	
TPSWCCS-1B_AT_407341	7/21/2015 9:00	FALSE	96.77		123652.063		43.433		-0.212	
TPSWCCS-1B_AT_407341	7/21/2015 10:00	FALSE	96.983		123653.945		43.765		-0.213	
TPSWCCS-1B_AT_407341	7/21/2015 11:00	FALSE	96.779		123652.641		43.896		-0.2	
TPSWCCS-1B_AT_407341	7/21/2015 12:00	FALSE	96.54		123410.273		43.713		-0.18	
TPSWCCS-1B_AT_407341	7/21/2015 13:00	FALSE	96.512		123381.453		43.71		-0.186	
TPSWCCS-1B_AT_407341	7/21/2015 14:00	FALSE	96.683		123555.438		43.788		-0.138	
TPSWCCS-1B_AT_407341	7/21/2015 15:00	FALSE	96.682		123550.305		44.014		-0.12	
TPSWCCS-1B_AT_407341	7/21/2015 16:00	FALSE	96.556		124139.102		44.136		-0.125	
TPSWCCS-1B_AT_407341	7/21/2015 17:00	FALSE	96.64		123905.281		44.122		-0.135	
TPSWCCS-1B_AT_407341	7/21/2015 18:00	FALSE	96.207		123699.922		44.099		-0.148	
TPSWCCS-1B_AT_407341	7/21/2015 19:00	FALSE	96.77		123640.656		44.041		-0.178	
TPSWCCS-1B_AT_407341	7/21/2015 20:00	FALSE	96.217		123073.148		43.965		-0.232	
TPSWCCS-1B_AT_407341	7/21/2015 21:00	FALSE	96.916		123795.336		43.749		-0.229	
TPSWCCS-1B_AT_407341	7/21/2015 22:00	FALSE	96.375		123243.072		43.568		-0.235	
TPSWCCS-1B_AT_407341	7/21/2015 23:00	FALSE	96.768		123652.195		43.345		-0.237	
TPSWCCS-1B_AT_407341	7/22/2015 0:00	FALSE	96.253		123126.992		43.109		-0.246	
TPSWCCS-1B_AT_407341	7/22/2015 1:00	FALSE	95.594		123453.352		42.852		-0.242	
TPSWCCS-1B_AT_407341	7/22/2015 2:00	FALSE	96.475		123855.172		42.644		-0.236	
TPSWCCS-1B_AT_407341	7/22/2015 3:00	FALSE	97.659		124584.969		42.479		-0.244	
TPSWCCS-1B_AT_407341	7/22/2015 4:00	FALSE	98.997		125955.625		42.959		-0.238	
TPSWCCS-1B_AT_407341	7/22/2015 5:00	FALSE	95.889		122769.039		42.328		-0.23	
TPSWCCS-1B_AT_407341	7/22/2015 6:00	FALSE	97.519		124444.977		42.307		-0.245	
TPSWCCS-1B_AT_407341	7/22/2015 7:00	FALSE	97.036		123947.555		42.386		-0.217	
TPSWCCS-1B_AT_407341	7/22/2015 8:00	FALSE	96.778		123679.82		42.519		-0.23	
TPSWCCS-1B_AT_407341	7/22/2015 9:00	FALSE	96.712		123608.609		42.678		-0.205	
TPSWCCS-1B_AT_407341	7/22/2015 10:00	FALSE	97.594		124508.148		42.903		-0.217	
TPSWCCS-1B_AT_407341	7/22/2015 11:00	FALSE	96.593		123475.703		43.117		-0.206	
TPSWCCS-1B_AT_407341	7/22/2015 12:00	FALSE	96.839		123729.742		43.094		-0.18	
TPSWCCS-1B_AT_407341	7/22/2015 13:00	FALSE	96.648		123523.945		43.174		-0.184	
TPSWCCS-1B_AT_407341	7/22/2015 14:00	FALSE	96.953		123833.555		43.783		-0.165	
TPSWCCS-1B_AT_407341	7/22/2015 15:00	FALSE	97.907		124815.703		43.562		-0.18	
TPSWCCS-1B_AT_407341	7/22/2015 16:00	FALSE	96.251		123156.078		43.611		-0.206	
TPSWCCS-1B_AT_407341	7/22/2015 17:00	FALSE	97.271		124165.414		43.489		-0.187	
TPSWCCS-1B_AT_407341	7/22/2015 18:00	FALSE	96.809		123694.586		43.321		-0.187	
TPSWCCS-1B_AT_407341	7/22/2015 19:00	FALSE	96.535		123412.406		43.326		-0.205	
TPSWCCS-1B_AT_407341	7/22/2015 20:00	FALSE	97.285		124184.336		43.253		-0.208	
TPSWCCS-1B_AT_407341	7/22/2015 21:00	FALSE	96.339		123215.641		43.102		-0.209	
TPSWCCS-1B_AT_407341	7/22/2015 22:00	FALSE	96.139		123011.856		43.009		-0.206	
TPSWCCS-1B_AT_407341	7/22/2015 23:00	FALSE	97.401		124311.852		42.84		-0.212	
TPSWCCS-1B_AT_407341	7/23/2015 0:00	FALSE	96.486		123174.805		42.734		-0.213	
TPSWCCS-1B_AT_407341	7/23/2015 1:00	FALSE	96.899		123802.378		42.578		-0.216	
TPSWCCS-1B_AT_407341	7/23/2015 2:00	FALSE	96.781		123686.469		42.425		-0.213	
TPSWCCS-1B_AT_407341	7/23/2015 3:00	FALSE	96.677		123579.563		42.337		-0.21	
TPSWCCS-1B_AT_407341	7/23/2015 4:00	FALSE	96.688		123592.339		42.389		-0.212	
TPSWCCS-1B_AT_407341	7/23/2015 5:00	FALSE	96.71		123616.648		42.228		-0.222	
TPSWCCS-1B_AT_407341	7/23/2015 6:00	FALSE	96.461		123359.656		42.235		-0.217	
TPSWCCS-1B_AT_407341	7/23/2015 7:00	FALSE	97.157		124073.964		42.347		-0.215	
TPSWCCS-1B_AT_407341	7/23/2015 8:00	FALSE	96.04		122922.141		42.45		-0.216	
TPSWCCS-1B_AT_407341	7/23/2015 9:00	FALSE	96.461		123348.336		42.783		-0.228	
TPSWCCS-1B_AT_407341	7/23/2015 10:00	FALSE	96.289		123156.625		43.1		-0.213	
TPSWCCS-1B_AT_407341	7/23/2015 11:00	FALSE	95.858		122719.773		43.11		-0.212	
TPSWCCS-1B_AT_407341	7/23/2015 12:00	FALSE	95.38		122231.867		42.848		-0.197	
TPSWCCS-1B_AT_407341	7/23/2015 13:00	FALSE	94.838		121668.641		43.015		-0.166	
TPSWCCS-1B_AT_407341	7/23/2015 14:00	FALSE	95.995		122859		43.24		-0.103	
TPSWCCS-1B_AT_407341	7/23/2015 15:00	FALSE	94.907		121730.68		43.508		-0.104	
TPSWCCS-1B_AT_407341	7/23/2015 16:00	FALSE	95.29		122130.047		43.288		-0.123	
TPSWCCS-1B_AT_407341	7/23/2015 17:00	FALSE	94.658		121472.898		43.481		-0.13	
TPSWCCS-1B_AT_407341	7/23/2015 18:00	FALSE	94.544		121356.727		43.408		-0.15	
TPSWCCS-1B_AT_407341	7/23/2015 19:00	FALSE	94.343		121147.859		43.46		-0.164	
TPSWCCS-1B_AT_407341	7/23/2015 20:00	FALSE	98.97		120760.25		43.479		-0.179	
TPSWCCS-1B_AT_407341	7/23/2015 21:00	FALSE	94.668		121484.445		43.458		-0.188	
TPSWCCS-1B_AT_407341	7/23/2015 22:00	FALSE	94.634		121449.578		43.425		-0.191	
TPSWCCS-1B_AT_407341	7/23/2015 23:00	FALSE	94.972		121801.867		43.307		-0.189	
TPSWCCS-1B_AT_407341	7/24/2015 0:00	FALSE	95.01		121844.43		43.145		-0.194	
TPSWCCS-1B_AT_407341	7/24/2015 1:00									
TPSWCCS-1B_AT_407341	7/24/2015 2:00									
TPSWCCS-1B_AT_407341	7/24/2015 3:00									
TPSWCCS-1B_AT_407341	7/24/2015 4:00									
TPSWCCS-1B_AT_407341	7/24/2015 5:00									
TPSWCCS-1B_AT_407341	7/24/2015 6:00									
TPSWCCS-1B_AT_407341	7/24/2015 7:00	FALSE	52.213		73269.352		90.177		-0.117	
TPSWCCS-1B_AT_407341	7/24/2015 8:00	FALSE	71.348		96224.352		63.339		-0.15	
TPSWCCS-1B_AT_407341	7/24/2015 9:00	FALSE	57.092		79354.344		83.686		-0.116	
TPSWCCS-1B_AT_407341	7/24/2015 10:00	FALSE	76.432		101898.813		59.743		-0.134	
TPSWCCS-1B_AT_407341	7/24/2015 11:00	FALSE	72.845		97891.156		63.081		-0.123	
TPSWCCS-1B_AT_407341	7/24/2015 12:00	FALSE	80.618		106496.914		55.232		-0.118	
TPSWCCS-1B_AT_407341	7/24/2015 13:00	FALSE	95.24		122058.703		44.386		-0.137	
TPSWCCS-1B_AT_4073										


Temperature (C)



Salinity (PSU)



SpecificConductance ($\mu\text{S}/\text{cm}$)



WaterLevel (ft)

