



SensorName	DateSampleTaken	IsDataValid	Salinity (PSU)	SalinityTelemetryQualifiers	SpecificConductance (µS/cm)	SpecificConductanceTelemetryQualifiers	Temperature (C)	TemperatureTelemetryQualifiers	WaterLevel (ft)	WaterLevelTelemetryQualifiers
TPSWCCS-18_AT_407341	8/3/2015 0:00	FALSE	92.781		119554.07		42.009		-0.069	
TPSWCCS-18_AT_407341	8/3/2015 1:00	FALSE	96.376		123287.781		41.619		-0.06	
TPSWCCS-18_AT_407341	8/3/2015 2:00	FALSE	95.956		122859.609		41.401		-0.048	
TPSWCCS-18_AT_407341	8/3/2015 3:00	FALSE	96.502		123429.898		41.111		-0.026	
TPSWCCS-18_AT_407341	8/3/2015 4:00	FALSE	95.868		122780.898		40.935		-0.023	
TPSWCCS-18_AT_407341	8/3/2015 5:00	FALSE	96.334		123261.492		40.936		-0.034	
TPSWCCS-18_AT_407341	8/3/2015 6:00	FALSE	96.221		123150.43		40.756		-0.007	
TPSWCCS-18_AT_407341	8/3/2015 7:00	FALSE	94.2		121059.906		40.735		0.001	
TPSWCCS-18_AT_407341	8/3/2015 8:00	FALSE	95.768		122683.328		40.755		-0.002	
TPSWCCS-18_AT_407341	8/3/2015 9:00	FALSE	95.766		122677.156		40.896		-0.004	
TPSWCCS-18_AT_407341	8/3/2015 10:00	FALSE	92.57		119353.047		41.151		-0.017	
TPSWCCS-18_AT_407341	8/3/2015 11:00	FALSE	92.519		119297.195		41.276		-0.013	
TPSWCCS-18_AT_407341	8/3/2015 12:00	FALSE	91.945		118694.063		41.416		-0.021	
TPSWCCS-18_AT_407341	8/3/2015 13:00	FALSE	90.907		117605.313		41.467		-0.007	
TPSWCCS-18_AT_407341	8/3/2015 14:00	FALSE	90.227		116894.133		41.281		-0.125	
TPSWCCS-18_AT_407341	8/3/2015 15:00	FALSE	90.131		116783.984		41.728		-0.056	
TPSWCCS-18_AT_407341	8/3/2015 16:00	FALSE	89.922		116560.656		41.886		-0.051	
TPSWCCS-18_AT_407341	8/3/2015 17:00	FALSE	89.728		116350.109		42.165		-0.062	
TPSWCCS-18_AT_407341	8/3/2015 18:00	FALSE	88.918		115493.703		42.255		-0.075	
TPSWCCS-18_AT_407341	8/3/2015 19:00	FALSE	89.377		115979.719		42.204		-0.077	
TPSWCCS-18_AT_407341	8/3/2015 20:00	FALSE	89.498		116109.414		42.09		-0.071	
TPSWCCS-18_AT_407341	8/3/2015 21:00	FALSE	89.387		115994.977		41.952		-0.069	
TPSWCCS-18_AT_407341	8/3/2015 22:00	FALSE	89.949		116590.367		41.831		-0.067	
TPSWCCS-18_AT_407341	8/3/2015 23:00	FALSE	89.656		116283.852		41.701		-0.067	
TPSWCCS-18_AT_407341	8/4/2015 0:00	FALSE	89.423		116039.352		41.632		-0.069	
TPSWCCS-18_AT_407341	8/4/2015 1:00	FALSE	89.522		116146.398		41.539		-0.07	
TPSWCCS-18_AT_407341	8/4/2015 2:00	FALSE	90.056		116709.742		41.477		-0.07	
TPSWCCS-18_AT_407341	8/4/2015 3:00	FALSE	90.471		117149.406		41.376		-0.063	
TPSWCCS-18_AT_407341	8/4/2015 4:00	FALSE	92.601		119383.898		41.237		-0.064	
TPSWCCS-18_AT_407341	8/4/2015 5:00	FALSE	93.874		120708.922		41.226		-0.061	
TPSWCCS-18_AT_407341	8/4/2015 6:00	FALSE	95.836		122742.703		41.15		-0.06	
TPSWCCS-18_AT_407341	8/4/2015 7:00	FALSE	95.388		122278.969		41.195		-0.082	
TPSWCCS-18_AT_407341	8/4/2015 8:00	FALSE	91.513		118245.352		41.263		-0.05	
TPSWCCS-18_AT_407341	8/4/2015 9:00	FALSE	92.71		119492.086		41.446		-0.052	
TPSWCCS-18_AT_407341	8/4/2015 10:00	FALSE	92.734		119512.023		41.672		-0.051	
TPSWCCS-18_AT_407341	8/4/2015 11:00	FALSE	94.369		121209.656		41.799		-0.054	
TPSWCCS-18_AT_407341	8/4/2015 12:00	FALSE	91.042		117734.93		42.018		-0.05	
TPSWCCS-18_AT_407341	8/4/2015 13:00	FALSE	89.982		116613.594		42.362		-0.055	
TPSWCCS-18_AT_407341	8/4/2015 14:00	FALSE	47.515		67300.578		95.782		0.022	
TPSWCCS-18_AT_407341	8/4/2015 15:00	FALSE	50.799		71598.203		89.713		0.029	
TPSWCCS-18_AT_407341	8/4/2015 16:00	FALSE	51.271		72237.656		88.206		0.076	
TPSWCCS-18_AT_407341	8/4/2015 17:00	FALSE	52.703		74023.289		86.659		0.015	
TPSWCCS-18_AT_407341	8/4/2015 18:00	FALSE	82.84		108931.617		48.834		-0.044	
TPSWCCS-18_AT_407341	8/4/2015 19:00	FALSE	54.776		76731.828		80.553		0.011	
TPSWCCS-18_AT_407341	8/4/2015 20:00	FALSE	48.427		68546.594		91.436		0.025	
TPSWCCS-18_AT_407341	8/4/2015 21:00	FALSE	52.011		73204.672		86.448		0.035	
TPSWCCS-18_AT_407341	8/4/2015 22:00	FALSE	61.9		85381.016		68.973		0.012	
TPSWCCS-18_AT_407341	8/4/2015 23:00	FALSE	54.786		76779.828		79.45		0.037	
TPSWCCS-18_AT_407341	8/5/2015 0:00	FALSE	88.791		115348.844		42.842		-0.026	
TPSWCCS-18_AT_407341	8/5/2015 1:00	FALSE	88.741		115301.711		42.516		-0.028	
TPSWCCS-18_AT_407341	8/5/2015 2:00	FALSE	89.938		116570.375		42.248		-0.025	
TPSWCCS-18_AT_407341	8/5/2015 3:00	FALSE	89.621		116238.227		42.114		-0.028	
TPSWCCS-18_AT_407341	8/5/2015 4:00	FALSE	90.095		116735.773		42.193		-0.032	
TPSWCCS-18_AT_407341	8/5/2015 5:00	FALSE	90.761		117437.867		42.133		-0.039	
TPSWCCS-18_AT_407341	8/5/2015 6:00	FALSE	91.666		118388.422		42.026		-0.041	
TPSWCCS-18_AT_407341	8/5/2015 7:00	FALSE	91.846		118578.68		41.935		-0.039	
TPSWCCS-18_AT_407341	8/5/2015 8:00	FALSE	94.249		121079.148		42.05		-0.035	
TPSWCCS-18_AT_407341	8/5/2015 9:00	FALSE	91.968		118697.25		42.389		-0.038	
TPSWCCS-18_AT_407341	8/5/2015 10:00	FALSE	66.426		90647.188		64.404		0.015	
TPSWCCS-18_AT_407341	8/5/2015 11:00	FALSE	66.055		90218.523		64.933		0.028	
TPSWCCS-18_AT_407341	8/5/2015 12:00	FALSE	67.517		91904.898		62.815		0.041	
TPSWCCS-18_AT_407341	8/5/2015 13:00	FALSE	72.381		97417.875		57.977		0.048	
TPSWCCS-18_AT_407341	8/5/2015 14:00	FALSE	69.19		93806.25		62.17		0.031	
TPSWCCS-18_AT_407341	8/5/2015 15:00	FALSE	56.976		79421.719		77.892		0.043	
TPSWCCS-18_AT_407341	8/5/2015 16:00	FALSE	88.629		115137		45.595		-0.014	
TPSWCCS-18_AT_407341	8/5/2015 17:00	FALSE	89.487		116048.516		45.059		-0.026	
TPSWCCS-18_AT_407341	8/5/2015 18:00	FALSE	88.916		115446.727		45.044		-0.033	
TPSWCCS-18_AT_407341	8/5/2015 19:00	FALSE	89.141		115686.313		44.922		-0.033	
TPSWCCS-18_AT_407341	8/5/2015 20:00	FALSE	89.205		115758.922		44.531		-0.03	
TPSWCCS-18_AT_407341	8/5/2015 21:00	FALSE	89.686		116268.055		44.353		-0.037	
TPSWCCS-18_AT_407341	8/5/2015 22:00	FALSE	89.122		115672.977		44.441		-0.04	
TPSWCCS-18_AT_407341	8/5/2015 23:00	FALSE	89.653		116238.977		44.024		-0.032	
TPSWCCS-18_AT_407341	8/6/2015 0:00	FALSE	70.725		95552.266		59.857		-0.007	
TPSWCCS-18_AT_407341	8/6/2015 1:00	FALSE	75.393		100779.57		54.255		-0.019	
TPSWCCS-18_AT_407341	8/6/2015 2:00	FALSE	89.988		116604.383		43.216		-0.057	
TPSWCCS-18_AT_407341	8/6/2015 3:00	FALSE	90.312		116950.5		42.934		-0.047	
TPSWCCS-18_AT_407341	8/6/2015 4:00	FALSE	91.146		117829.969		42.731		-0.042	
TPSWCCS-18_AT_407341	8/6/2015 5:00	FALSE	91.432		118133.531		42.496		-0.045	
TPSWCCS-18_AT_407341	8/6/2015 6:00	FALSE	91.865		118595.9		42.378		-0.042	
TPSWCCS-18_AT_407341	8/6/2015 7:00	FALSE	93.405		120197.992		42.271		-0.043	
TPSWCCS-18_AT_407341	8/6/2015 8:00	FALSE	94.63		121469.656		42.267		-0.035	
TPSWCCS-18_AT_407341	8/6/2015 9:00	FALSE	95.574		122441.125		42.438		-0.041	
TPSWCCS-18_AT_407341	8/6/2015 10:00	FALSE	93.703		120500.797		42.608		-0.035	
TPSWCCS-18_AT_407341	8/6/2015 11:00	FALSE	91.599		118300.633		42.899		-0.031	
TPSWCCS-18_AT_407341	8/6/2015 12:00	FALSE	92.559		119296.625		43.266		-0.032	
TPSWCCS-18_AT_407341	8/6/2015 13:00	FALSE	92.625		119358.008		43.668		-0.03	
TPSWCCS-18_AT_407341	8/6/2015 14:00	FALSE	92.783		119518.555		43.948		-0.03	
TPSWCCS-18_AT_407341	8/6/2015 15:00	FALSE	88.666		115156.648		47.307		-0.028	
TPSWCCS-18_AT_407341	8/6/2015 16:00	FALSE	92.798		119524.422		44.511		-0.041	
TPSWCCS-18_AT_407341	8/6/2015 17:00	FALSE	92.375		119082.711		44.609		-0.045	
TPSWCCS-18_AT_407341	8/6/2015 18:00	FALSE	92.378		119085.672		44.582		-0.043	
TPSWCCS-18_AT_407341	8/6/2015 19:00	FALSE	92.754		119477.461		44.562		-0.034	
TPSWCCS-18_AT_407341	8/6/2015 20:00	FALSE	92.832		119560.617		44.473		-0.037	
TPSWCCS-18_AT_407341	8/6/2015 21:00	FALSE	92.859		119593.773		44.145		-0.027	
TPSWCCS-18_AT_407341	8/6/2015 22:00	FALSE	93.07		119816.859		43.945		-0.031	
TPSWCCS-18_AT_407341	8/6/2015 23:00	FALSE	92.968		119714.016		43.744		-0.028	
TPSWCCS-18_AT_407341	8/7/2015 0:00	FALSE	92.983		119736.477		43.381		-0.022	
TPSWCCS-18_AT_407341	8/7/2015 1:00	FALSE	92.971		119729.031		43.127		-0.026	
TPSWCCS-18_AT_407341	8/7/2015 2:00	FALSE	92.122		118846.047		43.002		-0.03	
TPSWCCS-18_AT_407341	8/7/2015 3:00	FALSE	91.379		118073.32		42.783		-0.027	
TPSWCCS-18_AT_407341	8/7/2015 4:00	FALSE	91.798		118514.445		42.614		-0.027	
TPSWCCS-18_AT_407341	8/7/2015 5:00	FALSE	92.193		118931.398		42.427		-0.032	
TPSWCCS-18_AT_407341	8/7/2015 6:00	FALSE	92.209		118950.313		42.318		-0.03	
TPSWCCS-18_AT_407341	8/7/2015 7:00	FALSE	91.996		118723.18		42.553		-0.032	
TPSWCCS-18_AT_407341	8/7/2015 8:00	FALSE	91.98		118708.977		42.428		-0.033	
TPSWCCS-18_AT_407341	8/7/2015 9:00	FALSE	91.835		118554.18		42.573		-0.028	
TPSWCCS-18_AT_407341	8/7/2015 10:00	FALSE	92.799		119554.273		42.877		-0.032	
TPSWCCS-18_AT_407341	8/7/2015 11:00	FALSE	92.778		119526.797		43.16		-0.037	
TPSWCCS-18_AT_407341	8/7/2015 12:00	FALSE	92.769		119510.805		43.515		-0.034	
TPSWCCS-18_AT_407341	8/7/2015 13:00</									

TPSWCCS-18_AT_407341	8/7/2015 22:00	FALSE	92.647	119375.07	44.027	-0.015
TPSWCCS-18_AT_407341	8/7/2015 23:00	FALSE	92.379	119097.219	43.934	-0.035
TPSWCCS-18_AT_407341	8/8/2015 0:00	FALSE	92.311	119027.93	43.848	-0.051
TPSWCCS-18_AT_407341	8/8/2015 1:00	FALSE	93.185	119942.984	43.591	-0.06
TPSWCCS-18_AT_407341	8/8/2015 2:00	FALSE	91.837	118541.18	43.348	-0.066
TPSWCCS-18_AT_407341	8/8/2015 3:00	FALSE	92.639	119384.328	43.041	-0.07
TPSWCCS-18_AT_407341	8/8/2015 4:00	FALSE	92.733	119486.547	42.805	-0.071
TPSWCCS-18_AT_407341	8/8/2015 5:00	FALSE	92.66	119414.578	42.604	-0.073
TPSWCCS-18_AT_407341	8/8/2015 6:00	FALSE	92.842	119608.016	42.451	-0.07
TPSWCCS-18_AT_407341	8/8/2015 7:00	FALSE	92.685	119445.672	42.385	-0.08
TPSWCCS-18_AT_407341	8/8/2015 8:00	FALSE	92.719	119479.672	42.465	-0.09
TPSWCCS-18_AT_407341	8/8/2015 9:00	FALSE	92.937	119700.805	42.734	-0.09
TPSWCCS-18_AT_407341	8/8/2015 10:00	FALSE	92.4	119141.18	42.716	-0.076
TPSWCCS-18_AT_407341	8/8/2015 11:00	FALSE	92.247	118973.938	43.102	-0.07
TPSWCCS-18_AT_407341	8/8/2015 12:00	FALSE	92.341	119069.195	43.254	-0.032
TPSWCCS-18_AT_407341	8/8/2015 13:00	FALSE	92.324	119045	43.657	-0.032
TPSWCCS-18_AT_407341	8/8/2015 14:00	FALSE	92.368	119085.961	43.907	-0.014
TPSWCCS-18_AT_407341	8/8/2015 15:00	FALSE	92.447	119166.969	43.988	0
TPSWCCS-18_AT_407341	8/8/2015 16:00	FALSE	92.292	119002.516	44.174	0.01
TPSWCCS-18_AT_407341	8/8/2015 17:00	FALSE	91.01	117668.5	43.759	-0.02
TPSWCCS-18_AT_407341	8/8/2015 18:00	FALSE	91.977	118671.828	44.267	0.056
TPSWCCS-18_AT_407341	8/8/2015 19:00	FALSE	92.057	118750.164	44.62	-0.013
TPSWCCS-18_AT_407341	8/8/2015 20:00	FALSE	92.24	118938.391	44.785	-0.05
TPSWCCS-18_AT_407341	8/8/2015 21:00	FALSE	92.347	119051.906	44.667	-0.062
TPSWCCS-18_AT_407341	8/8/2015 22:00	FALSE	92.42	119131.086	44.481	-0.057
TPSWCCS-18_AT_407341	8/8/2015 23:00	FALSE	92.299	119010.438	44.124	-0.062
TPSWCCS-18_AT_407341	8/9/2015 0:00	FALSE	92.51	119238.344	43.666	-0.065
TPSWCCS-18_AT_407341	8/9/2015 1:00	FALSE	93.057	119813.805	43.344	-0.073
TPSWCCS-18_AT_407341	8/9/2015 2:00	FALSE	92.777	119527.258	43.099	-0.07
TPSWCCS-18_AT_407341	8/9/2015 3:00	FALSE	93.043	119807.852	42.905	-0.071
TPSWCCS-18_AT_407341	8/9/2015 4:00	FALSE	92.623	119375.188	42.675	-0.069
TPSWCCS-18_AT_407341	8/9/2015 5:00	FALSE	92.554	119307.117	42.491	-0.073
TPSWCCS-18_AT_407341	8/9/2015 6:00	FALSE	92.405	119154.68	42.347	-0.075
TPSWCCS-18_AT_407341	8/9/2015 7:00	FALSE	91.757	118476.203	42.373	-0.08
TPSWCCS-18_AT_407341	8/9/2015 8:00	FALSE	91.859	118579.773	42.536	-0.075
TPSWCCS-18_AT_407341	8/9/2015 9:00	FALSE	91.327	118019.664	42.723	-0.073
TPSWCCS-18_AT_407341	8/9/2015 10:00	FALSE	90.797	117459.242	42.994	-0.082
TPSWCCS-18_AT_407341	8/9/2015 11:00	FALSE	90.837	117496.664	43.215	-0.085
TPSWCCS-18_AT_407341	8/9/2015 12:00	FALSE	90.892	117556.07	43.126	-0.08
TPSWCCS-18_AT_407341	8/9/2015 13:00	FALSE	91.127	117796.133	43.475	-0.047
TPSWCCS-18_AT_407341	8/9/2015 14:00	FALSE	91.196	117863.891	43.762	-0.037
TPSWCCS-18_AT_407341	8/9/2015 15:00	FALSE	89.988	116610.541	42.863	-0.06
TPSWCCS-18_AT_407341	8/9/2015 16:00	FALSE	90.731	117369.836	44.153	-0.057
TPSWCCS-18_AT_407341	8/9/2015 17:00	FALSE	91.521	118198.508	44.116	-0.017
TPSWCCS-18_AT_407341	8/9/2015 18:00	FALSE	90.938	117586.688	44.195	-0.009
TPSWCCS-18_AT_407341	8/9/2015 19:00	FALSE	90.884	117528.625	44.252	-0.005
TPSWCCS-18_AT_407341	8/9/2015 20:00	FALSE	91.43	118104.727	44.016	-0.027
TPSWCCS-18_AT_407341	8/9/2015 21:00	FALSE	90.755	117399.273	43.891	-0.05
TPSWCCS-18_AT_407341	8/9/2015 22:00	FALSE	90.804	117452.766	43.751	-0.057
TPSWCCS-18_AT_407341	8/9/2015 23:00	FALSE	91.371	118050.859	43.551	-0.062
TPSWCCS-18_AT_407341	8/10/2015 0:00	FALSE	91.586	118280.047	43.28	-0.061


Temperature (C)



Salinity (PSU)



SpecificConductance (μS/cm)



WaterLevel (ft)

