



SensorName	DateSampleTaken	IsDataValid	Salinity (PSU)	SalinityTelemetryQualifiers	SpecificConductance (µS/cm)	SpecificConductanceTelemetryQualifiers	Temperature (C)	TemperatureTelemetryQualifiers	WaterLevel (ft)	WaterLevelTelemetryQualifiers
TPSWCCS-1B_AT_407341	8/10/2015 0:00	FALSE	91.586		118280.047		43.28		-0.061	
TPSWCCS-1B_AT_407341	8/10/2015 1:00	FALSE	92.191		118916.313		43.106		-0.056	
TPSWCCS-1B_AT_407341	8/10/2015 2:00	FALSE	92.704		119454.523		42.922		-0.03	
TPSWCCS-1B_AT_407341	8/10/2015 3:00	FALSE	92.747		119080.742		42.457		-0.014	
TPSWCCS-1B_AT_407341	8/10/2015 4:00	FALSE	92.77		119532.211		42.466		-0.037	
TPSWCCS-1B_AT_407341	8/10/2015 5:00	FALSE	92.703		119465.43		42.34		-0.044	
TPSWCCS-1B_AT_407341	8/10/2015 6:00	FALSE	92.541		119298.609		42.236		-0.049	
TPSWCCS-1B_AT_407341	8/10/2015 7:00	FALSE	92.753		119520		42.204		-0.055	
TPSWCCS-1B_AT_407341	8/10/2015 8:00	FALSE	92.046		118781.109		42.256		-0.062	
TPSWCCS-1B_AT_407341	8/10/2015 9:00	FALSE	91.672		118386.203		42.439		-0.056	
TPSWCCS-1B_AT_407341	8/10/2015 10:00	FALSE	92.312		119050		42.681		-0.051	
TPSWCCS-1B_AT_407341	8/10/2015 11:00	FALSE	91.356		118649.465		42.731		-0.036	
TPSWCCS-1B_AT_407341	8/10/2015 12:00	FALSE	91.292		117974.219		43.157		-0.028	
TPSWCCS-1B_AT_407341	8/10/2015 13:00	FALSE	91.263		117940.563		43.353		-0.035	
TPSWCCS-1B_AT_407341	8/10/2015 14:00	FALSE	91.187		117861.328		43.332		-0.023	
TPSWCCS-1B_AT_407341	8/10/2015 15:00	FALSE	91.635		118324.219		43.682		-0.021	
TPSWCCS-1B_AT_407341	8/10/2015 16:00	FALSE	91.529		118203.438		44.307		-0.034	
TPSWCCS-1B_AT_407341	8/10/2015 17:00	FALSE	69.336		93960.5		63.49		0.007	
TPSWCCS-1B_AT_407341	8/10/2015 18:00	FALSE	68.985		93562.414		63.644		-0.002	
TPSWCCS-1B_AT_407341	8/10/2015 19:00	FALSE	83.666		109816.633		49.44		-0.009	
TPSWCCS-1B_AT_407341	8/10/2015 20:00	FALSE	90.994		117644.766		44.202		-0.023	
TPSWCCS-1B_AT_407341	8/10/2015 21:00	FALSE	91.369		118040.695		44.005		-0.03	
TPSWCCS-1B_AT_407341	8/10/2015 22:00	FALSE	80.618		106585.016		42.531		-0.056	
TPSWCCS-1B_AT_407341	8/10/2015 23:00	FALSE	79.986		105896.75		42.496		-0.071	
TPSWCCS-1B_AT_407341	8/11/2015 0:00	FALSE	91.063		117725.281		43.682		-0.053	
TPSWCCS-1B_AT_407341	8/11/2015 1:00	FALSE	91.601		118298.492		43.148		-0.06	
TPSWCCS-1B_AT_407341	8/11/2015 2:00	FALSE	90.915		117584.031		42.902		-0.053	
TPSWCCS-1B_AT_407341	8/11/2015 3:00	FALSE	91.495		118195.922		42.723		-0.052	
TPSWCCS-1B_AT_407341	8/11/2015 4:00	FALSE	91.765		117765.805		42.414		-0.033	
TPSWCCS-1B_AT_407341	8/11/2015 5:00	FALSE	91.366		118067.938		42.344		-0.021	
TPSWCCS-1B_AT_407341	8/11/2015 6:00	FALSE	91.46		118165.875		42.386		-0.016	
TPSWCCS-1B_AT_407341	8/11/2015 7:00	FALSE	91.259		117956.516		42.315		-0.023	
TPSWCCS-1B_AT_407341	8/11/2015 8:00	FALSE	90.654		117318.953		42.434		-0.023	
TPSWCCS-1B_AT_407341	8/11/2015 9:00	FALSE	90.516		117174.594		42.426		-0.022	
TPSWCCS-1B_AT_407341	8/11/2015 10:00	FALSE	90.417		117060.781		42.92		-0.026	
TPSWCCS-1B_AT_407341	8/11/2015 11:00	FALSE	90.169		116797.375		43.082		-0.024	
TPSWCCS-1B_AT_407341	8/11/2015 12:00	FALSE	89.852		116465.422		43.071		-0.009	
TPSWCCS-1B_AT_407341	8/11/2015 13:00	FALSE	89.507		116102.492		42.943		-0.033	
TPSWCCS-1B_AT_407341	8/11/2015 14:00	FALSE	89.796		116391.734		43.852		-0.006	
TPSWCCS-1B_AT_407341	8/11/2015 15:00	FALSE	89.555		116134.352		44.07		0.023	
TPSWCCS-1B_AT_407341	8/11/2015 16:00	FALSE	89.725		116312.148		44.189		0.021	
TPSWCCS-1B_AT_407341	8/11/2015 17:00	FALSE	88.453		114954.242		45.331		-0.037	
TPSWCCS-1B_AT_407341	8/11/2015 18:00	FALSE	89.954		116546.68		44.641		-0.059	
TPSWCCS-1B_AT_407341	8/11/2015 19:00	FALSE	77.395		103046.164		43.143		-0.071	
TPSWCCS-1B_AT_407341	8/11/2015 20:00	FALSE	79.53		105393.648		42.85		-0.062	
TPSWCCS-1B_AT_407341	8/11/2015 21:00	FALSE	78.921		104728.93		42.647		-0.063	
TPSWCCS-1B_AT_407341	8/11/2015 22:00	FALSE	78.646		104430.844		42.419		-0.06	
TPSWCCS-1B_AT_407341	8/11/2015 23:00	FALSE	80.811		106801.414		42.091		-0.054	
TPSWCCS-1B_AT_407341	8/12/2015 0:00	FALSE	90.077		116694.266		43.449		-0.035	
TPSWCCS-1B_AT_407341	8/12/2015 1:00	FALSE	90.277		116910.281		43.092		-0.046	
TPSWCCS-1B_AT_407341	8/12/2015 2:00	FALSE	89.935		116555.172		42.843		-0.05	
TPSWCCS-1B_AT_407341	8/12/2015 3:00	FALSE	90.106		116737.234		42.735		-0.046	
TPSWCCS-1B_AT_407341	8/12/2015 4:00	FALSE	90.104		116736.563		42.645		-0.051	
TPSWCCS-1B_AT_407341	8/12/2015 5:00	FALSE	90.694		117358.609		42.548		-0.046	
TPSWCCS-1B_AT_407341	8/12/2015 6:00	FALSE	90.61		117272.109		42.479		-0.047	
TPSWCCS-1B_AT_407341	8/12/2015 7:00	FALSE	91.635		118346.086		42.511		-0.051	
TPSWCCS-1B_AT_407341	8/12/2015 8:00	FALSE	91.019		117697.289		42.701		-0.052	
TPSWCCS-1B_AT_407341	8/12/2015 9:00	FALSE	91.481		118176.414		42.932		-0.042	
TPSWCCS-1B_AT_407341	8/12/2015 10:00	FALSE	91.205		117884.164		43.104		-0.023	
TPSWCCS-1B_AT_407341	8/12/2015 11:00	FALSE	90.877		117541		43.073		-0.033	
TPSWCCS-1B_AT_407341	8/12/2015 12:00	FALSE	90.867		117519.945		43.093		-0.029	
TPSWCCS-1B_AT_407341	8/12/2015 13:00	FALSE	91.154		117823.172		43.57		-0.03	
TPSWCCS-1B_AT_407341	8/12/2015 14:00	FALSE	90.541		117170.32		44.193		-0.022	
TPSWCCS-1B_AT_407341	8/12/2015 15:00	FALSE	56.882		79225.719		80.555		0.056	
TPSWCCS-1B_AT_407341	8/12/2015 16:00	FALSE	63.712		87448.313		70.605		0.063	
TPSWCCS-1B_AT_407341	8/12/2015 17:00	FALSE	54.172		75832.844		85.341		0.077	
TPSWCCS-1B_AT_407341	8/12/2015 18:00	FALSE	54.301		75993.625		85.169		0.081	
TPSWCCS-1B_AT_407341	8/12/2015 19:00	FALSE	54.052		75679.898		85.569		0.091	
TPSWCCS-1B_AT_407341	8/12/2015 20:00	FALSE	54.164		75810.031		85.635		0.089	
TPSWCCS-1B_AT_407341	8/12/2015 21:00	FALSE	54.879		75480.063		85.428		0.087	
TPSWCCS-1B_AT_407341	8/12/2015 22:00	FALSE	54.445		76190.633		84.544		0.071	
TPSWCCS-1B_AT_407341	8/12/2015 23:00	FALSE	91.222		117884.297		44.193		-0.014	
TPSWCCS-1B_AT_407341	8/13/2015 0:00	FALSE	91.353		118024.219		43.988		-0.035	
TPSWCCS-1B_AT_407341	8/13/2015 1:00	FALSE	91.205		117873.773		43.735		-0.037	
TPSWCCS-1B_AT_407341	8/13/2015 2:00	FALSE	91.315		117992.781		43.47		-0.043	
TPSWCCS-1B_AT_407341	8/13/2015 3:00	FALSE	91.73		118432.227		43.218		-0.047	
TPSWCCS-1B_AT_407341	8/13/2015 4:00	FALSE	91.053		117727.57		42.979		-0.047	
TPSWCCS-1B_AT_407341	8/13/2015 5:00	FALSE	90.169		117200.355		42.81		-0.047	
TPSWCCS-1B_AT_407341	8/13/2015 6:00	FALSE	91.166		117850.398		42.739		-0.05	
TPSWCCS-1B_AT_407341	8/13/2015 7:00	FALSE	90.577		117231.398		42.776		-0.051	
TPSWCCS-1B_AT_407341	8/13/2015 8:00	FALSE	90.264		116899.805		42.919		-0.056	
TPSWCCS-1B_AT_407341	8/13/2015 9:00	FALSE	90.04		116661.633		43.078		-0.058	
TPSWCCS-1B_AT_407341	8/13/2015 10:00	FALSE	89.831		116436.609		43.39		-0.058	
TPSWCCS-1B_AT_407341	8/13/2015 11:00	FALSE	89.623		116221.188		43.148		-0.001	
TPSWCCS-1B_AT_407341	8/13/2015 12:00	FALSE	89.484		116072.367		43.271		-0.022	
TPSWCCS-1B_AT_407341	8/13/2015 13:00	FALSE	89.805		116401.484		43.754		-0.021	
TPSWCCS-1B_AT_407341	8/13/2015 14:00	FALSE	89.431		116004.891		44.008		-0.014	
TPSWCCS-1B_AT_407341	8/13/2015 15:00	FALSE	89.623		116203.305		44.281		-0.004	
TPSWCCS-1B_AT_407341	8/13/2015 16:00	FALSE	89.379		115948.711		44.107		-0.01	
TPSWCCS-1B_AT_407341	8/13/2015 17:00	FALSE	89.62		116198.688		44.355		-0.043	
TPSWCCS-1B_AT_407341	8/13/2015 18:00	FALSE	89.556		116130.539		44.403		-0.06	
TPSWCCS-1B_AT_407341	8/13/2015 19:00	FALSE	50.466		71321.703		87.007		0.014	
TPSWCCS-1B_AT_407341	8/13/2015 20:00	FALSE	89.687		116275.039		43.981		-0.054	
TPSWCCS-1B_AT_407341	8/13/2015 21:00	FALSE	89.905		116509.922		43.652		-0.101	
TPSWCCS-1B_AT_407341	8/13/2015 22:00	FALSE	89.748		116345.961		43.598		-0.06	
TPSWCCS-1B_AT_407341	8/13/2015 23:00	FALSE	89.701		116301.133		43.279		-0.052	
TPSWCCS-1B_AT_407341	8/14/2015 0:00	FALSE	90.022		116644.766		42.986		-0.048	
TPSWCCS-1B_AT_407341	8/14/2015 1:00	FALSE	90.745		117409.992		42.681		-0.035	
TPSWCCS-1B_AT_407341	8/14/2015 2:00	FALSE	90.579		117237.641		42.592		-0.035	
TPSWCCS-1B_AT_407341	8/14/2015 3:00	FALSE	90.152		116793.328		42.342		-0.02	
TPSWCCS-1B_AT_407341	8/14/2015 4:00	FALSE	90.291		116939.633		42.363		-0.036	
TPSWCCS-1B_AT_407341	8/14/2015 5:00	FALSE	90.751		117424.781		42.237		-0.041	
TPSWCCS-1B_AT_407341	8/14/2015 6:00	FALSE	91.115		117808.461		42.152		-0.009	
TPSWCCS-1B_AT_407341	8/14/2015 7:00	FALSE	90.878		117561.109		42.079		-0.025	
TPSWCCS-1B_AT_407341	8/14/2015 8:00	FALSE	90.182		116828.953		42.128		-0.041	
TPSWCCS-1B_AT_407341	8/14/2015 9:00	FALSE	90.514		117176.695		42.187		-0.044	
TPSWCCS-1B_AT_407341	8/14/2015 10:00	FALSE	91.274		117971.477		42.315		-0.05	
TPSWCCS-1B_AT_407341	8/14/2015 11:00	FALSE	91.283		117976.398		42.568		-0.055	
TPSWCCS-1B_AT_407341	8/14/2015 12:00									

TPSWCCS-1B_AT_407341	8/15/2015 8:00	FALSE	89.632	116249.992	42.104	-0.046
TPSWCCS-1B_AT_407341	8/15/2015 9:00	FALSE	89.35	115951.469	42.165	-0.047
TPSWCCS-1B_AT_407341	8/15/2015 10:00	FALSE	88.865	115441.359	42.052	-0.012
TPSWCCS-1B_AT_407341	8/15/2015 11:00	FALSE	88.903	115477.633	42.254	-0.046
TPSWCCS-1B_AT_407341	8/15/2015 12:00	FALSE	88.943	115518.117	42.383	-0.039
TPSWCCS-1B_AT_407341	8/15/2015 13:00	FALSE	88.832	115398.031	42.539	-0.027
TPSWCCS-1B_AT_407341	8/15/2015 14:00	FALSE	88.662	115221.516	42.33	0.067
TPSWCCS-1B_AT_407341	8/15/2015 15:00	FALSE	88.684	115242.984	42.431	0.011
TPSWCCS-1B_AT_407341	8/15/2015 16:00	FALSE	88.767	115328.406	42.582	-0.018
TPSWCCS-1B_AT_407341	8/15/2015 17:00	FALSE	88.638	115193.555	42.488	-0.019
TPSWCCS-1B_AT_407341	8/15/2015 18:00	FALSE	88.734	115296.039	42.425	-0.025
TPSWCCS-1B_AT_407341	8/15/2015 19:00	FALSE	88.737	115301.422	42.281	-0.025
TPSWCCS-1B_AT_407341	8/15/2015 20:00	FALSE	88.927	115504.875	42.159	-0.033
TPSWCCS-1B_AT_407341	8/15/2015 21:00	FALSE	88.876	115452.961	42.048	-0.036
TPSWCCS-1B_AT_407341	8/15/2015 22:00	FALSE	88.851	115428.992	41.951	-0.035
TPSWCCS-1B_AT_407341	8/15/2015 23:00	FALSE	89.207	115807.203	41.82	-0.032
TPSWCCS-1B_AT_407341	8/16/2015 0:00	FALSE	89.084	115678.617	41.786	-0.027
TPSWCCS-1B_AT_407341	8/16/2015 1:00	FALSE	89.208	115810.539	41.705	-0.03
TPSWCCS-1B_AT_407341	8/16/2015 2:00	FALSE	89.18	115783.977	41.602	-0.022
TPSWCCS-1B_AT_407341	8/16/2015 3:00	FALSE	88.909	115502.094	41.398	-0.003
TPSWCCS-1B_AT_407341	8/16/2015 4:00	FALSE	89.107	115715.711	41.157	0.004
TPSWCCS-1B_AT_407341	8/16/2015 5:00	FALSE	89.015	115622.531	40.996	0.002
TPSWCCS-1B_AT_407341	8/16/2015 6:00	FALSE	88.82	115419.516	40.858	0.01
TPSWCCS-1B_AT_407341	8/16/2015 7:00	FALSE	89.012	115624.867	40.756	0.011
TPSWCCS-1B_AT_407341	8/16/2015 8:00	FALSE	88.882	115485.484	40.847	0.127
TPSWCCS-1B_AT_407341	8/16/2015 9:00	FALSE	88.683	115271.07	41.005	0.051
TPSWCCS-1B_AT_407341	8/16/2015 10:00	FALSE	88.676	115260.352	41.176	0.042
TPSWCCS-1B_AT_407341	8/16/2015 11:00	FALSE	88.501	115074.867	41.157	0.054
TPSWCCS-1B_AT_407341	8/16/2015 12:00	FALSE	88.256	114811.367	41.357	0.039
TPSWCCS-1B_AT_407341	8/16/2015 13:00	FALSE	88.044	114580.945	41.614	0.03
TPSWCCS-1B_AT_407341	8/16/2015 14:00	FALSE	87.837	114354.484	41.988	0.023
TPSWCCS-1B_AT_407341	8/16/2015 15:00	FALSE	88.031	114554.32	42.268	0.012
TPSWCCS-1B_AT_407341	8/16/2015 16:00	FALSE	88.105	114631.07	42.367	0.013
TPSWCCS-1B_AT_407341	8/16/2015 17:00	FALSE	88.122	114646.336	42.523	0.015
TPSWCCS-1B_AT_407341	8/16/2015 18:00	FALSE	88.124	114646.992	42.599	0.006
TPSWCCS-1B_AT_407341	8/16/2015 19:00	FALSE	88.06	114576.383	42.776	0.001
TPSWCCS-1B_AT_407341	8/16/2015 20:00	FALSE	88.275	114802.695	42.874	-0.005
TPSWCCS-1B_AT_407341	8/16/2015 21:00	FALSE	88.538	115084.266	42.684	0.038
TPSWCCS-1B_AT_407341	8/16/2015 22:00	FALSE	88.292	114823.305	42.691	-0.017
TPSWCCS-1B_AT_407341	8/16/2015 23:00	FALSE	88.331	114871.094	42.334	-0.001
TPSWCCS-1B_AT_407341	8/17/2015 0:00	FALSE	88.384	114930.813	42.162	0.009


Temperature (C)



Salinity (PSU)



SpecificConductance (μS/cm)



WaterLevel (ft)

