



SensorName	DateSampleTaken	IsDataValid	Salinity (PSU)	SalinityTelemetryQualifiers	SpecificConductance (µS/cm)	SpecificConductanceTelemetryQualifiers	Temperature (C)	TemperatureTelemetryQualifiers	WaterLevel (ft)	WaterLevelTelemetryQualifiers
TPSWCCS-1B_AT_407341	8/17/2015 0:00	FALSE	88.384		114930.813		42.162		0.009	
TPSWCCS-1B_AT_407341	8/17/2015 1:00	FALSE	88.7		115269.352		41.953		0.001	
TPSWCCS-1B_AT_407341	8/17/2015 2:00	FALSE	88.832		115414.18		41.684		0.005	
TPSWCCS-1B_AT_407341	8/17/2015 3:00	FALSE	88.531		115099.961		41.496		0.011	
TPSWCCS-1B_AT_407341	8/17/2015 4:00	FALSE	88.344		114901.727		41.468		0.014	
TPSWCCS-1B_AT_407341	8/17/2015 5:00	FALSE	88.288		114844.695		41.4		0.019	
TPSWCCS-1B_AT_407341	8/17/2015 6:00	FALSE	87.896		114429.828		41.34		0.011	
TPSWCCS-1B_AT_407341	8/17/2015 7:00	FALSE	87.8		114326.492		41.434		0.01	
TPSWCCS-1B_AT_407341	8/17/2015 8:00	FALSE	87.664		114182.781		41.375		0.01	
TPSWCCS-1B_AT_407341	8/17/2015 9:00	FALSE	87.394		113891.313		41.582		0.032	
TPSWCCS-1B_AT_407341	8/17/2015 10:00	FALSE	87.173		113652.031		41.793		0.014	
TPSWCCS-1B_AT_407341	8/17/2015 11:00	FALSE	87.363		113847.797		42.167		0.015	
TPSWCCS-1B_AT_407341	8/17/2015 12:00	FALSE	87.175		113641.813		42.477		0.015	
TPSWCCS-1B_AT_407341	8/17/2015 13:00	FALSE	87.543		114026.594		42.819		0.018	
TPSWCCS-1B_AT_407341	8/17/2015 14:00	FALSE	87.458		113932.461		43.088		0.007	
TPSWCCS-1B_AT_407341	8/17/2015 15:00	FALSE	87.911		114409.758		43.269		0.002	
TPSWCCS-1B_AT_407341	8/17/2015 16:00	FALSE	87.629		114107.742		43.485		0.011	
TPSWCCS-1B_AT_407341	8/17/2015 17:00	FALSE	87.781		114269.172		43.483		0.012	
TPSWCCS-1B_AT_407341	8/17/2015 18:00	FALSE	87.849		114340.516		43.497		0.01	
TPSWCCS-1B_AT_407341	8/17/2015 19:00	FALSE	55.404 ?		77519.461 ?		79.267 ?		0.068 ?	
TPSWCCS-1B_AT_407341	8/17/2015 20:00	FALSE	52.251 ?		73575.602 ?		84.442 ?		0.065 ?	
TPSWCCS-1B_AT_407341	8/17/2015 21:00	FALSE	88.094		114604.492		43.243		-0.008	
TPSWCCS-1B_AT_407341	8/17/2015 22:00	FALSE	88.357		114885.914		43.068		-0.004	
TPSWCCS-1B_AT_407341	8/17/2015 23:00	FALSE	88.057		114572.367		42.802		0.004	
TPSWCCS-1B_AT_407341	8/18/2015 0:00	FALSE	88.242		114777.883		42.301		0.039	
TPSWCCS-1B_AT_407341	8/18/2015 1:00	FALSE	88.147		114679.766		42.149		0.046	
TPSWCCS-1B_AT_407341	8/18/2015 2:00	FALSE	88.633		115198.25		41.972		0.036	
TPSWCCS-1B_AT_407341	8/18/2015 3:00	FALSE	88.201		114741.617		41.921		0.015	
TPSWCCS-1B_AT_407341	8/18/2015 4:00	FALSE	88.071		114605.219		41.818		0.005	
TPSWCCS-1B_AT_407341	8/18/2015 5:00	FALSE	88.039		114569.508		41.936		0.005	
TPSWCCS-1B_AT_407341	8/18/2015 6:00	FALSE	88.145		114684.125		41.831		0.003	
TPSWCCS-1B_AT_407341	8/18/2015 7:00	FALSE	88.158		114701		41.686		0.012	
TPSWCCS-1B_AT_407341	8/18/2015 8:00	FALSE	88.084		114623.289		41.631		0.008	
TPSWCCS-1B_AT_407341	8/18/2015 9:00	FALSE	88.008		114535.945		41.95		0.008	
TPSWCCS-1B_AT_407341	8/18/2015 10:00	FALSE	88.331		114874.477		42.173		0.017	
TPSWCCS-1B_AT_407341	8/18/2015 11:00	FALSE	88.287		114830.219		42.065		0.025	
TPSWCCS-1B_AT_407341	8/18/2015 12:00	FALSE	88.064		114588.234		42.328		0.027	
TPSWCCS-1B_AT_407341	8/18/2015 13:00	FALSE	88.203		114726.891		42.848		0.036	
TPSWCCS-1B_AT_407341	8/18/2015 14:00	FALSE	88.488		115025.773		42.968		0.022	
TPSWCCS-1B_AT_407341	8/18/2015 15:00	FALSE	88.263		114787.734		43.003		0.024	
TPSWCCS-1B_AT_407341	8/18/2015 16:00	FALSE	88.454		114985.547		43.211		0.01	
TPSWCCS-1B_AT_407341	8/18/2015 17:00	FALSE	52.614 ?		74037.43 ?		83.758 ?		0.079 ?	
TPSWCCS-1B_AT_407341	8/18/2015 18:00	FALSE	52.501 ?		73885.117 ?		84.193 ?		0.073 ?	
TPSWCCS-1B_AT_407341	8/18/2015 19:00	FALSE	88.433		114963.305		43.27		0.02	
TPSWCCS-1B_AT_407341	8/18/2015 20:00	FALSE	88.857		115415.43		43.004		0.016	
TPSWCCS-1B_AT_407341	8/18/2015 21:00	FALSE	88.373		114906.695		42.809		0.023	
TPSWCCS-1B_AT_407341	8/18/2015 22:00	FALSE	88.762		115319.148		42.796		0.008	
TPSWCCS-1B_AT_407341	8/18/2015 23:00	FALSE	88.731		115289.18		42.607		0.01	
TPSWCCS-1B_AT_407341	8/19/2015 0:00	FALSE	88.937		115511.43		42.39		0.012	
TPSWCCS-1B_AT_407341	8/19/2015 1:00	FALSE	88.991		115573.156		42.155		0.01	
TPSWCCS-1B_AT_407341	8/19/2015 2:00	FALSE	88.777		115349.977		41.959		0.041	
TPSWCCS-1B_AT_407341	8/19/2015 3:00	FALSE	88.633		115202.125		41.777		0.032	
TPSWCCS-1B_AT_407341	8/19/2015 4:00	FALSE	88.597		115168.234		41.554		0.041	
TPSWCCS-1B_AT_407341	8/19/2015 5:00	FALSE	88.27		114824.516		41.445		0.048	
TPSWCCS-1B_AT_407341	8/19/2015 6:00	FALSE	88.318		114879.523		41.221		0.071	
TPSWCCS-1B_AT_407341	8/19/2015 7:00	FALSE	88.246		114803.867		41.205		0.049	
TPSWCCS-1B_AT_407341	8/19/2015 8:00	FALSE	88.331		114894.484		41.161		0.057	
TPSWCCS-1B_AT_407341	8/19/2015 9:00	FALSE	88.056		114600.953		41.282		0.068	
TPSWCCS-1B_AT_407341	8/19/2015 10:00	FALSE	87.85		114374.898		41.62		0.069	
TPSWCCS-1B_AT_407341	8/19/2015 11:00	FALSE	87.877		114398.703		41.905		0.059	
TPSWCCS-1B_AT_407341	8/19/2015 12:00	FALSE	88.046		114572.414		42.144		0.066	
TPSWCCS-1B_AT_407341	8/19/2015 13:00	FALSE	87.977		114496.898		42.289		0.047	
TPSWCCS-1B_AT_407341	8/19/2015 14:00	FALSE	88.056		114577.313		42.501		0.063	
TPSWCCS-1B_AT_407341	8/19/2015 15:00	FALSE	88.159		114679.625		42.843		0.055	
TPSWCCS-1B_AT_407341	8/19/2015 16:00	FALSE	88.225		114746.648		43.046		0.039	
TPSWCCS-1B_AT_407341	8/19/2015 17:00	FALSE	88.155		114669.875		43.181		0.042	
TPSWCCS-1B_AT_407341	8/19/2015 18:00	FALSE	88.409		114936.695		43.281		0.037	
TPSWCCS-1B_AT_407341	8/19/2015 19:00	FALSE	56.078 ?		78371.258 ?		77.5 ?		0.086 ?	
TPSWCCS-1B_AT_407341	8/19/2015 20:00	FALSE	71.575 ?		96517.445 ?		57.368 ?		0.039 ?	
TPSWCCS-1B_AT_407341	8/19/2015 21:00	FALSE	88.366		114887.164		43.545		0.003	
TPSWCCS-1B_AT_407341	8/19/2015 22:00	FALSE	88.491		115026.5		43.127		0	
TPSWCCS-1B_AT_407341	8/19/2015 23:00	FALSE	88.619		115163.422		43.039		-0.005	
TPSWCCS-1B_AT_407341	8/20/2015 0:00	FALSE	88.582		115129.242		42.737		-0.01	
TPSWCCS-1B_AT_407341	8/20/2015 1:00	FALSE	88.425		114967.148		42.507		-0.002	
TPSWCCS-1B_AT_407341	8/20/2015 2:00	FALSE	88.885		115460.328		42.202		-0.002	
TPSWCCS-1B_AT_407341	8/20/2015 3:00	FALSE	88.747		115317.016		42.021		-0.009	
TPSWCCS-1B_AT_407341	8/20/2015 4:00	FALSE	88.446		115002.742		41.837		0.008	
TPSWCCS-1B_AT_407341	8/20/2015 5:00	FALSE	88.429		114992.406		41.437		0.009	
TPSWCCS-1B_AT_407341	8/20/2015 6:00	FALSE	88.713		115292.836		41.485		0.002	
TPSWCCS-1B_AT_407341	8/20/2015 7:00	FALSE	88.36		114922.891		41.285		0.007	
TPSWCCS-1B_AT_407341	8/20/2015 8:00	FALSE	89.019		115618.313		41.401		0.008	
TPSWCCS-1B_AT_407341	8/20/2015 9:00	FALSE	88.721		115300.469		41.513		0.017	
TPSWCCS-1B_AT_407341	8/20/2015 10:00	FALSE	88.874		115458.828		41.651		0.019	
TPSWCCS-1B_AT_407341	8/20/2015 11:00	FALSE	88.712		115282.414		41.915		0.026	
TPSWCCS-1B_AT_407341	8/20/2015 12:00	FALSE	89.075		115662.047		42.133		0.04	
TPSWCCS-1B_AT_407341	8/20/2015 13:00	FALSE	88.839		115406.344		42.477		0.038	
TPSWCCS-1B_AT_407341	8/20/2015 14:00	FALSE	89.114		115690.586		42.82		0.033	
TPSWCCS-1B_AT_407341	8/20/2015 15:00	FALSE	88.846		115400.211		43.221		0.031	
TPSWCCS-1B_AT_407341	8/20/2015 16:00	FALSE	89.246		115817.484		43.504		0.019	
TPSWCCS-1B_AT_407341	8/20/2015 17:00	FALSE	89.112		115672.594		43.723		0.024	
TPSWCCS-1B_AT_407341	8/20/2015 18:00	FALSE	89.135		115696.578		43.789		0.03	
TPSWCCS-1B_AT_407341	8/20/2015 19:00	FALSE	88.854		115396.086		44.001		0.033	
TPSWCCS-1B_AT_407341	8/20/2015 20:00	FALSE	89.274		115839.617		44.002		0.02	
TPSWCCS-1B_AT_407341	8/20/2015 21:00	FALSE	89.297		115862.797		44.076		0.015	
TPSWCCS-1B_AT_407341	8/20/2015 22:00	FALSE	89.184		115747.82		43.796		0.004	
TPSWCCS-1B_AT_407341	8/20/2015 23:00	FALSE	89.35		115925.492		43.632		-0.002	
TPSWCCS-1B_AT_407341	8/21/2015 0:00	FALSE	89.327		115903.445		43.496		-0.009	
TPSWCCS-1B_AT_407341	8/21/2015 1:00	FALSE	89.219		115793.211		43.259		-0.008	
TPSWCCS-1B_AT_407341	8/21/2015 2:00	FALSE	89.235		115813.93		43.079		0	
TPSWCCS-1B_AT_407341	8/21/2015 3:00	FALSE	88.935		115503.508		42.706		0.014	
TPSWCCS-1B_AT_407341	8/21/2015 4:00	FALSE	89.162		115746.273		42.545		0.02	
TPSWCCS-1B_AT_407341	8/21/2015 5:00	FALSE	88.868		115439.203		42.352		0.023	
TPSWCCS-1B_AT_407341	8/21/2015 6:00	FALSE	89.06		115640.305		42.44		0.018	
TPSWCCS-1B_AT_407341	8/21/2015 7:00	FALSE	88.782		115344.891		42.512		0.008	
TPSWCCS-1B_AT_407341	8/21/2015 8:00	FALSE	88.895		115462.969		42.598		-0.008	
TPSWCCS-1B_AT_407341	8/21/2015 9:00	FALSE	88.705		115262.594		42.582		-0.013	
TPSWCCS-1B_AT_407341	8/21/2015 10:00	FALSE	88.949		115516.203		42.833		-0.011	
TPSWCCS-1B_AT_407341	8/21/2015 11:00	FALSE	49.746		70319.023		89.909		0.059	
TPSWCCS-1B_AT_40734										

TPSWCCS-1B_AT_407341	8/22/2015 0:00	FALSE	89.084	115642.109	43.821	-0.004
TPSWCCS-1B_AT_407341	8/22/2015 1:00	FALSE	89.1	115661.422	43.636	-0.012
TPSWCCS-1B_AT_407341	8/22/2015 2:00	FALSE	89.263	115836.938	43.425	-0.015
TPSWCCS-1B_AT_407341	8/22/2015 3:00	FALSE	89.231	115806.359	43.268	-0.012
TPSWCCS-1B_AT_407341	8/22/2015 4:00	FALSE	89.384	115968.563	43.198	-0.014
TPSWCCS-1B_AT_407341	8/22/2015 5:00	FALSE	89.358	115942.453	43.123	-0.009
TPSWCCS-1B_AT_407341	8/22/2015 6:00	FALSE	89.527	116121.477	43.087	-0.007
TPSWCCS-1B_AT_407341	8/22/2015 7:00	FALSE	88.96	115524.172	43.017	-0.012
TPSWCCS-1B_AT_407341	8/22/2015 8:00	FALSE	89.504	116097.789	43.052	-0.01
TPSWCCS-1B_AT_407341	8/22/2015 9:00	FALSE	88.853	115410.641	43.04	-0.006
TPSWCCS-1B_AT_407341	8/22/2015 10:00	FALSE	89.534	116127.469	43.145	-0.018
TPSWCCS-1B_AT_407341	8/22/2015 11:00	FALSE	89.079	115642.672	43.424	-0.016
TPSWCCS-1B_AT_407341	8/22/2015 12:00	FALSE	89.535	116122.664	43.531	-0.016
TPSWCCS-1B_AT_407341	8/22/2015 13:00	FALSE	88.958	115506.797	43.952	-0.015
TPSWCCS-1B_AT_407341	8/22/2015 14:00	FALSE	89.687	116270.898	44.258	-0.015
TPSWCCS-1B_AT_407341	8/22/2015 15:00	FALSE	89.436	116003.203	44.503	-0.012
TPSWCCS-1B_AT_407341	8/22/2015 16:00	FALSE	89.541	116110.898	44.679	-0.005
TPSWCCS-1B_AT_407341	8/22/2015 17:00	FALSE	89.185	115733.281	44.853	-0.003
TPSWCCS-1B_AT_407341	8/22/2015 18:00	FALSE	89.126	115666.484	45.218	-0.007
TPSWCCS-1B_AT_407341	8/22/2015 19:00	FALSE	89.117	115653.891	45.42	-0.009
TPSWCCS-1B_AT_407341	8/22/2015 20:00	FALSE	89.001	115531.391	45.432	-0.011
TPSWCCS-1B_AT_407341	8/22/2015 21:00	FALSE	89.087	115627.203	45.026	-0.01
TPSWCCS-1B_AT_407341	8/22/2015 22:00	FALSE	89.186	115735.695	44.778	-0.015
TPSWCCS-1B_AT_407341	8/22/2015 23:00	FALSE	88.714	115237.961	44.743	-0.011
TPSWCCS-1B_AT_407341	8/23/2015 0:00	FALSE	89.384	115954.156	44.092	-0.006
TPSWCCS-1B_AT_407341	8/23/2015 1:00	FALSE	89.371	115945.141	43.776	-0.004
TPSWCCS-1B_AT_407341	8/23/2015 2:00	FALSE	89.473	116057.344	43.53	-0.005
TPSWCCS-1B_AT_407341	8/23/2015 3:00	FALSE	89.47	116056.969	43.319	-0.009
TPSWCCS-1B_AT_407341	8/23/2015 4:00	FALSE	89.646	116245.734	43.142	-0.008
TPSWCCS-1B_AT_407341	8/23/2015 5:00	FALSE	89.297	115879.18	43.046	-0.014
TPSWCCS-1B_AT_407341	8/23/2015 6:00	FALSE	89.499	116093.273	42.989	-0.011
TPSWCCS-1B_AT_407341	8/23/2015 7:00	FALSE	89.271	115852.719	43.029	-0.02
TPSWCCS-1B_AT_407341	8/23/2015 8:00	FALSE	89.499	116091.391	43.117	-0.034
TPSWCCS-1B_AT_407341	8/23/2015 9:00	FALSE	89.186	115758.211	43.305	-0.028
TPSWCCS-1B_AT_407341	8/23/2015 10:00	FALSE	73.173	98307.883	56.412	-0.002
TPSWCCS-1B_AT_407341	8/23/2015 11:00	FALSE	72.996	98109.039	56.787	-0.006
TPSWCCS-1B_AT_407341	8/23/2015 12:00	FALSE	70.4	95187.594	59.586	0.001
TPSWCCS-1B_AT_407341	8/23/2015 13:00	FALSE	52.761	74132.766	85.738	0.026
TPSWCCS-1B_AT_407341	8/23/2015 14:00	FALSE	72.288	97311.039	58.483	-0.006
TPSWCCS-1B_AT_407341	8/23/2015 15:00	FALSE	89.477	116044.68	44.606	-0.036
TPSWCCS-1B_AT_407341	8/23/2015 16:00	FALSE	89.317	115873.484	44.813	-0.042
TPSWCCS-1B_AT_407341	8/23/2015 17:00	FALSE	89.578	116147.867	44.864	-0.043
TPSWCCS-1B_AT_407341	8/23/2015 18:00	FALSE	89.278	115828.422	45.039	-0.036
TPSWCCS-1B_AT_407341	8/23/2015 19:00	FALSE	88.455	114953.891	45.566	-0.035
TPSWCCS-1B_AT_407341	8/23/2015 20:00	FALSE	89.026	115560.633	45.239	-0.035
TPSWCCS-1B_AT_407341	8/23/2015 21:00	FALSE	88.919	115451.586	44.955	-0.024
TPSWCCS-1B_AT_407341	8/23/2015 22:00	FALSE	89.341	115901.727	44.551	-0.027
TPSWCCS-1B_AT_407341	8/23/2015 23:00	FALSE	89.536	116111.875	44.254	-0.018
TPSWCCS-1B_AT_407341	8/24/2015 0:00	FALSE	77.719	103344.453	53.263	0.002


Temperature (C)



Salinity (PSU)



SpecificConductance ($\mu\text{S}/\text{cm}$)



WaterLevel (ft)

