

SensorName	DateSampleTaken	IsDataValid	Salinity (PSU)	SalinityTelemetryQualifiers	SpecificConductance (µS/cm)	SpecificConductanceTelemetryQualifiers	Temperature (C)	TemperatureTelemetryQualifiers	WaterLevel (ft)	WaterLevelTelemetryQualifiers
TPSWCCS-1B_AT_407341	10/12/2015 0:00	FALSE	39.264 ?		57795.633 ?		66.895 ?		0.876	
TPSWCCS-1B_AT_407341	10/12/2015 1:00	FALSE	39.217 ?		57734.094 ?		67.196 ?		0.878	
TPSWCCS-1B_AT_407341	10/12/2015 2:00	FALSE	39.811 ?		58497.977 ?		66.244 ?		0.874	
TPSWCCS-1B_AT_407341	10/12/2015 3:00	FALSE	49.563 ?		70655.102 ?		41.297 ?		0.809	
TPSWCCS-1B_AT_407341	10/12/2015 4:00	FALSE	49.173 ?		70174.414 ?		41.119 ?		0.795	
TPSWCCS-1B_AT_407341	10/12/2015 5:00	FALSE	48.859 ?		69786.57 ?		41.428 ?		0.8	
TPSWCCS-1B_AT_407341	10/12/2015 6:00	FALSE	48.669 ?		69552.156 ?		41.569 ?		0.792	
TPSWCCS-1B_AT_407341	10/12/2015 7:00	FALSE	48.724 ?		69619.305 ?		41.457 ?		0.796	
TPSWCCS-1B_AT_407341	10/12/2015 8:00	FALSE	47.478 ?		68076.5 ?		42.876 ?		0.795	
TPSWCCS-1B_AT_407341	10/12/2015 9:00	FALSE	47.876 ?		68569.953 ?		42.358 ?		0.796	
TPSWCCS-1B_AT_407341	10/12/2015 10:00	FALSE	46.693 ?		67103.289 ?		43.962 ?		0.803	
TPSWCCS-1B_AT_407341	10/12/2015 11:00	FALSE	30.611 ?		46163.063 ?		88.555 ?		0.881	
TPSWCCS-1B_AT_407341	10/12/2015 12:00	FALSE	40.775 ?		59732.363 ?		64.614 ?		0.849	
TPSWCCS-1B_AT_407341	10/12/2015 13:00	FALSE	51.465 ?		73000.297 ?		48.185 ?		0.825	
TPSWCCS-1B_AT_407341	10/12/2015 14:00	FALSE	48.332 ?		69176.078 ?		52.077 ?		0.912	
TPSWCCS-1B_AT_407341	10/12/2015 15:00	FALSE	48.994 ?		69989.008 ?		51.529 ?		0.918	
TPSWCCS-1B_AT_407341	10/12/2015 16:00	FALSE	50.885 ?		72299.211 ?		49.644 ?		0.913	
TPSWCCS-1B_AT_407341	10/12/2015 17:00	FALSE	41.546 ?		60714.352 ?		64.473 ?		0.914	
TPSWCCS-1B_AT_407341	10/12/2015 18:00	FALSE	39.181 ?		57674.563 ?		69.724 ?		0.904	
TPSWCCS-1B_AT_407341	10/12/2015 19:00	FALSE	48.488 ?		69377.07 ?		53.849 ?		0.848	
TPSWCCS-1B_AT_407341	10/12/2015 20:00	FALSE	50.397 ?		71711.031 ?		51.313 ?		0.831	
TPSWCCS-1B_AT_407341	10/12/2015 21:00	FALSE	49.937 ?		71148.977 ?		51.819 ?		0.828	
TPSWCCS-1B_AT_407341	10/12/2015 22:00	FALSE	48.486 ?		69373.609 ?		53.5 ?		0.829	
TPSWCCS-1B_AT_407341	10/12/2015 23:00	FALSE	32.177 ?		48241.43 ?		88.331 ?		0.894	
TPSWCCS-1B_AT_407341	10/13/2015 0:00	FALSE	53.365 ?		75301.188 ?		45.81 ?		0.811	
TPSWCCS-1B_AT_407341	10/13/2015 1:00	FALSE	53.792 ?		75815.617 ?		45.066 ?		0.81	
TPSWCCS-1B_AT_407341	10/13/2015 2:00	FALSE	52.798 ?		74614.258 ?		46.015 ?		0.809	
TPSWCCS-1B_AT_407341	10/13/2015 3:00	FALSE	43.379 ?		63028.367 ?		59.007 ?		0.836	
TPSWCCS-1B_AT_407341	10/13/2015 4:00	FALSE	50.035 ?		71240.391 ?		39.717 ?		0.782	
TPSWCCS-1B_AT_407341	10/13/2015 5:00	FALSE	49.615 ?		70722.984 ?		39.831 ?		0.778	
TPSWCCS-1B_AT_407341	10/13/2015 6:00	FALSE	49.687 ?		70811.078 ?		40.026 ?		0.779	
TPSWCCS-1B_AT_407341	10/13/2015 7:00	FALSE	49.26 ?		70283.406 ?		40.221 ?		0.78	
TPSWCCS-1B_AT_407341	10/13/2015 8:00	FALSE	48.375 ?		69188.805 ?		41.027 ?		0.778	
TPSWCCS-1B_AT_407341	10/13/2015 9:00	FALSE	46.705 ?		67114.367 ?		42.671 ?		0.786	
TPSWCCS-1B_AT_407341	10/13/2015 10:00	FALSE	47.432 ?		68018.391 ?		41.597 ?		0.779	
TPSWCCS-1B_AT_407341	10/13/2015 11:00	FALSE	35.567 ?		52983.188 ?		71.919 ?		0.851	
TPSWCCS-1B_AT_407341	10/13/2015 12:00	FALSE	52.685 ?		74474.195 ?		44.986 ?		0.813	
TPSWCCS-1B_AT_407341	10/13/2015 13:00	FALSE	53.025 ?		74886.445 ?		44.77 ?		0.838	
TPSWCCS-1B_AT_407341	10/13/2015 14:00	FALSE	50.173 ?		71422.109 ?		48.313 ?		0.901	
TPSWCCS-1B_AT_407341	10/13/2015 15:00	FALSE	53.017 ?		74877.844 ?		45.366 ?		0.899	
TPSWCCS-1B_AT_407341	10/13/2015 16:00	FALSE	52.901 ?		74738.305 ?		45.853 ?		0.885	
TPSWCCS-1B_AT_407341	10/13/2015 17:00	FALSE	35.914 ?		53384.438 ?		76.558 ?		0.947	
TPSWCCS-1B_AT_407341	10/13/2015 18:00	FALSE	39.595 ?		58214.441 ?		68.103 ?		0.921	
TPSWCCS-1B_AT_407341	10/13/2015 19:00	FALSE	40.371 ?		59214.055 ?		66.275 ?		0.866	
TPSWCCS-1B_AT_407341	10/13/2015 20:00	FALSE	41.082 ?		60123.758 ?		65.05 ?		0.825	
TPSWCCS-1B_AT_407341	10/13/2015 21:00	FALSE	40.732 ?		59677.512 ?		64.931 ?		0.835	
TPSWCCS-1B_AT_407341	10/13/2015 22:00	FALSE	41.059 ?		60094.898 ?		64.877 ?		0.826	
TPSWCCS-1B_AT_407341	10/13/2015 23:00	FALSE	41.504 ?		60661.734 ?		63.492 ?		0.838	
TPSWCCS-1B_AT_407341	10/14/2015 0:00	FALSE	53.368 ?		75302.992 ?		45.169 ?		0.817	
TPSWCCS-1B_AT_407341	10/14/2015 1:00	FALSE	53.845		75878.844		44.305		0.788	
TPSWCCS-1B_AT_407341	10/14/2015 2:00	FALSE	54.247		76364.5		43.704		0.789	
TPSWCCS-1B_AT_407341	10/14/2015 3:00	FALSE	53.488		75447.609		44.547		0.788	
TPSWCCS-1B_AT_407341	10/14/2015 4:00	FALSE	53.463		75417.289		44.484		0.775	
TPSWCCS-1B_AT_407341	10/14/2015 5:00	FALSE	49.433		70496.508		40.48		0.766	
TPSWCCS-1B_AT_407341	10/14/2015 6:00	FALSE	48.621		69492.094		41.206		0.769	
TPSWCCS-1B_AT_407341	10/14/2015 7:00	FALSE	48.713		69606.234		41.194		0.769	
TPSWCCS-1B_AT_407341	10/14/2015 8:00	FALSE	46.984		67462.18		42.45		0.774	
TPSWCCS-1B_AT_407341	10/14/2015 9:00	FALSE	29.009		44189.867		80.6		0.852	
TPSWCCS-1B_AT_407341	10/14/2015 10:00	FALSE	45.274		65334.734		45.221		0.789	
TPSWCCS-1B_AT_407341	10/14/2015 11:00	FALSE	31.453		47448.914		81.145		0.865	
TPSWCCS-1B_AT_407341	10/14/2015 12:00	FALSE	32.449		48695.996		84.602		0.869	
TPSWCCS-1B_AT_407341	10/14/2015 13:00	FALSE	32.296		48486.973		84.895		0.843	
TPSWCCS-1B_AT_407341	10/14/2015 14:00	FALSE	32.284		48447.891		85.859		0.846	
TPSWCCS-1B_AT_407341	10/14/2015 15:00	FALSE	31.985		48062.871		85.495		0.891	
TPSWCCS-1B_AT_407341	10/14/2015 16:00	FALSE	32.752		49092.57		84.682		0.916	
TPSWCCS-1B_AT_407341	10/14/2015 17:00	FALSE	34.003		50801.508		81.703		0.923	
TPSWCCS-1B_AT_407341	10/14/2015 18:00	FALSE	35.276		52529.492		78.127		0.929	
TPSWCCS-1B_AT_407341	10/14/2015 19:00	FALSE	37.58		55591.891		72.418		0.92	
TPSWCCS-1B_AT_407341	10/14/2015 20:00	FALSE	38.144		56338.59		70.188		0.916	
TPSWCCS-1B_AT_407341	10/14/2015 21:00	FALSE	38.356		56619.973		68.718		0.926	
TPSWCCS-1B_AT_407341	10/14/2015 22:00	FALSE	52.841		74664.414		45.202		0.837	
TPSWCCS-1B_AT_407341	10/14/2015 23:00	FALSE	52.559		74322.297		44.976		0.834	
TPSWCCS-1B_AT_407341	10/15/2015 0:00	FALSE	49.9		71087.07		48.499		0.841	
TPSWCCS-1B_AT_407341	10/15/2015 1:00	FALSE	49.476		70568.773		48.835		0.842	
TPSWCCS-1B_AT_407341	10/15/2015 2:00	FALSE	50.304		71579.398		47.621		0.832	
TPSWCCS-1B_AT_407341	10/15/2015 3:00	FALSE	48.092		68838.055		41.491		0.811	
TPSWCCS-1B_AT_407341	10/15/2015 4:00	FALSE	48.476		69312.93		41.847		0.815	
TPSWCCS-1B_AT_407341	10/15/2015 5:00	FALSE	47.888		68585.039		42.567		0.818	
TPSWCCS-1B_AT_407341	10/15/2015 6:00	FALSE	47.122		67635.164		43.516		0.816	
TPSWCCS-1B_AT_407341	10/15/2015 7:00	FALSE	47.576		68199.5		43.187		0.81	
TPSWCCS-1B_AT_407341	10/15/2015 8:00	FALSE	46.437		66785.266		44.512		0.81	
TPSWCCS-1B_AT_407341	10/15/2015 9:00	FALSE	46.681		67088.156		44.023		0.802	
TPSWCCS-1B_AT_407341	10/15/2015 10:00	FALSE	45.506		65623.461		44.895		0.816	
TPSWCCS-1B_AT_407341	10/15/2015 11:00	FALSE	45.485		65603.836		46.265		0.822	
TPSWCCS-1B_AT_407341	10/15/2015 12:00	FALSE	50.556		71890.469		48.211		0.766	
TPSWCCS-1B_AT_407341	10/15/2015 13:00	FALSE	51.777		73375.07		46.534		0.795	
TPSWCCS-1B_AT_407341	10/15/2015 14:00	FALSE	51.947		73580.5		46.333		0.819	
TPSWCCS-1B_AT_407341	10/15/2015 15:00	FALSE	50.8		72187.734		47.981		0.828	
TPSWCCS-1B_AT_407341	10/15/2015 16:00	FALSE	52.478		74226.125		46.313		0.802	
TPSWCCS-1B_AT_407341	10/15/2015 17:00	FALSE	52.347		74067.609		46.535		0.794	
TPSWCCS-1B_AT_407341	10/15/2015 18:00	FALSE	52.451		74194.508		46.521		0.801	
TPSWCCS-1B_AT_407341	10/15/2015 19:00	FALSE	43.379		63029.902		59.461		0.826	
TPSWCCS-1B_AT_407341	10/15/2015 20:00	FALSE	51.965		73603.844		46.654		0.795	
TPSWCCS-1B_AT_407341	10/15/2015 21:00	FALSE	51.338		72841.711		47.167		0.809	
TPSWCCS-1B_AT_407341	10/15/2015 22:00	FALSE	52.392		74120.156		45.492		0.799	
TPSWCCS-1B_AT_407341	10/15/2015 23:00	FALSE	49.717		70863.758		48.7		0.792	
TPSWCCS-1B_AT_407341	10/16/2015 0:00	FALSE	52.093		73755.547		45.138		0.794	
TPSWCCS-1B_AT_407341	10/16/2015 1:00	FALSE	51.609		73166.883		45.512		0.805	
TPSWCCS-1B_AT_407341	10/16/2015 2:00	FALSE	52.213		73900.234		44.621		0.799	
TPSWCCS-1B_AT_407341	10/16/2015 3:00	FALSE	38.982		57437.453		65.035		0.854	
TPSWCCS-1B_AT_407341	10/16/2015 4:00	FALSE	40.944		59946.813		61.101		0.846	
TPSWCCS-1B_AT_407341	10/16/2015 5:00	FALSE	46.927		67390.305		40.241		0.798	
TPSWCCS-1B_AT_407341	10/16/2015 6:00	FALSE	40.98		59930.813		49.831		0.807	
TPSWCCS-1B_AT_407341	10/16/2015 7:00	FALSE	45.829		66020.336		42.453		0.78	
TPSWCCS-1B_AT_407341	10/16/2015 8:00	FALSE	45.944		66163.578		40.01		0.828	
TPSWCCS-1B_AT_407341	10/16/2015 9:00	FALSE	45.16		65179.367		40.644		0.812	
TPSWCCS-1B_AT_407341	10/16/2015 10:00	FALSE	45.213		65246.164		41.365		0.802	

TPSWCCS-1B_AT_407341	10/16/2015 21:00	FALSE	50.103	71319.797	43.64	0.905
TPSWCCS-1B_AT_407341	10/16/2015 22:00	FALSE	41.701	60888.719	55.785	0.91
TPSWCCS-1B_AT_407341	10/16/2015 23:00	FALSE	40.58	59471.859	58.029	0.929
TPSWCCS-1B_AT_407341	10/17/2015 0:00	FALSE	39.512	58111.184	59.896	0.92
TPSWCCS-1B_AT_407341	10/17/2015 1:00	FALSE	36.899	54745.961	65.25	0.944
TPSWCCS-1B_AT_407341	10/17/2015 2:00	FALSE	27.475	41801.512	94.213	0.97
TPSWCCS-1B_AT_407341	10/17/2015 3:00	FALSE	27.25	41491.801	94.407	1.036
TPSWCCS-1B_AT_407341	10/17/2015 4:00	FALSE	27.666	42269.277	86.399	0.948
TPSWCCS-1B_AT_407341	10/17/2015 5:00	FALSE	46.676	67086.063	37.927	0.855
TPSWCCS-1B_AT_407341	10/17/2015 6:00	FALSE	46.045	66289.82	39.637	0.862
TPSWCCS-1B_AT_407341	10/17/2015 7:00	FALSE	45.833	66024.859	39.682	0.851
TPSWCCS-1B_AT_407341	10/17/2015 8:00	FALSE	45.389	65467.699	40.035	0.841
TPSWCCS-1B_AT_407341	10/17/2015 9:00	FALSE	44.803	64731.559	40.681	0.831
TPSWCCS-1B_AT_407341	10/17/2015 10:00	FALSE	44.001	63720.445	39.926	0.824
TPSWCCS-1B_AT_407341	10/17/2015 11:00	FALSE	44.966	64910.762	40.669	0.848
TPSWCCS-1B_AT_407341	10/17/2015 12:00	FALSE	36.622	54384.941	63.788	0.906
TPSWCCS-1B_AT_407341	10/17/2015 13:00	FALSE	36.572	54320.184	63.955	0.918
TPSWCCS-1B_AT_407341	10/17/2015 14:00	FALSE	36.434	54140.258	63.969	0.924
TPSWCCS-1B_AT_407341	10/17/2015 15:00	FALSE	37.053	54943.73	62.757	0.918
TPSWCCS-1B_AT_407341	10/17/2015 16:00	FALSE	37.734	55823.773	61.297	0.917
TPSWCCS-1B_AT_407341	10/17/2015 17:00	FALSE	37.773	55875.273	61.488	0.9
TPSWCCS-1B_AT_407341	10/17/2015 18:00	FALSE	38.739	57116.73	59.768	0.888
TPSWCCS-1B_AT_407341	10/17/2015 19:00	FALSE	39.728	58380.07	57.666	0.876
TPSWCCS-1B_AT_407341	10/17/2015 20:00	FALSE	43.038	62560.684	51.986	0.867
TPSWCCS-1B_AT_407341	10/17/2015 21:00	FALSE	48.754	69665.641	38.431	0.809
TPSWCCS-1B_AT_407341	10/17/2015 22:00	FALSE	48.074	68831.25	37.257	0.825
TPSWCCS-1B_AT_407341	10/17/2015 23:00	FALSE	48.435	69287.344	36.357	0.841
TPSWCCS-1B_AT_407341	10/18/2015 0:00	FALSE	48.948	69930.656	35.632	0.841
TPSWCCS-1B_AT_407341	10/18/2015 1:00	FALSE	49.223	70279.242	35.084	0.854
TPSWCCS-1B_AT_407341	10/18/2015 2:00	FALSE	49.385	70486.281	34.655	0.844
TPSWCCS-1B_AT_407341	10/18/2015 3:00	FALSE	48.135	68943.172	34.144	0.82
TPSWCCS-1B_AT_407341	10/18/2015 4:00	FALSE	47.715	68426.234	33.813	0.808
TPSWCCS-1B_AT_407341	10/18/2015 5:00	FALSE	47.073	67611.211	34.762	0.803
TPSWCCS-1B_AT_407341	10/18/2015 6:00	FALSE	45.249	65302.336	37.186	0.804
TPSWCCS-1B_AT_407341	10/18/2015 7:00	FALSE	45.163	65197.758	36.701	0.814
TPSWCCS-1B_AT_407341	10/18/2015 8:00	FALSE	46.334	66670.563	36.171	0.803
TPSWCCS-1B_AT_407341	10/18/2015 9:00	FALSE	46.211	66514.188	36.515	0.798
TPSWCCS-1B_AT_407341	10/18/2015 10:00	FALSE	45.453	65558.891	37.14	0.794
TPSWCCS-1B_AT_407341	10/18/2015 11:00	FALSE	30.28	46001.637	68.563	0.869
TPSWCCS-1B_AT_407341	10/18/2015 12:00	FALSE	37.532	55557.391	59.708	0.856
TPSWCCS-1B_AT_407341	10/18/2015 13:00	FALSE	46.718	67137.68	44.906	0.786
TPSWCCS-1B_AT_407341	10/18/2015 14:00	FALSE	49.825	70977.281	41.22	0.792
TPSWCCS-1B_AT_407341	10/18/2015 15:00	FALSE	49.685	70805.242	41.167	0.789
TPSWCCS-1B_AT_407341	10/18/2015 16:00	FALSE	49.862	71023.172	41.076	0.792
TPSWCCS-1B_AT_407341	10/18/2015 17:00	FALSE	47.824	68508.609	43.774	0.793
TPSWCCS-1B_AT_407341	10/18/2015 18:00	FALSE	38.106	56298.684	59.436	0.837
TPSWCCS-1B_AT_407341	10/18/2015 19:00	FALSE	40.939	59907.68	54.049	0.82
TPSWCCS-1B_AT_407341	10/18/2015 20:00	FALSE	40.682	59581.559	54.301	0.837
TPSWCCS-1B_AT_407341	10/18/2015 21:00	FALSE	35.701	53183.969	63.835	0.849
TPSWCCS-1B_AT_407341	10/18/2015 22:00	FALSE	49.724	70854.516	40.739	0.803
TPSWCCS-1B_AT_407341	10/18/2015 23:00	FALSE	49.722	70852.406	40.444	0.776
TPSWCCS-1B_AT_407341	10/19/2015 0:00	FALSE	36.029	53609.148	61.886	0.724
TPSWCCS-1B_AT_407341	10/19/2015 1:00	FALSE	50.632	71984.039	38.021	0.76
TPSWCCS-1B_AT_407341	10/19/2015 2:00	FALSE	52.765	74623.781	35.391	0.738
TPSWCCS-1B_AT_407341	10/19/2015 3:00	FALSE	54.208	76424.242	33.131	0.663
TPSWCCS-1B_AT_407341	10/19/2015 4:00	FALSE	54.18	76399	32.801	0.688
TPSWCCS-1B_AT_407341	10/19/2015 5:00	FALSE	53.978	76154.617	32.753	0.687
TPSWCCS-1B_AT_407341	10/19/2015 6:00	FALSE	53.211	75204.242	33.475	0.723
TPSWCCS-1B_AT_407341	10/19/2015 7:00	FALSE	44.382	64208.797	44.02	0.708
TPSWCCS-1B_AT_407341	10/19/2015 8:00	FALSE	52.752	74636.625	33.828	0.701
TPSWCCS-1B_AT_407341	10/19/2015 9:00	FALSE	48.434	69371.242	31.501	0.704
TPSWCCS-1B_AT_407341	10/19/2015 10:00	FALSE	45.654	65887.219	31.65	0.668
TPSWCCS-1B_AT_407341	10/19/2015 11:00	FALSE	44.429	64298.73	34.106	0.686
TPSWCCS-1B_AT_407341	10/19/2015 12:00	FALSE	45.718	65879.883	41.851	0.685
TPSWCCS-1B_AT_407341	10/19/2015 13:00	FALSE	50.916	72355.367	35.796	0.683
TPSWCCS-1B_AT_407341	10/19/2015 14:00	FALSE	40.067	58766.531	50.306	0.689
TPSWCCS-1B_AT_407341	10/19/2015 15:00	FALSE	48.147	68911.047	39.117	0.664
TPSWCCS-1B_AT_407341	10/19/2015 16:00	FALSE	50.827	72241.609	26.136	0.653
TPSWCCS-1B_AT_407341	10/19/2015 17:00	FALSE	47.128	67640.875	40.629	0.671
TPSWCCS-1B_AT_407341	10/19/2015 18:00	FALSE	50.889	72315.016	36.365	0.677
TPSWCCS-1B_AT_407341	10/19/2015 19:00	FALSE	50.64	72006.297	36.621	0.661
TPSWCCS-1B_AT_407341	10/19/2015 20:00	FALSE	50.412	71723.984	36.802	0.699
TPSWCCS-1B_AT_407341	10/19/2015 21:00	FALSE	50.777	72175.781	36.499	0.719
TPSWCCS-1B_AT_407341	10/19/2015 22:00	FALSE	41.977	61187.461	47.806	0.757
TPSWCCS-1B_AT_407341	10/19/2015 23:00	FALSE	41.395	60450.781	48.426	0.757
TPSWCCS-1B_AT_407341	10/20/2015 0:00	FALSE	40.754	59636.895	49.09	0.743
TPSWCCS-1B_AT_407341	10/20/2015 1:00	FALSE	42.242	61516.242	46.659	0.795
TPSWCCS-1B_AT_407341	10/20/2015 2:00	FALSE	42.339	61637.223	46.231	0.79
TPSWCCS-1B_AT_407341	10/20/2015 3:00	FALSE	50.066	71307.945	35.979	0.754
TPSWCCS-1B_AT_407341	10/20/2015 4:00	FALSE	50.02	71252.992	35.803	0.756
TPSWCCS-1B_AT_407341	10/20/2015 5:00	FALSE	49.734	70898.094	35.953	0.742
TPSWCCS-1B_AT_407341	10/20/2015 6:00	FALSE	48.022	68762.258	37.786	0.763
TPSWCCS-1B_AT_407341	10/20/2015 7:00	FALSE	47.797	68481.82	37.96	0.753
TPSWCCS-1B_AT_407341	10/20/2015 8:00	FALSE	50.883	72337.32	34.343	0.749
TPSWCCS-1B_AT_407341	10/20/2015 9:00	FALSE	47.534	68152.188	38.367	0.734
TPSWCCS-1B_AT_407341	10/20/2015 10:00	FALSE	48.843	69790.141	36.631	0.729
TPSWCCS-1B_AT_407341	10/20/2015 11:00	FALSE	49.283	70338.906	36.208	0.748
TPSWCCS-1B_AT_407341	10/20/2015 12:00	FALSE	42.256	61527.996	45.647	0.723
TPSWCCS-1B_AT_407341	10/20/2015 13:00	FALSE	49.721	70871.375	36.938	0.697
TPSWCCS-1B_AT_407341	10/20/2015 14:00	FALSE	49.25	70281.414	38.028	0.729
TPSWCCS-1B_AT_407341	10/20/2015 15:00	FALSE	42.774	62194.098	47.116	0.759
TPSWCCS-1B_AT_407341	10/20/2015 16:00	FALSE	48.215	68992.492	39.814	0.74
TPSWCCS-1B_AT_407341	10/20/2015 17:00	FALSE	48.956	69911.883	39.048	0.733
TPSWCCS-1B_AT_407341	10/20/2015 18:00	FALSE	44.449	64296.867	44.793	0.771
TPSWCCS-1B_AT_407341	10/20/2015 19:00	FALSE	51.129	72602.234	37.006	0.734
TPSWCCS-1B_AT_407341	10/20/2015 20:00	FALSE	49.514	70604.75	38.415	0.75
TPSWCCS-1B_AT_407341	10/20/2015 21:00	FALSE	43.151	62670.32	46.82	0.779
TPSWCCS-1B_AT_407341	10/20/2015 22:00	FALSE	49.228	70251.023	38.609	0.763
TPSWCCS-1B_AT_407341	10/20/2015 23:00	FALSE	40.271	59032.801	51.028	0.812
TPSWCCS-1B_AT_407341	10/21/2015 0:00	FALSE	43.061	62553.992	46.565	0.785
TPSWCCS-1B_AT_407341	10/21/2015 1:00	FALSE	44.942	64989.316	31.672	0.833
TPSWCCS-1B_AT_407341	10/21/2015 2:00	FALSE	54.206	76427.242	32.945	0.8
TPSWCCS-1B_AT_407341	10/21/2015 3:00	FALSE	54.289	76518.297	33.323	0.793
TPSWCCS-1B_AT_407341	10/21/2015 4:00	FALSE	54.426	76687.875	33.154	0.801
TPSWCCS-1B_AT_407341	10/21/2015 5:00	FALSE	54.441	76709.156	33.041	0.791
TPSWCCS-1B_AT_407341	10/21/2015 6:00	FALSE	54.412	76676.883	32.935	0.797
TPSWCCS-1B_AT_407341	10/21/2015 7:00	FALSE	54.418	76690.391	32.706	0.791
TPSWCCS-1B_AT_407341	10/21/2015 8:00	FALSE	54.495	76784.852	32.676	0.796
TPSWCCS-1B_AT_407341	10/21/2015 9:00	FALSE	54.771	77114.023	32.871	0.776
TPSWCCS-1B_AT_407341	10/21/2015 10:00	FALSE	54.686	77004.875	33.08	0.813
TPSWCCS-1B_AT_407341	10/21/2015 11:00	FALSE	54.587	76882.945	33.167	0.818
TPSWCCS-1B_AT_407341	10/21/2015 12:00	FALSE	54.635	76941.344	33.163	0.829
TPSWCCS-1B_AT_407341	10/21/2015 13:00	FALSE	54.693	77010.086	33.234	0.839
TPSWCCS-1B_AT_407341	10/22/2015 0:00	FALSE	54.732	77054.492	33.336	0.821
TPSWCCS-1B_AT_407341	10/22/2015 1:00	FALSE	54.715	77035.93	33.248	0.828
TPSWCCS-1B_AT_407341	10/22/2015 2:00	FALSE	54.858	77253.508	33.179	0.826
TPSWCCS-1B_AT_407341	10/22/2015 3:00	FALSE	54.903	77266.242	33.124	0.835
TPSWCCS-1B_AT_407341	10/22/2015 4:00	FALSE	54.865	77223.055	33.046	0.828

TPSWCCS-1B_AT_407341	10/22/2015 5:00	FALSE	54.96	77338.719	33.004	0.819
TPSWCCS-1B_AT_407341	10/22/2015 6:00	FALSE	55.044	77443.008	32.909	0.816
TPSWCCS-1B_AT_407341	10/22/2015 7:00	FALSE	54.997	77387.695	32.85	0.821
TPSWCCS-1B_AT_407341	10/22/2015 8:00	FALSE	55.037	77436.977	32.819	0.821
TPSWCCS-1B_AT_407341	10/22/2015 9:00	FALSE	55.081	77486.461	32.975	0.801
TPSWCCS-1B_AT_407341	10/22/2015 10:00	FALSE	54.999	77382.578	33.153	0.814
TPSWCCS-1B_AT_407341	10/22/2015 11:00	FALSE	45.792	66051.539	32.112	0.798
TPSWCCS-1B_AT_407341	10/22/2015 12:00	FALSE	54.861	77206.695	33.517	0.807
TPSWCCS-1B_AT_407341	10/22/2015 13:00	FALSE	54.936	77290.414	33.815	0.785
TPSWCCS-1B_AT_407341	10/22/2015 14:00	FALSE	54.656	76947.461	33.958	0.764
TPSWCCS-1B_AT_407341	10/22/2015 15:00	FALSE	54.643	76930.266	34.065	0.763
TPSWCCS-1B_AT_407341	10/22/2015 16:00	FALSE	54.6	76876.484	34.126	0.759
TPSWCCS-1B_AT_407341	10/22/2015 17:00	FALSE	54.882	77225.258	33.759	0.759
TPSWCCS-1B_AT_407341	10/22/2015 18:00	FALSE	55.035	77409.672	33.795	0.755
TPSWCCS-1B_AT_407341	10/22/2015 19:00	FALSE	54.691	76980.563	34.415	0.764
TPSWCCS-1B_AT_407341	10/22/2015 20:00	FALSE	54.707	76999.133	34.446	0.769
TPSWCCS-1B_AT_407341	10/22/2015 21:00	FALSE	54.671	76951.32	34.628	0.782
TPSWCCS-1B_AT_407341	10/22/2015 22:00	FALSE	54.68	76960.156	34.728	0.788
TPSWCCS-1B_AT_407341	10/22/2015 23:00	FALSE	54.492	76726.609	35.083	0.797
TPSWCCS-1B_AT_407341	10/23/2015 0:00	FALSE	54.409	76625.445	35.12	0.8
TPSWCCS-1B_AT_407341	10/23/2015 1:00	FALSE	54.918	77252.359	34.551	0.795
TPSWCCS-1B_AT_407341	10/23/2015 2:00	FALSE	51.094	72614.914	33.452	0.791
TPSWCCS-1B_AT_407341	10/23/2015 3:00	FALSE	45.311	65439.715	32.423	0.805
TPSWCCS-1B_AT_407341	10/23/2015 4:00	FALSE	45.628	65838.469	32.414	0.811
TPSWCCS-1B_AT_407341	10/23/2015 5:00	FALSE	45.782	66034.992	32.295	0.802
TPSWCCS-1B_AT_407341	10/23/2015 6:00	FALSE	45.536	65727.391	32.168	0.8
TPSWCCS-1B_AT_407341	10/23/2015 7:00	FALSE	45.509	65694.578	32.116	0.813
TPSWCCS-1B_AT_407341	10/23/2015 8:00	FALSE	45.138	65231.035	31.944	0.798
TPSWCCS-1B_AT_407341	10/23/2015 9:00	FALSE	45.166	65264.004	32.024	0.823
TPSWCCS-1B_AT_407341	10/23/2015 10:00	FALSE	45.309	65441.504	32.215	0.804
TPSWCCS-1B_AT_407341	10/23/2015 11:00	FALSE	45.078	65152.039	32.076	0.817
TPSWCCS-1B_AT_407341	10/23/2015 12:00	FALSE	55.016	77394.289	33.511	0.828
TPSWCCS-1B_AT_407341	10/23/2015 13:00	FALSE	55.087	77479.375	33.51	0.803
TPSWCCS-1B_AT_407341	10/23/2015 14:00	FALSE	55.024	77400.891	33.627	0.811
TPSWCCS-1B_AT_407341	10/23/2015 15:00	FALSE	54.775	77104.688	33.402	0.731
TPSWCCS-1B_AT_407341	10/23/2015 16:00	FALSE	55	77376.703	33.418	0.712
TPSWCCS-1B_AT_407341	10/23/2015 17:00	FALSE	55.079	77474.867	33.32	0.786
TPSWCCS-1B_AT_407341	10/23/2015 18:00	FALSE	55.102	77502.633	33.328	0.794
TPSWCCS-1B_AT_407341	10/23/2015 19:00	FALSE	55.143	77549.422	33.423	0.795
TPSWCCS-1B_AT_407341	10/23/2015 20:00	FALSE	55.186	77603.891	33.345	0.802
TPSWCCS-1B_AT_407341	10/23/2015 21:00	FALSE	55.126	77530.109	33.354	0.796
TPSWCCS-1B_AT_407341	10/23/2015 22:00	FALSE	55.103	77497.914	33.56	0.808
TPSWCCS-1B_AT_407341	10/23/2015 23:00	FALSE	55.101	77494.539	33.577	0.826
TPSWCCS-1B_AT_407341	10/24/2015 0:00	FALSE	55.145	77545.234	33.678	0.808
TPSWCCS-1B_AT_407341	10/24/2015 1:00	FALSE	54.943	77303.406	33.621	0.818
TPSWCCS-1B_AT_407341	10/24/2015 2:00	FALSE	53.845	75973.703	33.537	0.808
TPSWCCS-1B_AT_407341	10/24/2015 3:00	FALSE	45.307	65438.625	32.228	0.82
TPSWCCS-1B_AT_407341	10/24/2015 4:00	FALSE	44.764	64756.523	32.053	0.828
TPSWCCS-1B_AT_407341	10/24/2015 5:00	FALSE	45.318	65455.383	32.072	0.821
TPSWCCS-1B_AT_407341	10/24/2015 6:00	FALSE	45.156	65254.066	31.928	0.822
TPSWCCS-1B_AT_407341	10/24/2015 7:00	FALSE	45.574	65780.805	31.935	0.817
TPSWCCS-1B_AT_407341	10/24/2015 8:00	FALSE	45.095	65177.152	31.899	0.824
TPSWCCS-1B_AT_407341	10/24/2015 9:00	FALSE	45.44	65610.172	32.003	0.807
TPSWCCS-1B_AT_407341	10/24/2015 10:00	FALSE	44.965	65012.18	31.937	0.789
TPSWCCS-1B_AT_407341	10/24/2015 11:00	FALSE	41.633	60777.133	31.819	0.818
TPSWCCS-1B_AT_407341	10/24/2015 12:00	FALSE	54.496	76763.281	33.539	0.789
TPSWCCS-1B_AT_407341	10/24/2015 13:00	FALSE	54.609	76896.742	33.727	0.789
TPSWCCS-1B_AT_407341	10/24/2015 14:00	FALSE	54.676	76979.328	33.651	0.776
TPSWCCS-1B_AT_407341	10/24/2015 15:00	FALSE	54.562	76840.453	33.679	0.777
TPSWCCS-1B_AT_407341	10/24/2015 16:00	FALSE	54.714	77026.781	33.569	0.773
TPSWCCS-1B_AT_407341	10/24/2015 17:00	FALSE	54.683	76995.727	33.296	0.779
TPSWCCS-1B_AT_407341	10/24/2015 18:00	FALSE	54.782	77114.047	33.355	0.792
TPSWCCS-1B_AT_407341	10/24/2015 19:00	FALSE	54.758	77082.531	33.484	0.79
TPSWCCS-1B_AT_407341	10/24/2015 20:00	FALSE	54.885	77230.672	33.712	0.805
TPSWCCS-1B_AT_407341	10/24/2015 21:00	FALSE	54.986	77313.391	33.778	0.818
TPSWCCS-1B_AT_407341	10/24/2015 22:00	FALSE	54.866	77203.273	33.874	0.817
TPSWCCS-1B_AT_407341	10/24/2015 23:00	FALSE	54.802	77127.391	33.819	0.832
TPSWCCS-1B_AT_407341	10/25/2015 0:00	FALSE	54.82	77147.844	33.87	0.813
TPSWCCS-1B_AT_407341	10/25/2015 1:00	FALSE	54.783	77103.344	33.857	0.816
TPSWCCS-1B_AT_407341	10/25/2015 2:00	FALSE	50.725	72163.867	33.287	0.806
TPSWCCS-1B_AT_407341	10/25/2015 3:00	FALSE	45.536	65721.016	32.534	0.811
TPSWCCS-1B_AT_407341	10/25/2015 4:00	FALSE	45.209	65311.469	32.395	0.817
TPSWCCS-1B_AT_407341	10/25/2015 5:00	FALSE	45.325	65458.223	32.33	0.81
TPSWCCS-1B_AT_407341	10/25/2015 6:00	FALSE	45.189	65289.703	32.213	0.82
TPSWCCS-1B_AT_407341	10/25/2015 7:00	FALSE	45.135	65222.957	32.147	0.815
TPSWCCS-1B_AT_407341	10/25/2015 8:00	FALSE	45.018	65074.953	32.144	0.812
TPSWCCS-1B_AT_407341	10/25/2015 9:00	FALSE	45.088	65161.883	32.211	0.814
TPSWCCS-1B_AT_407341	10/25/2015 10:00	FALSE	45.583	65782.992	32.352	0.81
TPSWCCS-1B_AT_407341	10/25/2015 11:00	FALSE	44.963	65003.285	32.284	0.81
TPSWCCS-1B_AT_407341	10/25/2015 12:00	FALSE	53.967	76108.813	34.155	0.816
TPSWCCS-1B_AT_407341	10/25/2015 13:00	FALSE	54.433	76681.711	33.756	0.818
TPSWCCS-1B_AT_407341	10/25/2015 14:00	FALSE	53.409	75417.242	34.838	0.813
TPSWCCS-1B_AT_407341	10/25/2015 15:00	FALSE	54.319	76541.852	33.859	0.81
TPSWCCS-1B_AT_407341	10/25/2015 16:00	FALSE	54.31	76531	33.868	0.801
TPSWCCS-1B_AT_407341	10/25/2015 17:00	FALSE	54.363	76598.938	33.67	0.803
TPSWCCS-1B_AT_407341	10/25/2015 18:00	FALSE	54.305	76527.078	33.754	0.804
TPSWCCS-1B_AT_407341	10/25/2015 19:00	FALSE	54.354	76583.297	33.896	0.792
TPSWCCS-1B_AT_407341	10/25/2015 20:00	FALSE	54.391	76624.758	34.026	0.791
TPSWCCS-1B_AT_407341	10/25/2015 21:00	FALSE	54.143	76319.281	34.262	0.799
TPSWCCS-1B_AT_407341	10/25/2015 22:00	FALSE	54.247	76446.211	34.266	0.799
TPSWCCS-1B_AT_407341	10/25/2015 23:00	FALSE	54.345	76563.781	34.319	0.805
TPSWCCS-1B_AT_407341	10/26/2015 0:00	FALSE	54.188	76372.727	34.361	0.812
TPSWCCS-1B_AT_407341	10/26/2015 1:00	FALSE	54.241	76437.945	34.262	0.805
TPSWCCS-1B_AT_407341	10/26/2015 2:00	FALSE	54.04	76195.727	34.23	0.81
TPSWCCS-1B_AT_407341	10/26/2015 3:00	FALSE	43.264	62815.477	34.787	0.811
TPSWCCS-1B_AT_407341	10/26/2015 4:00	FALSE	42.146	61390.855	34.954	0.808
TPSWCCS-1B_AT_407341	10/26/2015 5:00	FALSE	42.266	61544.086	34.864	0.816
TPSWCCS-1B_AT_407341	10/26/2015 6:00	FALSE	42.902	62365.082	33.959	0.841
TPSWCCS-1B_AT_407341	10/26/2015 7:00	FALSE	44.001	63773.34	33.054	0.83
TPSWCCS-1B_AT_407341	10/26/2015 8:00	FALSE	43.714	63405.773	33.229	0.842
TPSWCCS-1B_AT_407341	10/26/2015 9:00	FALSE	44.504	64418.703	32.557	0.844
TPSWCCS-1B_AT_407341	10/26/2015 10:00	FALSE	43.484	63110.453	33.454	0.847
TPSWCCS-1B_AT_407341	10/26/2015 11:00	FALSE	41.103	60068.102	33.847	0.859
TPSWCCS-1B_AT_407341	10/26/2015 12:00	FALSE	42.897	62353.266	47.651	0.879
TPSWCCS-1B_AT_407341	10/26/2015 13:00	FALSE	43.295	62855.168	47.282	0.871
TPSWCCS-1B_AT_407341	10/26/2015 14:00	FALSE	44.831	64777.984	45.12	0.842
TPSWCCS-1B_AT_407341	10/26/2015 15:00	FALSE	41.084	60071.336	50.917	0.853
TPSWCCS-1B_AT_407341	10/26/2015 16:00	FALSE	38.47	56748.465	55.456	0.858
TPSWCCS-1B_AT_407341	10/26/2015 17:00	FALSE	49.293	70329.156	39.035	0.813
TPSWCCS-1B_AT_407341	10/26/2015 18:00	FALSE	50.537	71868.008	37.825	0.807
TPSWCCS-1B_AT_407341	10/26/2015 19:00	FALSE	48.885	69820.453	40.132	0.823
TPSWCCS-1B_AT_407341	10/26/2015 20:00	FALSE	50.642	71995.5	38.021	0.816
TPSWCCS-1B_AT_407341	10/26/2015 21:00	FALSE	50.445	71753.273	38.055	0.823
TPSWCCS-1B_AT_407341	10/26/2015 22:00	FALSE	39.007	57435.117	54.609	0.848
TPSWCCS-1B_AT_407341	10/26/2015 23:00	FALSE	50.665	72026.313	37.785	0.828
TPSWCCS-1B_AT_407341	10/27/2015 0:00	FALSE	50.357	71645.008	38.095	0.835
TPSWCCS-1B_AT_407341	10/27/2015 1:00	FALSE	50.115	71346.664	38.193	0.842
TPSWCCS-1B_AT_407341	10/27/2015 2:00	FALSE	50.4	71699.523	37.934	0.837


TPSWCCS-1B_AT_407341	10/27/2015 3:00	FALSE	41.393	60460.305	50.177	0.868
TPSWCCS-1B_AT_407341	10/27/2015 4:00	FALSE	45.288	65394.176	33.297	0.832
TPSWCCS-1B_AT_407341	10/27/2015 5:00	FALSE	43.799	63513.141	33.267	0.846
TPSWCCS-1B_AT_407341	10/27/2015 6:00	FALSE	43.643	63318.355	33.123	0.827
TPSWCCS-1B_AT_407341	10/27/2015 7:00	FALSE	43.697	63384.445	33.258	0.828
TPSWCCS-1B_AT_407341	10/27/2015 8:00	FALSE	44.463	64364.16	32.645	0.842
TPSWCCS-1B_AT_407341	10/27/2015 9:00	FALSE	40.948	59846.582	36.587	0.886
TPSWCCS-1B_AT_407341	10/27/2015 10:00	FALSE	42.179	61428.387	35.373	0.892
TPSWCCS-1B_AT_407341	10/27/2015 11:00	FALSE	24.118	37561.703	74.933	0.996
TPSWCCS-1B_AT_407341	10/27/2015 12:00	FALSE	40.459	59278.762	51.641	0.91
TPSWCCS-1B_AT_407341	10/27/2015 13:00	FALSE	41.505	60605.176	50.425	0.919
TPSWCCS-1B_AT_407341	10/27/2015 14:00	FALSE	50.247	71505.109	38.733	0.852
TPSWCCS-1B_AT_407341	10/27/2015 15:00	FALSE	49.467	70540.305	39.647	0.886
TPSWCCS-1B_AT_407341	10/27/2015 16:00	FALSE	46.839	67282.234	43.187	0.888
TPSWCCS-1B_AT_407341	10/27/2015 17:00	FALSE	44.248	64053.914	46.715	0.895
TPSWCCS-1B_AT_407341	10/27/2015 18:00	FALSE	45.93	66151.828	44.425	0.848
TPSWCCS-1B_AT_407341	10/27/2015 19:00	FALSE	47.47	68066.328	42.386	0.827
TPSWCCS-1B_AT_407341	10/27/2015 20:00	FALSE	50.073	71288.578	39.261	0.823
TPSWCCS-1B_AT_407341	10/27/2015 21:00	FALSE	49.528	70615.273	39.907	0.827
TPSWCCS-1B_AT_407341	10/27/2015 22:00	FALSE	46.981	67459.789	43.188	0.867
TPSWCCS-1B_AT_407341	10/27/2015 23:00	FALSE	49.224	70238.367	40.393	0.867
TPSWCCS-1B_AT_407341	10/28/2015 0:00	FALSE	42.629	62026.348	49.474	0.885
TPSWCCS-1B_AT_407341	10/28/2015 1:00	FALSE	44.903	64874.395	46.269	0.855
TPSWCCS-1B_AT_407341	10/28/2015 2:00	FALSE	44.187	63979.621	47.207	0.853
TPSWCCS-1B_AT_407341	10/28/2015 3:00	FALSE	43.451	63057.664	48.215	0.859
TPSWCCS-1B_AT_407341	10/28/2015 4:00	FALSE	43.302	62845.18	37.027	0.816
TPSWCCS-1B_AT_407341	10/28/2015 5:00	FALSE	31.129	47099.02	55.455	0.84
TPSWCCS-1B_AT_407341	10/28/2015 6:00	FALSE	39.646	58169.457	40.048	0.957
TPSWCCS-1B_AT_407341	10/28/2015 7:00	FALSE	41.313	60317.313	36.027	0.925
TPSWCCS-1B_AT_407341	10/28/2015 8:00	FALSE	37.309	55158.766	43.435	0.895
TPSWCCS-1B_AT_407341	10/28/2015 9:00	FALSE	37.156	54960.688	43.605	0.943
TPSWCCS-1B_AT_407341	10/28/2015 10:00	FALSE	40.456	59210.684	38.208	0.963
TPSWCCS-1B_AT_407341	10/28/2015 11:00	FALSE	34.453	51454.895	48.203	0.993
TPSWCCS-1B_AT_407341	10/28/2015 12:00	FALSE	47.345	67910.711	42.182	0.962
TPSWCCS-1B_AT_407341	10/28/2015 13:00	FALSE	45.071	65080.129	45.301	1.003
TPSWCCS-1B_AT_407341	10/28/2015 14:00	FALSE	48.352	69160.391	40.458	0.971
TPSWCCS-1B_AT_407341	10/28/2015 15:00	FALSE	41.562	60673.301	49.918	0.991
TPSWCCS-1B_AT_407341	10/28/2015 16:00	FALSE	39.613	58199.711	52.535	1.034
TPSWCCS-1B_AT_407341	10/28/2015 17:00	FALSE	48.682	69572.625	39.26	0.963
TPSWCCS-1B_AT_407341	10/28/2015 18:00	FALSE	44.435	64276.684	44.415	0.926
TPSWCCS-1B_AT_407341	10/28/2015 19:00	FALSE	37.009	54863.316	56.784	0.943
TPSWCCS-1B_AT_407341	10/28/2015 20:00	FALSE	47.994	68718.406	39.985	0.898
TPSWCCS-1B_AT_407341	10/28/2015 21:00	FALSE	44.171	63947.25	45.02	0.908
TPSWCCS-1B_AT_407341	10/28/2015 22:00	FALSE	45.682	65837.172	42.929	0.908
TPSWCCS-1B_AT_407341	10/28/2015 23:00	FALSE	43.731	63395.551	45.492	0.924
TPSWCCS-1B_AT_407341	10/29/2015 0:00	FALSE	44.627	64517.648	44.074	0.924
TPSWCCS-1B_AT_407341	10/29/2015 1:00	FALSE	32.257	48644.297	67.584	0.977
TPSWCCS-1B_AT_407341	10/29/2015 2:00	FALSE	42.056	61289.34	48.001	0.926
TPSWCCS-1B_AT_407341	10/29/2015 3:00	FALSE	37.789	55865.664	55.161	0.937
TPSWCCS-1B_AT_407341	10/29/2015 4:00	FALSE	41.261	60242.535	38.159	0.889
TPSWCCS-1B_AT_407341	10/29/2015 5:00	FALSE	41.902	61079.305	34.853	0.901
TPSWCCS-1B_AT_407341	10/29/2015 6:00	FALSE	37.634	55572.516	41.852	0.886
TPSWCCS-1B_AT_407341	10/29/2015 7:00	FALSE	38.36	56510.516	41.001	0.884
TPSWCCS-1B_AT_407341	10/29/2015 8:00	FALSE	38.108	56186.031	41.226	0.878
TPSWCCS-1B_AT_407341	10/29/2015 9:00	FALSE	39.462	57931.398	39.056	0.878
TPSWCCS-1B_AT_407341	10/29/2015 10:00	FALSE	36.255	53790.723	44.393	0.902
TPSWCCS-1B_AT_407341	10/29/2015 11:00	FALSE	26.96	41503.473	65.643	0.967
TPSWCCS-1B_AT_407341	10/29/2015 12:00	FALSE	27.388	41896.703	86.21	1.019
TPSWCCS-1B_AT_407341	10/29/2015 13:00	FALSE	27.674	42307.844	85.089	1.042
TPSWCCS-1B_AT_407341	10/29/2015 14:00	FALSE	27.825	42507.762	85.289	1.047
TPSWCCS-1B_AT_407341	10/29/2015 15:00	FALSE	29.09	44288.922	81.227	0.994
TPSWCCS-1B_AT_407341	10/29/2015 16:00	FALSE	28.878	43986.262	82.226	1.023
TPSWCCS-1B_AT_407341	10/29/2015 17:00	FALSE	29.233	44486.77	80.812	0.999
TPSWCCS-1B_AT_407341	10/29/2015 18:00	FALSE	28.062	42828.391	85.29	0.999
TPSWCCS-1B_AT_407341	10/29/2015 19:00	FALSE	28.795	43844.438	83.855	0.966
TPSWCCS-1B_AT_407341	10/29/2015 20:00	FALSE	29.42	44721.559	81.887	0.959
TPSWCCS-1B_AT_407341	10/29/2015 21:00	FALSE	49.31	70342.492	41.915	0.875
TPSWCCS-1B_AT_407341	10/29/2015 22:00	FALSE	47.141	67662.891	44.582	0.884
TPSWCCS-1B_AT_407341	10/29/2015 23:00	FALSE	47.355	67927.023	44.253	0.88
TPSWCCS-1B_AT_407341	10/30/2015 0:00	FALSE	45.401	65500.98	46.765	0.883
TPSWCCS-1B_AT_407341	10/30/2015 1:00	FALSE	46.167	66452.375	45.447	0.882
TPSWCCS-1B_AT_407341	10/30/2015 2:00	FALSE	27.204	41592.836	88.636	0.959
TPSWCCS-1B_AT_407341	10/30/2015 3:00	FALSE	27.769	42411.641	86.268	0.957
TPSWCCS-1B_AT_407341	10/30/2015 4:00	FALSE	27.713	42337.945	86.166	0.954
TPSWCCS-1B_AT_407341	10/30/2015 5:00	FALSE	43.919	63645.742	34.697	0.857
TPSWCCS-1B_AT_407341	10/30/2015 6:00	FALSE	43.419	63014.48	34.579	0.855
TPSWCCS-1B_AT_407341	10/30/2015 7:00	FALSE	43.386	62975.598	34.318	0.856
TPSWCCS-1B_AT_407341	10/30/2015 8:00	FALSE	43.299	62863.594	34.376	0.853
TPSWCCS-1B_AT_407341	10/30/2015 9:00	FALSE	43.238	62787.797	34.218	0.845
TPSWCCS-1B_AT_407341	10/30/2015 10:00	FALSE	42.999	62479.785	34.637	0.844
TPSWCCS-1B_AT_407341	10/30/2015 11:00	FALSE	41.446	60494.414	35.103	0.865
TPSWCCS-1B_AT_407341	10/30/2015 12:00	FALSE	48.663	69545.898	40.505	0.865
TPSWCCS-1B_AT_407341	10/30/2015 13:00	FALSE	49.224	70239.289	39.982	0.872
TPSWCCS-1B_AT_407341	10/30/2015 14:00	FALSE	49.536	70625.945	39.685	0.864
TPSWCCS-1B_AT_407341	10/30/2015 15:00	FALSE	42.448	61798.184	49.667	0.89
TPSWCCS-1B_AT_407341	10/30/2015 16:00	FALSE	42.308	61621.27	49.754	0.886
TPSWCCS-1B_AT_407341	10/30/2015 17:00	FALSE	38.644	56977.094	56.087	0.894
TPSWCCS-1B_AT_407341	10/30/2015 18:00	FALSE	35.366	52745.004	62.959	0.905
TPSWCCS-1B_AT_407341	10/30/2015 19:00	FALSE	47.503	68107.328	42.722	0.85
TPSWCCS-1B_AT_407341	10/30/2015 20:00	FALSE	48.819	69737.016	41.235	0.845
TPSWCCS-1B_AT_407341	10/30/2015 21:00	FALSE	49.357	70403.484	40.285	0.839
TPSWCCS-1B_AT_407341	10/30/2015 22:00	FALSE	48.235	69014.68	41.367	0.845
TPSWCCS-1B_AT_407341	10/30/2015 23:00	FALSE	48.367	69178.609	41.291	0.841
TPSWCCS-1B_AT_407341	10/31/2015 0:00	FALSE	48.582	69444.984	40.921	0.849
TPSWCCS-1B_AT_407341	10/31/2015 1:00	FALSE	48.663	69545.078	40.949	0.849
TPSWCCS-1B_AT_407341	10/31/2015 2:00	FALSE	47.991	68712.32	41.791	0.85
TPSWCCS-1B_AT_407341	10/31/2015 3:00	FALSE	39.146	57615.66	54.935	0.877
TPSWCCS-1B_AT_407341	10/31/2015 4:00	FALSE	38.621	56937.582	54.589	0.886
TPSWCCS-1B_AT_407341	10/31/2015 5:00	FALSE	40.734	59632.09	52.029	0.878
TPSWCCS-1B_AT_407341	10/31/2015 6:00	FALSE	40.317	59102.82	52.445	0.879
TPSWCCS-1B_AT_407341	10/31/2015 7:00	FALSE	42.75	62139.918	37.927	0.851
TPSWCCS-1B_AT_407341	10/31/2015 8:00	FALSE	41.422	60452.195	36.828	0.852
TPSWCCS-1B_AT_407341	10/31/2015 9:00	FALSE	40.599	59394.172	38.174	0.843
TPSWCCS-1B_AT_407341	10/31/2015 10:00	FALSE	23.575	36779.168	78.438	0.926
TPSWCCS-1B_AT_407341	10/31/2015 11:00	FALSE	40.23	58920.895	38.203	0.854
TPSWCCS-1B_AT_407341	10/31/2015 12:00	FALSE	47.323	67884.016	42.533	0.849
TPSWCCS-1B_AT_407341	10/31/2015 13:00	FALSE	49.17	70172.766	40.254	0.851
TPSWCCS-1B_AT_407341	10/31/2015 14:00	FALSE	49.1	70085.203	40.607	0.851
TPSWCCS-1B_AT_407341	10/31/2015 15:00	FALSE	48.618	69489.148	41.44	0.838
TPSWCCS-1B_AT_407341	10/31/2015 16:00	FALSE	43.29	62858.949	48.911	0.861
TPSWCCS-1B_AT_407341	10/31/2015 17:00	FALSE	45.075	65090.27	46.338	0.846
TPSWCCS-1B_AT_407341	10/31/2015 18:00	FALSE	43.841	63550.426	48.227	0.849
TPSWCCS-1B_AT_407341	10/31/2015 19:00	FALSE	48.632	69506.398	41.934	0.828
TPSWCCS-1B_AT_407341	10/31/2015 20:00	FALSE	48.367	69178.688	42.339	0.83
TPSWCCS-1B_AT_407341	10/31/2015 21:00	FALSE	46.943	67413.906	44.09	0.842
TPSWCCS-1B_AT_407341	10/31/2015 22:00	FALSE	43.811	63512.277	48.202	0.839
TPSWCCS-1B_AT_407341	10/31/2015 23:00	FALSE	43.806	63504.523	48.112	0.851
TPSWCCS-1B_AT_407341	11/1/2015 0:00	FALSE	43.063	62574.645	49.34	0.85

TPSWCCS-1B_AT_407341	11/1/2015 1:00	FALSE	44.497	64368.863	47.124	0.84
TPSWCCS-1B_AT_407341	11/1/2015 2:00	FALSE	42.201	61491.492	50.626	0.856
TPSWCCS-1B_AT_407341	11/1/2015 3:00	FALSE	42.748	62175.762	49.292	0.854
TPSWCCS-1B_AT_407341	11/1/2015 4:00	FALSE	44.463	64322.926	46.62	0.846
TPSWCCS-1B_AT_407341	11/1/2015 5:00	FALSE	42.555	61931.035	49.331	0.851
TPSWCCS-1B_AT_407341	11/1/2015 6:00	FALSE	41.429	60511.164	50.818	0.848
TPSWCCS-1B_AT_407341	11/1/2015 7:00	FALSE	41.1	60095.703	51.369	0.859
TPSWCCS-1B_AT_407341	11/1/2015 8:00	FALSE	38.971	57389.875	54.837	0.866
TPSWCCS-1B_AT_407341	11/1/2015 9:00	FALSE	36.615	54263.68	44.85	0.849
TPSWCCS-1B_AT_407341	11/1/2015 10:00	FALSE	35.393	52671.934	45.762	0.844
TPSWCCS-1B_AT_407341	11/1/2015 11:00	FALSE	37.156	54955.805	42.699	0.843
TPSWCCS-1B_AT_407341	11/1/2015 12:00	FALSE	36.908	54635.016	43.164	0.83
TPSWCCS-1B_AT_407341	11/1/2015 13:00	FALSE	47.826	68508.18	41.558	0.818
TPSWCCS-1B_AT_407341	11/1/2015 14:00	FALSE	45.544	65671.188	44.989	0.82
TPSWCCS-1B_AT_407341	11/1/2015 15:00	FALSE	40.876	59813.781	52.048	0.834
TPSWCCS-1B_AT_407341	11/1/2015 16:00	FALSE	42.574	61955.395	49.342	0.828
TPSWCCS-1B_AT_407341	11/1/2015 17:00	FALSE	44.567	64453.969	46.563	0.807
TPSWCCS-1B_AT_407341	11/1/2015 18:00	FALSE	44.526	64402.859	46.754	0.805
TPSWCCS-1B_AT_407341	11/1/2015 19:00	FALSE	42.169	61452.137	50.834	0.81
TPSWCCS-1B_AT_407341	11/1/2015 20:00	FALSE	46.54	66913.367	44.477	0.802
TPSWCCS-1B_AT_407341	11/1/2015 21:00	FALSE	39.667	58291.047	55.739	0.816
TPSWCCS-1B_AT_407341	11/1/2015 22:00	FALSE	46.613	67006.375	44.882	0.796
TPSWCCS-1B_AT_407341	11/1/2015 23:00	FALSE	48.828	69748.359	41.872	0.789
TPSWCCS-1B_AT_407341	11/2/2015 0:00	FALSE	40.846	59782.859	53.06	0.824
TPSWCCS-1B_AT_409503	11/2/2015 0:00	FALSE	40.846	59782.859	53.06	0.824
TPSWCCS-1B_AT_409503	11/2/2015 1:00	FALSE	48.28	69071.102	42.173	0.805
TPSWCCS-1B_AT_409503	11/2/2015 2:00	FALSE	44.868	64833.141	46.766	0.812
TPSWCCS-1B_AT_409503	11/2/2015 3:00	FALSE	45.049	65058.109	46.301	0.817
TPSWCCS-1B_AT_409503	11/2/2015 4:00	FALSE	44.392	64238.484	47.311	0.815
TPSWCCS-1B_AT_409503	11/2/2015 5:00	FALSE	39.379	57917.984	55.183	0.822
TPSWCCS-1B_AT_409503	11/2/2015 6:00	FALSE	39.893	58570.512	54.174	0.842
TPSWCCS-1B_AT_409503	11/2/2015 7:00	FALSE	46.623	67015.148	43.679	0.813
TPSWCCS-1B_AT_409503	11/2/2015 8:00	FALSE	45.716	65885.68	44.868	0.804
TPSWCCS-1B_AT_409503	11/2/2015 9:00	FALSE	40.909	59791.387	38.066	0.794
TPSWCCS-1B_AT_409503	11/2/2015 10:00	FALSE	40.026	58657.289	39.377	0.803
TPSWCCS-1B_AT_409503	11/2/2015 11:00	FALSE	40.068	58711.57	39.318	0.775
TPSWCCS-1B_AT_409503	11/2/2015 12:00	FALSE	39.416	57873.352	40.24	0.763
TPSWCCS-1B_AT_409503	11/2/2015 13:00	FALSE	43.907	63634.594	48.448	0.785
TPSWCCS-1B_AT_409503	11/2/2015 14:00	FALSE	49.16	70158	41.634	0.777
TPSWCCS-1B_AT_409503	11/2/2015 15:00	FALSE	44.268	64086.852	48.128	0.776
TPSWCCS-1B_AT_409503	11/2/2015 16:00	FALSE	42.09	61357.137	51.544	0.771
TPSWCCS-1B_AT_409503	11/2/2015 17:00	FALSE	42.95	62438.504	50.296	0.779
TPSWCCS-1B_AT_409503	11/2/2015 18:00	FALSE	43.09	62619.777	51.033	0.789
TPSWCCS-1B_AT_409503	11/2/2015 19:00	FALSE	43.574	63229.516	50.732	0.77
TPSWCCS-1B_AT_409503	11/2/2015 20:00	FALSE	44.194	64007.582	50.247	0.772
TPSWCCS-1B_AT_409503	11/2/2015 21:00	FALSE	35.887	53427.137	66.065	0.799
TPSWCCS-1B_AT_409503	11/2/2015 22:00	FALSE	47.078	67590.656	46.193	0.757
TPSWCCS-1B_AT_409503	11/2/2015 23:00	FALSE	39.903	58603.773	57.597	0.78
TPSWCCS-1B_AT_409503	11/3/2015 0:00	FALSE	41.53	60661.813	54.13	0.777
TPSWCCS-1B_AT_409503	11/3/2015 13:00	FALSE	52.106	73798.797	36.937	0.744
TPSWCCS-1B_AT_409503	11/3/2015 14:00	FALSE	52.371	74121.773	36.982	0.745
TPSWCCS-1B_AT_409503	11/3/2015 15:00	FALSE	52.359	74107.617	36.915	0.723
TPSWCCS-1B_AT_409503	11/3/2015 16:00	FALSE	52.562	74353.344	37.077	0.734
TPSWCCS-1B_AT_409503	11/3/2015 17:00	FALSE	52.02	73688.617	37.39	0.721
TPSWCCS-1B_AT_409503	11/3/2015 18:00	FALSE	51.98	73636.453	37.799	0.72
TPSWCCS-1B_AT_409503	11/3/2015 19:00	FALSE	52.15	73841.32	38.098	0.72
TPSWCCS-1B_AT_409503	11/3/2015 20:00	FALSE	52.332	74062.727	38.112	0.723
TPSWCCS-1B_AT_409503	11/3/2015 21:00	FALSE	52.338	74072.148	37.899	0.721
TPSWCCS-1B_AT_409503	11/3/2015 22:00	FALSE	52.416	74168.391	37.793	0.712
TPSWCCS-1B_AT_409503	11/3/2015 23:00	FALSE	52.361	74102.492	37.569	0.714
TPSWCCS-1B_AT_409503	11/4/2015 0:00	FALSE	52.401	74153.438	37.398	0.713
TPSWCCS-1B_AT_409503	11/4/2015 1:00	FALSE	52.534	74319.727	37.042	0.724
TPSWCCS-1B_AT_409503	11/4/2015 2:00	FALSE	52.428	74194.539	36.695	0.728
TPSWCCS-1B_AT_409503	11/4/2015 3:00	FALSE	52.463	74239.266	36.477	0.731
TPSWCCS-1B_AT_409503	11/4/2015 4:00	FALSE	52.461	74240.148	36.237	0.721
TPSWCCS-1B_AT_409503	11/4/2015 5:00	FALSE	52.557	74359.109	36.109	0.72
TPSWCCS-1B_AT_409503	11/4/2015 6:00	FALSE	52.525	74321.109	36.052	0.715
TPSWCCS-1B_AT_409503	11/4/2015 7:00	FALSE	52.483	74272.867	35.873	0.717
TPSWCCS-1B_AT_409503	11/4/2015 8:00	FALSE	52.432	74210.25	35.829	0.719
TPSWCCS-1B_AT_409503	11/4/2015 9:00	FALSE	52.509	74302.742	35.967	0.704
TPSWCCS-1B_AT_409503	11/4/2015 10:00	FALSE	52.635	74454.68	36.075	0.706
TPSWCCS-1B_AT_409503	11/4/2015 11:00	FALSE	44.057	63818.664	34.915	0.706
TPSWCCS-1B_AT_409503	11/4/2015 12:00	FALSE	42.705	62103.523	34.928	0.704
TPSWCCS-1B_AT_409503	11/4/2015 13:00	FALSE	52.29	74024.648	36.789	0.697
TPSWCCS-1B_AT_409503	11/4/2015 14:00	FALSE	52.542	74330.719	36.909	0.691
TPSWCCS-1B_AT_409503	11/4/2015 15:00	FALSE	53.284	75232.414	37.009	0.685
TPSWCCS-1B_AT_409503	11/4/2015 16:00	FALSE	52.889	74753.125	36.904	0.69
TPSWCCS-1B_AT_409503	11/4/2015 17:00	FALSE	52.578	74375.883	36.771	0.681
TPSWCCS-1B_AT_409503	11/4/2015 18:00	FALSE	52.564	74356.563	37.002	0.683
TPSWCCS-1B_AT_409503	11/4/2015 19:00	FALSE	52.645	74453.57	37.1	0.669
TPSWCCS-1B_AT_409503	11/4/2015 20:00	FALSE	52.569	74360.711	37.181	0.677
TPSWCCS-1B_AT_409503	11/4/2015 21:00	FALSE	52.587	74383.188	37.15	0.68
TPSWCCS-1B_AT_409503	11/4/2015 22:00	FALSE	52.6	74396.625	37.307	0.685
TPSWCCS-1B_AT_409503	11/4/2015 23:00	FALSE	52.44	74203.672	37.107	0.688
TPSWCCS-1B_AT_409503	11/5/2015 0:00	FALSE	52.527	74313.148	36.807	0.69
TPSWCCS-1B_AT_409503	11/5/2015 1:00	FALSE	52.548	74343.703	36.436	0.674
TPSWCCS-1B_AT_409503	11/5/2015 2:00	FALSE	52.384	74148.297	36.138	0.675
TPSWCCS-1B_AT_409503	11/5/2015 3:00	FALSE	52.367	74129.242	36.011	0.674
TPSWCCS-1B_AT_409503	11/5/2015 4:00	FALSE	52.367	74131.828	35.84	0.671
TPSWCCS-1B_AT_409503	11/5/2015 5:00	FALSE	52.321	74076.375	35.778	0.677
TPSWCCS-1B_AT_409503	11/5/2015 6:00	FALSE	52.343	74104.789	35.653	0.67
TPSWCCS-1B_AT_409503	11/5/2015 7:00	FALSE	52.319	74079.016	35.414	0.645
TPSWCCS-1B_AT_409503	11/5/2015 8:00	FALSE	52.689	74529.688	35.452	0.65
TPSWCCS-1B_AT_409503	11/5/2015 9:00	FALSE	52.716	74561.219	35.554	0.652
TPSWCCS-1B_AT_409503	11/5/2015 10:00	FALSE	52.847	74720.852	35.581	0.629
TPSWCCS-1B_AT_409503	11/5/2015 11:00	FALSE	52.921	74807.055	35.795	0.644
TPSWCCS-1B_AT_409503	11/5/2015 12:00	FALSE	52.925	74807.836	36.103	0.641
TPSWCCS-1B_AT_409503	11/5/2015 13:00	FALSE	53.094	75011.633	36.229	0.638
TPSWCCS-1B_AT_409503	11/5/2015 14:00	FALSE	53.092	75008.672	36.288	0.628
TPSWCCS-1B_AT_409503	11/5/2015 15:00	FALSE	52.42	74190.219	36.231	0.614
TPSWCCS-1B_AT_409503	11/5/2015 16:00	FALSE	52.404	74172.188	36.172	0.625
TPSWCCS-1B_AT_409503	11/5/2015 17:00	FALSE	52.419	74192	36.056	0.612
TPSWCCS-1B_AT_409503	11/5/2015 18:00	FALSE	52.28	74022.375	36	0.617
TPSWCCS-1B_AT_409503	11/5/2015 19:00	FALSE	52.301	74047.102	36.132	0.621
TPSWCCS-1B_AT_409503	11/5/2015 20:00	FALSE	52.363	74122.195	36.17	0.62
TPSWCCS-1B_AT_409503	11/5/2015 21:00	FALSE	52.303	74047.305	36.294	0.619
TPSWCCS-1B_AT_409503	11/5/2015 22:00	FALSE	52.265	73999.188	36.404	0.623
TPSWCCS-1B_AT_409503	11/5/2015 23:00	FALSE	52.286	74024.531	36.411	0.625
TPSWCCS-1B_AT_409503	11/6/2015 0:00	FALSE	52.222	73948.07	36.283	0.628
TPSWCCS-1B_AT_409503	11/6/2015 1:00	FALSE	52.183	73901.375	36.259	0.632
TPSWCCS-1B_AT_409503	11/6/2015 2:00	FALSE	52.208	73932.164	36.176	0.637
TPSWCCS-1B_AT_409503	11/6/2015 3:00	FALSE	52.288	74032.594	35.974	0.641
TPSWCCS-1B_AT_409503	11/6/2015 4:00	FALSE	52.297	74048.906	35.625	0.636
TPSWCCS-1B_AT_409503	11/6/2015 5:00	FALSE	52.206	73942.406	35.319	0.632
TPSWCCS-1B_AT_409503	11/6/2015 6:00	FALSE	52.22	73961.914	35.164	0.626
TPSWCCS-1B_AT_409503	11/6/2015 7:00	FALSE	52.166	73896.734	35.1	0.627
TPSWCCS-1B_AT_409503	11/6/2015 8:00	FALSE	52.24	73988.43	35.056	0.626
TPSWCCS-1B_AT_409503	11/6/2015 9:00	FALSE	52.197	73935.203	35.091	0.623


TPSWCCS-1B_AT_409503	11/6/2015 10:00	FALSE	52.801	74666.875	35.391	0.612
TPSWCCS-1B_AT_409503	11/6/2015 11:00	FALSE	52.642	74468.516	35.682	0.609
TPSWCCS-1B_AT_409503	11/6/2015 12:00	FALSE	53.097	75017.992	36.006	0.608
TPSWCCS-1B_AT_409503	11/6/2015 13:00	FALSE	52.534	74331.211	36.128	0.603
TPSWCCS-1B_AT_409503	11/6/2015 14:00	FALSE	52.856	74721.906	36.221	0.583
TPSWCCS-1B_AT_409503	11/6/2015 15:00	FALSE	52.359	74115.281	36.283	0.592
TPSWCCS-1B_AT_409503	11/6/2015 16:00	FALSE	52.157	73866.852	36.416	0.583
TPSWCCS-1B_AT_409503	11/6/2015 17:00	FALSE	52.255	73982.938	36.708	0.593
TPSWCCS-1B_AT_409503	11/6/2015 18:00	FALSE	52.265	73993.531	36.874	0.602
TPSWCCS-1B_AT_409503	11/6/2015 19:00	FALSE	52.113	73805.477	37.036	0.593
TPSWCCS-1B_AT_409503	11/6/2015 20:00	FALSE	52.24	73960.359	37.117	0.593
TPSWCCS-1B_AT_409503	11/6/2015 21:00	FALSE	52.091	73780.297	36.901	0.592
TPSWCCS-1B_AT_409503	11/6/2015 22:00	FALSE	52.165	73872.719	36.784	0.598
TPSWCCS-1B_AT_409503	11/6/2015 23:00	FALSE	52.095	73790.305	36.475	0.608
TPSWCCS-1B_AT_409503	11/7/2015 0:00	FALSE	52.072	73767.328	36.086	0.612
TPSWCCS-1B_AT_409503	11/7/2015 1:00	FALSE	52.09	73793.703	35.771	0.611
TPSWCCS-1B_AT_409503	11/7/2015 2:00	FALSE	52.146	73864.227	35.609	0.617
TPSWCCS-1B_AT_409503	11/7/2015 3:00	FALSE	52.048	73746.836	35.512	0.617
TPSWCCS-1B_AT_409503	11/7/2015 4:00	FALSE	52.072	73777.5	35.423	0.614
TPSWCCS-1B_AT_409503	11/7/2015 5:00	FALSE	52.037	73736.398	35.306	0.606
TPSWCCS-1B_AT_409503	11/7/2015 6:00	FALSE	52.198	73934.711	35.197	0.622
TPSWCCS-1B_AT_409503	11/7/2015 7:00	FALSE	52.175	73908.492	35.051	0.615
TPSWCCS-1B_AT_409503	11/7/2015 8:00	FALSE	52.057	73764.852	35.053	0.622
TPSWCCS-1B_AT_409503	11/7/2015 9:00	FALSE	52.258	74009.469	35.123	0.618
TPSWCCS-1B_AT_409503	11/7/2015 10:00	FALSE	52.493	74293.32	35.293	0.627
TPSWCCS-1B_AT_409503	11/7/2015 11:00	FALSE	52.744	74595.141	35.569	0.612
TPSWCCS-1B_AT_409503	11/7/2015 12:00	FALSE	43.349	62927.699	34.401	0.622
TPSWCCS-1B_AT_409503	11/7/2015 13:00	FALSE	52.572	74379.125	36.03	0.613
TPSWCCS-1B_AT_409503	11/7/2015 14:00	FALSE	52.656	74479.18	36.157	0.6
TPSWCCS-1B_AT_409503	11/7/2015 15:00	FALSE	52.877	74747.922	36.188	0.607
TPSWCCS-1B_AT_409503	11/7/2015 16:00	FALSE	52.833	74691.664	36.428	0.587
TPSWCCS-1B_AT_409503	11/7/2015 17:00	FALSE	52.276	74007.125	36.848	0.583
TPSWCCS-1B_AT_409503	11/7/2015 18:00	FALSE	52.442	74206.945	37.128	0.579
TPSWCCS-1B_AT_409503	11/7/2015 19:00	FALSE	52.503	74278.492	37.374	0.573
TPSWCCS-1B_AT_409503	11/7/2015 20:00	FALSE	52.542	74322.742	37.632	0.563
TPSWCCS-1B_AT_409503	11/7/2015 21:00	FALSE	52.602	74396.461	37.627	0.568
TPSWCCS-1B_AT_409503	11/7/2015 22:00	FALSE	52.628	74431.547	37.316	0.566
TPSWCCS-1B_AT_409503	11/7/2015 23:00	FALSE	52.526	74309.578	37.076	0.556
TPSWCCS-1B_AT_409503	11/8/2015 0:00	FALSE	52.64	74450.031	36.909	0.574
TPSWCCS-1B_AT_409503	11/8/2015 1:00	FALSE	52.691	74516.203	36.596	0.583
TPSWCCS-1B_AT_409503	11/8/2015 2:00	FALSE	52.467	74249.32	36.098	0.578
TPSWCCS-1B_AT_409503	11/8/2015 3:00	FALSE	52.768	74620.164	35.883	0.581
TPSWCCS-1B_AT_409503	11/8/2015 4:00	FALSE	52.598	74414.977	35.732	0.584
TPSWCCS-1B_AT_409503	11/8/2015 5:00	FALSE	52.64	74467.742	35.604	0.574
TPSWCCS-1B_AT_409503	11/8/2015 6:00	FALSE	52.641	74471.563	35.458	0.584
TPSWCCS-1B_AT_409503	11/8/2015 7:00	FALSE	52.603	74426.492	35.391	0.571
TPSWCCS-1B_AT_409503	11/8/2015 8:00	FALSE	52.599	74422.141	35.356	0.57
TPSWCCS-1B_AT_409503	11/8/2015 9:00	FALSE	52.779	74638.969	35.478	0.58
TPSWCCS-1B_AT_409503	11/8/2015 10:00	FALSE	52.8	74662.289	35.664	0.573
TPSWCCS-1B_AT_409503	11/8/2015 11:00	FALSE	52.607	74420.984	36.054	0.573
TPSWCCS-1B_AT_409503	11/8/2015 12:00	FALSE	52.714	74548.398	36.261	0.58
TPSWCCS-1B_AT_409503	11/8/2015 13:00	FALSE	52.814	74667.633	36.498	0.575
TPSWCCS-1B_AT_409503	11/8/2015 14:00	FALSE	52.901	74771.172	36.675	0.559
TPSWCCS-1B_AT_409503	11/8/2015 15:00	FALSE	52.72	74548.977	36.827	0.549
TPSWCCS-1B_AT_409503	11/8/2015 16:00	FALSE	52.766	74602.758	37.028	0.539
TPSWCCS-1B_AT_409503	11/8/2015 17:00	FALSE	52.752	74581.313	37.34	0.533
TPSWCCS-1B_AT_409503	11/8/2015 18:00	FALSE	52.781	74614.445	37.539	0.525
TPSWCCS-1B_AT_409503	11/8/2015 19:00	FALSE	52.998	74877.094	37.692	0.523
TPSWCCS-1B_AT_409503	11/8/2015 20:00	FALSE	52.792	74629.305	37.451	0.527
TPSWCCS-1B_AT_409503	11/8/2015 21:00	FALSE	52.891	74750.125	37.394	0.526
TPSWCCS-1B_AT_409503	11/8/2015 22:00	FALSE	52.884	74741.938	37.339	0.527
TPSWCCS-1B_AT_409503	11/8/2015 23:00	FALSE	52.917	74782.406	37.35	0.525
TPSWCCS-1B_AT_409503	11/9/2015 0:00	FALSE	52.836	74685.844	37.156	0.527

Disclaimer: The data presented are preliminary and un-validated when initially posted, QA/QC checks and necessary revisions/qualifications are made to the data prior to the preparation of semiannual and annual reports.


Temperature (C)



Salinity (PSU)



SpecificConductance ($\mu\text{S}/\text{cm}$)



WaterLevel (ft)

