



SensorName	DateSampleTaken	isDataValid	Salinity (PSU)	SalinityTelemetryQualifiers	SpecificConductance (uS/cm)	SpecificConductanceTelemetryQualifiers	Temperature (C)	TemperatureTelemetryQualifiers	WaterLevel (ft)	WaterLevelTelemetryQualifiers
TPSWCCS-18_AT_404658	6/1/2015 0:00	FALSE	94.915		121807.422		41.311		-0.24	
TPSWCCS-18_AT_404658	6/1/2015 1:00	FALSE	94.991		121868.977		41.187		-0.247	
TPSWCCS-18_AT_404658	6/1/2015 2:00	FALSE	94.648		121516.469		41.065		-0.242	
TPSWCCS-18_AT_404658	6/1/2015 3:00	FALSE	95.346		122240.547		41.018		-0.25	
TPSWCCS-18_AT_404658	6/1/2015 4:00	FALSE	95.106		121993.813		40.958		-0.253	
TPSWCCS-18_AT_404658	6/1/2015 5:00	FALSE	95.332		122230.211		40.851		-0.248	
TPSWCCS-18_AT_404658	6/1/2015 6:00	FALSE	95.24		122134.961		40.832		-0.248	
TPSWCCS-18_AT_404658	6/1/2015 7:00	FALSE	95.498		122198.117		41.977		-0.25	
TPSWCCS-18_AT_404658	6/1/2015 8:00	FALSE	95.596		122497.758		41.025		-0.251	
TPSWCCS-18_AT_404658	6/1/2015 9:00	FALSE	95.858		122760.218		41.139		-0.252	
TPSWCCS-18_AT_404658	6/1/2015 10:00	FALSE	95.957		122859.277		41.455		-0.246	
TPSWCCS-18_AT_404658	6/1/2015 11:00	FALSE	95.944		122842.398		41.612		-0.245	
TPSWCCS-18_AT_404658	6/1/2015 12:00	FALSE	95.685		122575.219		41.616		-0.232	
TPSWCCS-18_AT_404658	6/1/2015 13:00	FALSE	95.858		122746.766		41.908		-0.221	
TPSWCCS-18_AT_404658	6/1/2015 14:00	FALSE	95.842		122734.664		41.696		-0.239	
TPSWCCS-18_AT_404658	6/1/2015 15:00	FALSE	95.684		122568.898		41.816		-0.225	
TPSWCCS-18_AT_404658	6/1/2015 16:00	FALSE	93.133		119940.25		40.829		-0.227	
TPSWCCS-18_AT_404658	6/1/2015 17:00	FALSE	93.39		120185.047		42.156		-0.213	
TPSWCCS-18_AT_404658	6/1/2015 18:00	FALSE	93.727		120296.593		42.051		-0.209	
TPSWCCS-18_AT_404658	6/1/2015 19:00	FALSE	94.005		120829.891		41.862		-0.211	
TPSWCCS-18_AT_404658	6/1/2015 20:00	FALSE	94.998		121858.563		41.881		-0.214	
TPSWCCS-18_AT_404658	6/1/2015 21:00	FALSE	95.148		122010.688		41.784		-0.216	
TPSWCCS-18_AT_404658	6/1/2015 22:00	FALSE	95.468		122162.797		41.553		-0.209	
TPSWCCS-18_AT_404658	6/1/2015 23:00	FALSE	95.307		122185.188		41.587		-0.219	
TPSWCCS-18_AT_404658	6/2/2015 0:00	FALSE	95.557		122449.242		41.374		-0.223	
TPSWCCS-18_AT_404658	6/2/2015 1:00	FALSE	94.52		121377.375		41.303		-0.226	
TPSWCCS-18_AT_404658	6/2/2015 2:00	FALSE	97.403		124555.445		41.134		-0.229	
TPSWCCS-18_AT_404658	6/2/2015 3:00	FALSE	95.672		122575.211		41.079		-0.23	
TPSWCCS-18_AT_404658	6/2/2015 4:00	FALSE	99.501		126001.781		41.109		-0.23	
TPSWCCS-18_AT_404658	6/2/2015 5:00	FALSE	94.225		121079.078		41.003		-0.228	
TPSWCCS-18_AT_404658	6/2/2015 6:00	FALSE	94.945		121827.289		40.951		-0.219	
TPSWCCS-18_AT_404658	6/2/2015 7:00	FALSE	95.34		122233.953		41.007		-0.216	
TPSWCCS-18_AT_404658	6/2/2015 8:00	FALSE	94.937		121815.93		41.075		-0.214	
TPSWCCS-18_AT_404658	6/2/2015 9:00	FALSE	95.167		122049.32		41.224		-0.215	
TPSWCCS-18_AT_404658	6/2/2015 10:00	FALSE	95.409		122296.762		41.257		-0.217	
TPSWCCS-18_AT_404658	6/2/2015 11:00	FALSE	95.562		122456.219		41.302		-0.224	
TPSWCCS-18_AT_404658	6/2/2015 12:00	FALSE	95.126		122006.164		41.275		-0.227	
TPSWCCS-18_AT_404658	6/2/2015 13:00	FALSE	96.234		123141.75		41.313		-0.226	
TPSWCCS-18_AT_404658	6/2/2015 14:00	FALSE	95.38		122269.375		41.244		-0.217	
TPSWCCS-18_AT_404658	6/2/2015 15:00	FALSE	98.13		125096.148		41.299		-0.219	
TPSWCCS-18_AT_404658	6/2/2015 16:00	FALSE	97.658		124614.805		41.211		-0.221	
TPSWCCS-18_AT_404658	6/2/2015 17:00	FALSE	97.577		124634.922		41.114		-0.221	
TPSWCCS-18_AT_404658	6/2/2015 18:00	FALSE	99.516		126021.43		40.892		-0.214	
TPSWCCS-18_AT_404658	6/2/2015 19:00	FALSE	99.351		125960.219		40.714		-0.22	
TPSWCCS-18_AT_404658	6/2/2015 20:00	FALSE	99.433		126451		40.477		-0.215	
TPSWCCS-18_AT_404658	6/2/2015 21:00	FALSE	99.12		126136.273		40.309		-0.199	
TPSWCCS-18_AT_404658	6/2/2015 22:00	FALSE	99.415		126446.469		40.02		-0.2	
TPSWCCS-18_AT_404658	6/2/2015 23:00	FALSE	99.77		126816.445		39.76		-0.142	
TPSWCCS-18_AT_404658	6/3/2015 0:00	FALSE	98.186		125201.203		39.696		-0.172	
TPSWCCS-18_AT_404658	6/3/2015 1:00	FALSE	96.184		124139.258		39.824		-0.201	
TPSWCCS-18_AT_404658	6/3/2015 2:00	FALSE	95.324		122249.5		39.872		-0.195	
TPSWCCS-18_AT_404658	6/3/2015 3:00	FALSE	95.333		122269.648		39.511		-0.204	
TPSWCCS-18_AT_404658	6/3/2015 4:00	FALSE	96.146		123105.964		39.632		-0.22	
TPSWCCS-18_AT_404658	6/3/2015 5:00	FALSE	97.495		124495.539		39.596		-0.225	
TPSWCCS-18_AT_404658	6/3/2015 6:00	FALSE	97.458		124460.781		39.506		-0.229	
TPSWCCS-18_AT_404658	6/3/2015 7:00	FALSE	98.571		125602.138		39.481		-0.238	
TPSWCCS-18_AT_404658	6/3/2015 8:00	FALSE	98.53		125558.875		39.51		-0.242	
TPSWCCS-18_AT_404658	6/3/2015 9:00	FALSE	98.357		125179.891		39.587		-0.249	
TPSWCCS-18_AT_404658	6/3/2015 10:00	FALSE	97.587		124585.289		39.722		-0.227	
TPSWCCS-18_AT_404658	6/3/2015 11:00	FALSE	98.05		125013.148		39.441		-0.191	
TPSWCCS-18_AT_404658	6/3/2015 12:00	FALSE	53.609 ?		79648.758 ?		39.539		-0.121 ?	
TPSWCCS-18_AT_404658	6/3/2015 13:00	FALSE	53.584 ?		75571.91 ?		39.198		-0.11 ?	
TPSWCCS-18_AT_404658	6/3/2015 14:00	FALSE	98.462		125483.195		39.699		-0.203	
TPSWCCS-18_AT_404658	6/3/2015 15:00	FALSE	98.297		125309.531		39.843		-0.192	
TPSWCCS-18_AT_404658	6/3/2015 16:00	FALSE	97.617		124608.983		40.048		-0.193	
TPSWCCS-18_AT_404658	6/3/2015 17:00	FALSE	96.372		123322.07		40.191		-0.193	
TPSWCCS-18_AT_404658	6/3/2015 18:00	FALSE	95.661		122591.938		40.074		-0.201	
TPSWCCS-18_AT_404658	6/3/2015 19:00	FALSE	95.912		122954.07		39.961		-0.198	
TPSWCCS-18_AT_404658	6/3/2015 20:00	FALSE	96.752		123722.453		39.891		-0.187	
TPSWCCS-18_AT_404658	6/3/2015 21:00	FALSE	97.117		124094.992		39.98		-0.203	
TPSWCCS-18_AT_404658	6/3/2015 22:00	FALSE	97.467		124451.383		40.067		-0.207	
TPSWCCS-18_AT_404658	6/3/2015 23:00	FALSE	97.236		124213.93		40.097		-0.199	
TPSWCCS-18_AT_404658	6/4/2015 0:00	FALSE	52.577 ?		74348.758 ?		39.867		-0.113 ?	
TPSWCCS-18_AT_404658	6/4/2015 1:00	FALSE	96.494		123461.172		39.713		-0.201	
TPSWCCS-18_AT_404658	6/4/2015 2:00	FALSE	96.806		123785.445		39.651		-0.199	
TPSWCCS-18_AT_404658	6/4/2015 3:00	FALSE	96.628		123604.883		39.555		-0.193	
TPSWCCS-18_AT_404658	6/4/2015 4:00	FALSE	95.883		123186.84		39.163		-0.191	
TPSWCCS-18_AT_404658	6/4/2015 5:00	FALSE	52.349		74072.484		39.736		-0.144	
TPSWCCS-18_AT_404658	6/4/2015 6:00	FALSE	95.612		122548.711		39.816		-0.209	
TPSWCCS-18_AT_404658	6/4/2015 7:00	FALSE	97.281		123621.961		39.993		-0.213	
TPSWCCS-18_AT_404658	6/4/2015 8:00	FALSE	95.972		122907.5		40.246		-0.214	
TPSWCCS-18_AT_404658	6/4/2015 9:00	FALSE	94.622		121508.844		40.357		-0.215	
TPSWCCS-18_AT_404658	6/4/2015 10:00	FALSE	94.636		120470.781		40.884		-0.221	
TPSWCCS-18_AT_404658	6/4/2015 11:00	FALSE	94.056		120901.078		41.124		-0.219	
TPSWCCS-18_AT_404658	6/4/2015 12:00	FALSE	94.933		121251.984		41.084		-0.211	
TPSWCCS-18_AT_404658	6/4/2015 13:00	FALSE	94.365		121125.613		40.945		-0.199	
TPSWCCS-18_AT_404658	6/4/2015 14:00	FALSE	94.424		121283.391		41.097		-0.198	
TPSWCCS-18_AT_404658	6/4/2015 15:00	FALSE	54.242		76361.453		41.359		-0.163	
TPSWCCS-18_AT_404658	6/4/2015 16:00	FALSE	92.65		119248.07		41.593		-0.107	
TPSWCCS-18_AT_404658	6/4/2015 17:00	FALSE	90.03		116690.453		41.251		-0.194	
TPSWCCS-18_AT_404658	6/4/2015 18:00	FALSE	93.02		119810.094		41.664		-0.193	
TPSWCCS-18_AT_404658	6/4/2015 19:00	FALSE	97.541		124485.71		41.556		-0.184	
TPSWCCS-18_AT_404658	6/4/2015 20:00	FALSE	96.714		123636.023		41.572		-0.203	
TPSWCCS-18_AT_404658	6/4/2015 21:00	FALSE	97.008		123937.719		41.617		-0.196	
TPSWCCS-18_AT_404658	6/4/2015 22:00	FALSE	96.578		123494.813		41.622		-0.204	
TPSWCCS-18_AT_404658	6/4/2015 23:00	FALSE	95.167		122040.484		41.61		-0.207	
TPSWCCS-18_AT_404658	6/5/2015 0:00	FALSE	97.322		124263.188		41.493		-0.206	
TPSWCCS-18_AT_404658	6/5/2015 1:00	FALSE	97.404		124349.805		41.388		-0.202	
TPSWCCS-18_AT_404658	6/5/2015 2:00	FALSE	97.671		124623.406		41.401		-0.206	
TPSWCCS-18_AT_404658	6/5/2015 3:00	FALSE	98.219		125184.648		41.384		-0.202	
TPSWCCS-18_AT_404658	6/5/2015 4:00	FALSE	97.418		124365.148		41.354		-0.199	
TPSWCCS-18_AT_404658	6/5/2015 5:00	FALSE	97.001		123935.883		41.39		-0.182	
TPSWCCS-18_AT_404658	6/5/2015 6:00	FALSE	95.738		122629.867		41.601		-0.211	
TPSWCCS-18_AT_404658	6/5/2015 7:00	FALSE	95.852		122745.983		41.67		-0.211	
TPSWCCS-18_AT_404658	6/5/2015 8:00	FALSE	97.05		123795.758		41.77		-0.212	
TPSWCCS-18_AT_404658	6/5/2015 9:00	FALSE	95.549		122427.086		41.935		-0.214	
TPSWCCS-18_AT_404658	6/5/2015 10:00	FALSE	95.058		121951.539		42.098		-0.23	
TPSWCCS-18_AT_404658	6/5/2015 11:00	FALSE	94.393		121224.406		42.24		-0.23	
TPSWCCS-18_AT_404658	6/5/2015 12:00	FALSE	94.984		120280.523		42.239		-0.228	
TPSWCCS-18_AT_404658	6/5									


Temperature (C)



Salinity (PSU)



SpecificConductance (μS/cm)



WaterLevel (ft)

