



SensorName	DateSampleTaken	IsDataValid	Salinity (PSU)	SalinityTelemetryQualifiers	SpecificConductance (µS/cm)	SpecificConductanceTelemetryQualifiers	Temperature (C)	TemperatureTelemetryQualifiers	WaterLevel (ft)	WaterLevelTelemetryQualifiers
TPSWCCS-1B_AT_404658	6/15/2015 0:00	FALSE	92.993		119824.961		39.984		-0.206	
TPSWCCS-1B_AT_404658	6/15/2015 1:00	FALSE	92.765		119591.969		39.821		-0.179	
TPSWCCS-1B_AT_404658	6/15/2015 2:00	FALSE	92.874		119707.086		39.777		-0.218	
TPSWCCS-1B_AT_404658	6/15/2015 3:00	FALSE	93.213		120062.563		39.708		-0.197	
TPSWCCS-1B_AT_404658	6/15/2015 4:00	FALSE	93.067		119908.734		39.758		-0.214	
TPSWCCS-1B_AT_404658	6/15/2015 5:00	FALSE	93.132		119978.469		39.68		-0.205	
TPSWCCS-1B_AT_404658	6/15/2015 6:00	FALSE	93.097		119942.586		39.68		-0.208	
TPSWCCS-1B_AT_404658	6/15/2015 7:00	FALSE	93.275		120129.313		39.635		-0.205	
TPSWCCS-1B_AT_404658	6/15/2015 8:00	FALSE	93.217		120065.375		39.753		-0.196	
TPSWCCS-1B_AT_404658	6/15/2015 9:00	FALSE	92.856		119681.719		39.994		-0.198	
TPSWCCS-1B_AT_404658	6/15/2015 10:00	FALSE	93.484		120330.031		40.208		-0.194	
TPSWCCS-1B_AT_404658	6/15/2015 11:00	FALSE	93.071		119805.172		40.763		-0.19	
TPSWCCS-1B_AT_404658	6/15/2015 12:00	FALSE	93.847		120686.563		41.014		-0.192	
TPSWCCS-1B_AT_404658	6/15/2015 13:00	FALSE	93.616		120444.266		41.083		-0.191	
TPSWCCS-1B_AT_404658	6/15/2015 14:00	FALSE	93.239		120052.32		41.077		-0.192	
TPSWCCS-1B_AT_404658	6/15/2015 15:00	FALSE	93.507		120326.883		41.245		-0.195	
TPSWCCS-1B_AT_404658	6/15/2015 16:00	FALSE	93.54		120357.031		41.425		-0.209	
TPSWCCS-1B_AT_404658	6/15/2015 17:00	FALSE	93.074		119867.688		41.606		-0.214	
TPSWCCS-1B_AT_404658	6/15/2015 18:00	FALSE	93.212		120011.195		41.624		-0.218	
TPSWCCS-1B_AT_404658	6/15/2015 19:00	FALSE	93.351		120156.922		41.565		-0.216	
TPSWCCS-1B_AT_404658	6/15/2015 20:00	FALSE	93.562		120380.039		41.439		-0.225	
TPSWCCS-1B_AT_404658	6/15/2015 21:00	FALSE	93.242		120055.633		41.068		-0.224	
TPSWCCS-1B_AT_404658	6/15/2015 22:00	FALSE	93.23		120048.852		40.867		-0.219	
TPSWCCS-1B_AT_404658	6/15/2015 23:00	FALSE	93.164		119982.867		40.735		-0.231	
TPSWCCS-1B_AT_404658	6/16/2015 0:00	FALSE	93.155		119977.813		40.584		-0.227	
TPSWCCS-1B_AT_404658	6/16/2015 1:00	FALSE	92.962		119780.078		40.432		-0.222	
TPSWCCS-1B_AT_404658	6/16/2015 2:00	FALSE	92.94		119761.406		40.281		-0.227	
TPSWCCS-1B_AT_404658	6/16/2015 3:00	FALSE	92.861		119472.477		40.216		-0.221	
TPSWCCS-1B_AT_404658	6/16/2015 4:00	FALSE	92.584		119695.352		40.16		-0.218	
TPSWCCS-1B_AT_404658	6/16/2015 5:00	FALSE	92.28		119074.148		40.223		-0.227	
TPSWCCS-1B_AT_404658	6/16/2015 6:00	FALSE	92.352		119149.445		40.203		-0.22	
TPSWCCS-1B_AT_404658	6/16/2015 7:00	FALSE	93.121		119949.836		40.301		-0.219	
TPSWCCS-1B_AT_404658	6/16/2015 8:00	FALSE	92.812		119622.375		40.499		-0.231	
TPSWCCS-1B_AT_404658	6/16/2015 9:00	FALSE	92.138		118912.75		40.71		-0.225	
TPSWCCS-1B_AT_404658	6/16/2015 10:00	FALSE	93.151		119691.961		41.014		-0.229	
TPSWCCS-1B_AT_404658	6/16/2015 11:00	FALSE	92.895		119690.508		41.231		-0.237	
TPSWCCS-1B_AT_404658	6/16/2015 12:00	FALSE	92.873		119357.938		41.549		-0.236	
TPSWCCS-1B_AT_404658	6/16/2015 13:00	FALSE	92.416		119181.648		41.599		-0.229	
TPSWCCS-1B_AT_404658	6/16/2015 14:00	FALSE	92.978		119757.742		42.058		-0.232	
TPSWCCS-1B_AT_404658	6/16/2015 15:00	FALSE	92.651		119410.75		42.333		-0.226	
TPSWCCS-1B_AT_404658	6/16/2015 16:00	FALSE	93.506		120301.508		42.337		-0.228	
TPSWCCS-1B_AT_404658	6/16/2015 17:00	FALSE	92.92		119686.18		42.585		-0.23	
TPSWCCS-1B_AT_404658	6/16/2015 18:00	FALSE	93.234		120012.688		42.598		-0.228	
TPSWCCS-1B_AT_404658	6/16/2015 19:00	FALSE	92.776		119534.469		42.663		-0.224	
TPSWCCS-1B_AT_404658	6/16/2015 20:00	FALSE	93.217		119992.414		42.745		-0.219	
TPSWCCS-1B_AT_404658	6/16/2015 21:00	FALSE	93.416		120202.039		42.628		-0.225	
TPSWCCS-1B_AT_404658	6/16/2015 22:00	FALSE	93.401		120192.383		42.316		-0.225	
TPSWCCS-1B_AT_404658	6/16/2015 23:00	FALSE	93.544		120346.313		42.099		-0.231	
TPSWCCS-1B_AT_404658	6/17/2015 0:00	FALSE	92.977		119763.18		41.772		-0.229	
TPSWCCS-1B_AT_404658	6/17/2015 1:00	FALSE	93.265		120066.039		41.654		-0.228	
TPSWCCS-1B_AT_404658	6/17/2015 2:00	FALSE	92.951		119738.031		41.682		-0.224	
TPSWCCS-1B_AT_404658	6/17/2015 3:00	FALSE	93.325		120126.984		41.707		-0.222	
TPSWCCS-1B_AT_404658	6/17/2015 4:00	FALSE	93.216		120013.195		41.742		-0.219	
TPSWCCS-1B_AT_404658	6/17/2015 5:00	FALSE	93.248		120048.852		41.627		-0.225	
TPSWCCS-1B_AT_404658	6/17/2015 6:00	FALSE	93.414		120219.688		41.699		-0.219	
TPSWCCS-1B_AT_404658	6/17/2015 7:00	FALSE	93.084		119874.25		41.789		-0.221	
TPSWCCS-1B_AT_404658	6/17/2015 8:00	FALSE	93.283		120077.211		41.971		-0.224	
TPSWCCS-1B_AT_404658	6/17/2015 9:00	FALSE	93.193		119978.797		42.18		-0.226	
TPSWCCS-1B_AT_404658	6/17/2015 10:00	FALSE	93.596		120392.43		42.441		-0.235	
TPSWCCS-1B_AT_404658	6/17/2015 11:00	FALSE	93.394		120178.711		42.637		-0.232	
TPSWCCS-1B_AT_404658	6/17/2015 12:00	FALSE	92.631		119380.508		42.817		-0.223	
TPSWCCS-1B_AT_404658	6/17/2015 13:00	FALSE	93.5		120278.258		43.155		-0.237	
TPSWCCS-1B_AT_404658	6/17/2015 14:00	FALSE	93.699		120479.594		43.476		-0.238	
TPSWCCS-1B_AT_404658	6/17/2015 15:00	FALSE	94.301		121100.695		43.636		-0.227	
TPSWCCS-1B_AT_404658	6/17/2015 16:00	FALSE	95.264		122095.367		43.727		-0.223	
TPSWCCS-1B_AT_404658	6/17/2015 17:00	FALSE	6.621		11510.48		43.799		0.166	
TPSWCCS-1B_AT_404658	6/17/2015 18:00	FALSE	0		0		30.833		0.381	
TPSWCCS-1B_AT_404658	6/17/2015 19:00	FALSE	0		0		27.146		0.457	
TPSWCCS-1B_AT_404658	6/17/2015 20:00	FALSE	5.829		10231.626		43.848		0.346	
TPSWCCS-1B_AT_404658	6/17/2015 21:00	FALSE	96.012		122864.018		43.867		-0.218	
TPSWCCS-1B_AT_404658	6/17/2015 22:00	FALSE	94.856		121676.961		43.523		-0.218	
TPSWCCS-1B_AT_404658	6/17/2015 23:00	FALSE	94.832		121658.773		43.182		-0.221	
TPSWCCS-1B_AT_404658	6/18/2015 0:00	FALSE	94.446		121265.188		42.918		-0.229	
TPSWCCS-1B_AT_404658	6/18/2015 1:00	FALSE	93.725		120520.773		42.746		-0.233	
TPSWCCS-1B_AT_404658	6/18/2015 2:00	FALSE	93.684		120482.242		42.528		-0.228	
TPSWCCS-1B_AT_404658	6/18/2015 3:00	FALSE	93.445		120234.453		42.511		-0.226	
TPSWCCS-1B_AT_404658	6/18/2015 4:00	FALSE	93.445		120234.055		42.505		-0.236	
TPSWCCS-1B_AT_404658	6/18/2015 5:00	FALSE	93.65		120451.188		42.331		-0.224	
TPSWCCS-1B_AT_404658	6/18/2015 6:00	FALSE	93.403		120198.055		42.166		-0.211	
TPSWCCS-1B_AT_404658	6/18/2015 7:00	FALSE	94.473		121306.648		42.241		-0.208	
TPSWCCS-1B_AT_404658	6/18/2015 8:00	FALSE	8.698		14794.813		42.467		0.013	
TPSWCCS-1B_AT_404658	6/18/2015 9:00	FALSE	7.703		13230.242		42.724		-0.12	
TPSWCCS-1B_AT_404658	6/18/2015 10:00	FALSE	102.813		129806.508		42.971		-0.216	
TPSWCCS-1B_AT_404658	6/18/2015 11:00	FALSE	94.175		120977.828		43.215		-0.218	
TPSWCCS-1B_AT_404658	6/18/2015 12:00	FALSE	92.517		119249.586		43.438		-0.221	
TPSWCCS-1B_AT_404658	6/18/2015 13:00	FALSE	93.181		119935.172		43.779		-0.222	
TPSWCCS-1B_AT_404658	6/18/2015 14:00	FALSE	93.696		120465.5		44.074		-0.217	
TPSWCCS-1B_AT_404658	6/18/2015 15:00	FALSE	93.532		120292.906		44.218		-0.222	
TPSWCCS-1B_AT_404658	6/18/2015 16:00	FALSE	93.509		120267.203		44.331		-0.215	
TPSWCCS-1B_AT_404658	6/18/2015 17:00	FALSE	93.589		120349.344		44.356		-0.218	
TPSWCCS-1B_AT_404658	6/18/2015 18:00	FALSE	93.703		120467.617		44.351		-0.21	
TPSWCCS-1B_AT_404658	6/18/2015 19:00	FALSE	93.628		120388.914		44.404		-0.222	
TPSWCCS-1B_AT_404658	6/18/2015 20:00	FALSE	94.012		120789.922		44.256		-0.223	
TPSWCCS-1B_AT_404658	6/18/2015 21:00	FALSE	94.226		121014.633		44.133		-0.216	
TPSWCCS-1B_AT_404658	6/18/2015 22:00	FALSE	94.187		120976.344		43.971		-0.226	
TPSWCCS-1B_AT_404658	6/18/2015 23:00	FALSE	94.218		121012.781		43.748		-0.235	
TPSWCCS-1B_AT_404658	6/19/2015 0:00	FALSE	94.758		121576.836		43.47		-0.233	
TPSWCCS-1B_AT_404658	6/19/2015 1:00	FALSE	94.789		121617.742		43.031		-0.216	
TPSWCCS-1B_AT_404658	6/19/2015 2:00	FALSE	94.487		121309.32		42.818		-0.224	
TPSWCCS-1B_AT_404658	6/19/2015 3:00	FALSE	94.719		121549.008		42.826		-0.221	
TPSWCCS-1B_AT_404658	6/19/2015 4:00	FALSE	41.865		61017.258		42.773		-0.09	
TPSWCCS-1B_AT_404658	6/19/2015 5:00	FALSE	0		0		27.815		0.45	
TPSWCCS-1B_AT_404658	6/19/2015 6:00	FALSE	6.122		10704.312		42.964		0.361	
TPSWCCS-1B_AT_404658	6/19/2015 7:00	FALSE	6.176		10789.482		43.298		0.33	
TPSWCCS-1B_AT_404658	6/19/2015 8:00	FALSE	101.21		128184.68		43.147		-0.234	
TPSWCCS-1B_AT_404658	6/19/2015 9:00	FALSE	40.061		58714.008		43.387		-0.095	
TPSWCCS-1B_AT_404658	6/19/2015 10:00	FALSE	39.454		57934.125		43.591		-0.071	
TPSWCCS-1B_AT_404658	6/19/2015 11:00	FALSE	0		0		38.687		0.4	
TPSWCCS-1B_AT_404658	6/19/2015 12:00	FALSE	93.864		120636.234		44.			

TPSWCCS-1B_AT_404658	6/20/2015 8:00	FALSE	94.823	121641.172	43.614	-0.235
TPSWCCS-1B_AT_404658	6/20/2015 9:00	FALSE	94.121	120914.031	43.64	-0.222
TPSWCCS-1B_AT_404658	6/20/2015 10:00	FALSE	94.523	121327.047	43.854	-0.227
TPSWCCS-1B_AT_404658	6/20/2015 11:00	FALSE	94.348	121141.211	44.095	-0.232
TPSWCCS-1B_AT_404658	6/20/2015 12:00	FALSE	94.432	121224.883	44.285	-0.232
TPSWCCS-1B_AT_404658	6/20/2015 13:00	FALSE	94.821	121622.023	44.622	-0.231
TPSWCCS-1B_AT_404658	6/20/2015 14:00	FALSE	94.632	121425.977	44.622	-0.227
TPSWCCS-1B_AT_404658	6/20/2015 15:00	FALSE	94.64	121433.57	44.693	-0.227
TPSWCCS-1B_AT_404658	6/20/2015 16:00	FALSE	94.489	121279.07	44.58	-0.222
TPSWCCS-1B_AT_404658	6/20/2015 17:00	FALSE	94.55	121342.586	44.58	-0.223
TPSWCCS-1B_AT_404658	6/20/2015 18:00	FALSE	94.32	121102.234	44.687	-0.224
TPSWCCS-1B_AT_404658	6/20/2015 19:00	FALSE	94.514	121303.211	44.665	-0.219
TPSWCCS-1B_AT_404658	6/20/2015 20:00	FALSE	94.38	121165.586	44.592	-0.231
TPSWCCS-1B_AT_404658	6/20/2015 21:00	FALSE	94.423	121215	44.333	-0.224
TPSWCCS-1B_AT_404658	6/20/2015 22:00	FALSE	94.576	121379.125	43.999	-0.219
TPSWCCS-1B_AT_404658	6/20/2015 23:00	FALSE	95.304	122135.805	43.755	-0.22
TPSWCCS-1B_AT_404658	6/21/2015 0:00	FALSE	94.918	121742.141	43.473	-0.207
TPSWCCS-1B_AT_404658	6/21/2015 1:00	FALSE	94.769	121593.352	43.23	-0.216
TPSWCCS-1B_AT_404658	6/21/2015 2:00	FALSE	97.946	124863.82	43.128	-0.211
TPSWCCS-1B_AT_404658	6/21/2015 3:00	FALSE	0	0	26.942	0.437
TPSWCCS-1B_AT_404658	6/21/2015 4:00	FALSE	6.103	10670.938	42.835	0.35
TPSWCCS-1B_AT_404658	6/21/2015 5:00	FALSE	45.277	65329.191	42.817	-0.135
TPSWCCS-1B_AT_404658	6/21/2015 6:00	FALSE	95.619	122479.398	42.822	-0.228
TPSWCCS-1B_AT_404658	6/21/2015 7:00	FALSE	94	120803.422	42.879	-0.228
TPSWCCS-1B_AT_404658	6/21/2015 8:00	FALSE	94.7	121524.117	43.09	-0.242
TPSWCCS-1B_AT_404658	6/21/2015 9:00	FALSE	94.975	121804.742	43.281	-0.237
TPSWCCS-1B_AT_404658	6/21/2015 10:00	FALSE	95.293	122130.234	43.435	-0.241
TPSWCCS-1B_AT_404658	6/21/2015 11:00	FALSE	95.218	122049.656	43.61	-0.243
TPSWCCS-1B_AT_404658	6/21/2015 12:00	FALSE	95.291	122121.5	43.794	-0.24
TPSWCCS-1B_AT_404658	6/21/2015 13:00	FALSE	95.116	121935.578	44.105	-0.247
TPSWCCS-1B_AT_404658	6/21/2015 14:00	FALSE	95.393	122218.188	44.309	-0.245
TPSWCCS-1B_AT_404658	6/21/2015 15:00	FALSE	95.391	122211.961	44.503	-0.245
TPSWCCS-1B_AT_404658	6/21/2015 16:00	FALSE	94.572	121364.117	44.598	-0.248
TPSWCCS-1B_AT_404658	6/21/2015 17:00	FALSE	97.783	124669.625	44.515	-0.254
TPSWCCS-1B_AT_404658	6/21/2015 18:00	FALSE	0	0	29.277	0.366
TPSWCCS-1B_AT_404658	6/21/2015 19:00	FALSE	0	0	32.44	0.433
TPSWCCS-1B_AT_404658	6/21/2015 20:00	FALSE	0	0	34.462	0.409
TPSWCCS-1B_AT_404658	6/21/2015 21:00	FALSE	0	0	43.964	0.392
TPSWCCS-1B_AT_404658	6/21/2015 22:00	FALSE	0	0	41.732	0.389
TPSWCCS-1B_AT_404658	6/21/2015 23:00	FALSE	0	0	37.793	0.379


Temperature (C)




Salinity (PSU)



SpecificConductance ($\mu\text{S}/\text{cm}$)



WaterLevel (ft)



6/14/2015 0:00 6/15/2015 0:00 6/16/2015 0:00 6/17/2015 0:00 6/18/2015 0:00 6/19/2015 0:00 6/20/2015 0:00 6/21/2015 0:00 6/22/2015 0:00 6/23/2015 0:00