



SensorName	DateSampleTaken	IsDataValid	Salinity (PSU)	SalinityTelemetryQualifiers	SpecificConductance (µS/cm)	SpecificConductanceTelemetryQualifiers	Temperature (C)	TemperatureTelemetryQualifiers	WaterLevel (ft)	WaterLevelTelemetryQualifiers
TPSWCCS-1B_AT_404658	6/22/2015 0:00	FALSE	0		0		34.678		0.399	
TPSWCCS-1B_AT_404658	6/22/2015 1:00	FALSE	0		0		31.161		0.376	
TPSWCCS-1B_AT_404658	6/22/2015 2:00	FALSE	97.779		124694.75		43.066		-0.238	
TPSWCCS-1B_AT_404658	6/22/2015 3:00	FALSE	95.975		122276.533		42.913		-0.224	
TPSWCCS-1B_AT_404658	6/22/2015 4:00	FALSE	95.766		122631.789		42.797		-0.226	
TPSWCCS-1B_AT_404658	6/22/2015 5:00	FALSE	94.971		121810.68		42.805		-0.219	
TPSWCCS-1B_AT_404658	6/22/2015 6:00	FALSE	94.698		121525.523		42.915		-0.231	
TPSWCCS-1B_AT_404658	6/22/2015 7:00	FALSE	95.031		121867.766		43.025		-0.229	
TPSWCCS-1B_AT_404658	6/22/2015 8:00	FALSE	94.822		121647.938		43.221		-0.24	
TPSWCCS-1B_AT_404658	6/22/2015 9:00	FALSE	95.643		122491.469		43.431		-0.248	
TPSWCCS-1B_AT_404658	6/22/2015 10:00	FALSE	95.567		122409.742		43.607		-0.244	
TPSWCCS-1B_AT_404658	6/22/2015 11:00	FALSE	95.474		122311.352		43.768		-0.252	
TPSWCCS-1B_AT_404658	6/22/2015 12:00	FALSE	95.722		122562.398		44.042		-0.249	
TPSWCCS-1B_AT_404658	6/22/2015 13:00	FALSE	95.715		122548.43		44.373		-0.242	
TPSWCCS-1B_AT_404658	6/22/2015 14:00	FALSE	95.414		122233.805		44.636		-0.237	
TPSWCCS-1B_AT_404658	6/22/2015 15:00	FALSE	95.776		122606.633		44.681		-0.246	
TPSWCCS-1B_AT_404658	6/22/2015 16:00	FALSE	95.757		122586.281		44.69		-0.238	
TPSWCCS-1B_AT_404658	6/22/2015 17:00	FALSE	95.309		122124.891		44.692		-0.241	
TPSWCCS-1B_AT_404658	6/22/2015 18:00	FALSE	95.5		122322.078		44.654		-0.24	
TPSWCCS-1B_AT_404658	6/22/2015 19:00	FALSE	95.602		122430.344		44.461		-0.234	
TPSWCCS-1B_AT_404658	6/22/2015 20:00	FALSE	95.57		122399.867		44.331		-0.239	
TPSWCCS-1B_AT_404658	6/22/2015 21:00	FALSE	95.107		12195.359		44.088		-0.233	
TPSWCCS-1B_AT_404658	6/22/2015 22:00	FALSE	96.27		123131.758		43.769		-0.232	
TPSWCCS-1B_AT_404658	6/22/2015 23:00	FALSE	0		0		27.758		0.365	
TPSWCCS-1B_AT_404658	6/23/2015 0:00	FALSE	97.15		124041.852		43.455		-0.228	
TPSWCCS-1B_AT_404658	6/23/2015 1:00	FALSE	96.302		123177.344		43.129		-0.229	
TPSWCCS-1B_AT_404658	6/23/2015 2:00	FALSE	95.029		121870.219		42.833		-0.215	
TPSWCCS-1B_AT_404658	6/23/2015 3:00	FALSE	95.421		122276.266		42.789		-0.219	
TPSWCCS-1B_AT_404658	6/23/2015 4:00	FALSE	95.716		122586.266		42.526		-0.209	
TPSWCCS-1B_AT_404658	6/23/2015 5:00	FALSE	95.807		122679.258		42.56		-0.224	
TPSWCCS-1B_AT_404658	6/23/2015 6:00	FALSE	95.666		122535.695		42.451		-0.221	
TPSWCCS-1B_AT_404658	6/23/2015 7:00	FALSE	95.975		122852.789		42.521		-0.309	
TPSWCCS-1B_AT_404658	6/23/2015 8:00	FALSE	96.178		123061.031		42.585		-0.214	
TPSWCCS-1B_AT_404658	6/23/2015 9:00	FALSE	96.171		123048.281		42.823		-0.197	
TPSWCCS-1B_AT_404658	6/23/2015 10:00	FALSE	95.869		122734.219		42.983		-0.205	
TPSWCCS-1B_AT_404658	6/23/2015 11:00	FALSE	95.504		122351.195		43.278		-0.208	
TPSWCCS-1B_AT_404658	6/23/2015 12:00	FALSE	94.815		121632.586		43.667		-0.206	
TPSWCCS-1B_AT_404658	6/23/2015 13:00	FALSE	95.995		122845.063		43.945		-0.197	
TPSWCCS-1B_AT_404658	6/23/2015 14:00	FALSE	96.138		122988.109		44.164		-0.208	
TPSWCCS-1B_AT_404658	6/23/2015 15:00	FALSE	96.161		123008.945		44.335		-0.211	
TPSWCCS-1B_AT_404658	6/23/2015 16:00	FALSE	98.75		125664.711		44.432		-0.216	
TPSWCCS-1B_AT_404658	6/23/2015 17:00	FALSE	0		0		25.237		0.405	
TPSWCCS-1B_AT_404658	6/23/2015 18:00	FALSE	5.592		9847.645		44.482		0.379	
TPSWCCS-1B_AT_404658	6/23/2015 19:00	FALSE	95.461		122282.914		44.612		-0.225	
TPSWCCS-1B_AT_404658	6/23/2015 20:00	FALSE	95.117		121927.961		44.596		-0.226	
TPSWCCS-1B_AT_404658	6/23/2015 21:00	FALSE	95.499		122326.781		44.333		-0.233	
TPSWCCS-1B_AT_404658	6/23/2015 22:00	FALSE	95.32		122148.523		43.966		-0.24	
TPSWCCS-1B_AT_404658	6/23/2015 23:00	FALSE	98.316		125232.789		43.608		-0.236	
TPSWCCS-1B_AT_404658	6/24/2015 0:00	FALSE	98.894		125931.867		43.267		-0.232	
TPSWCCS-1B_AT_404658	6/24/2015 1:00	FALSE	92.5627		123536.237		42.921		-0.229	
TPSWCCS-1B_AT_404658	6/24/2015 2:00	FALSE	97.796		124719.547		42.731		-0.223	
TPSWCCS-1B_AT_404658	6/24/2015 3:00	FALSE	98.386		125328.086		42.518		-0.203	
TPSWCCS-1B_AT_404658	6/24/2015 4:00	FALSE	96.527		123423.789		42.41		-0.215	
TPSWCCS-1B_AT_404658	6/24/2015 5:00	FALSE	93.306		120091.781		42.4		-0.22	
TPSWCCS-1B_AT_404658	6/24/2015 6:00	FALSE	91.891		118615.719		42.405		-0.222	
TPSWCCS-1B_AT_404658	6/24/2015 7:00	FALSE	97.09		124000.086		42.511		-0.229	
TPSWCCS-1B_AT_404658	6/24/2015 8:00	FALSE	6.608		11484.327		42.622		0.227	
TPSWCCS-1B_AT_404658	6/24/2015 9:00	FALSE	6.261		10925.484		42.818		0.314	
TPSWCCS-1B_AT_404658	6/24/2015 10:00	FALSE	36.919		5469.16		43.05		-0.071	
TPSWCCS-1B_AT_404658	6/24/2015 11:00	FALSE	98.993		125929.75		43.285		-0.252	
TPSWCCS-1B_AT_404658	6/24/2015 12:00	FALSE	99.233		126170.469		43.497		-0.258	
TPSWCCS-1B_AT_404658	6/24/2015 13:00	FALSE	96.439		123304.586		43.806		-0.259	
TPSWCCS-1B_AT_404658	6/24/2015 14:00	FALSE	0		0		28.712		0.326	
TPSWCCS-1B_AT_404658	6/24/2015 15:00	FALSE	0		0		26.231		0.399	
TPSWCCS-1B_AT_404658	6/24/2015 16:00	FALSE	5.388		9512.968		44.365		0.354	
TPSWCCS-1B_AT_404658	6/24/2015 17:00	FALSE	101.408		128357.797		44.416		-0.252	
TPSWCCS-1B_AT_404658	6/24/2015 18:00	FALSE	98.149		125047.938		44.307		-0.247	
TPSWCCS-1B_AT_404658	6/24/2015 19:00	FALSE	97.971		124867.414		44.224		-0.235	
TPSWCCS-1B_AT_404658	6/24/2015 20:00	FALSE	97.423		124307.938		44.183		-0.247	
TPSWCCS-1B_AT_404658	6/24/2015 21:00	FALSE	97.981		124883.602		43.935		-0.248	
TPSWCCS-1B_AT_404658	6/24/2015 22:00	FALSE	97.703		124603.789		43.682		-0.25	
TPSWCCS-1B_AT_404658	6/24/2015 23:00	FALSE	98.386		125307.203		43.458		-0.253	
TPSWCCS-1B_AT_404658	6/25/2015 0:00	FALSE	98.011		124928.422		43.218		-0.256	
TPSWCCS-1B_AT_404658	6/25/2015 1:00	FALSE	97.739		124658.063		42.875		-0.238	
TPSWCCS-1B_AT_404658	6/25/2015 2:00	FALSE	97.241		124150.242		42.741		-0.242	
TPSWCCS-1B_AT_404658	6/25/2015 3:00	FALSE	98.665		125497.195		42.698		-0.237	
TPSWCCS-1B_AT_404658	6/25/2015 4:00	FALSE	97.175		124080.656		42.742		-0.235	
TPSWCCS-1B_AT_404658	6/25/2015 5:00	FALSE	95.586		122447.375		42.715		-0.234	
TPSWCCS-1B_AT_404658	6/25/2015 6:00	FALSE	92.11		118839.18		42.718		-0.233	
TPSWCCS-1B_AT_404658	6/25/2015 7:00	FALSE	96.353		123234.609		42.87		-0.241	
TPSWCCS-1B_AT_404658	6/25/2015 8:00	FALSE	95.193		122032.75		43.148		-0.23	
TPSWCCS-1B_AT_404658	6/25/2015 9:00	FALSE	95.655		122506.945		43.285		-0.226	
TPSWCCS-1B_AT_404658	6/25/2015 10:00	FALSE	40.265		58975.43		43.298		-0.075	
TPSWCCS-1B_AT_404658	6/25/2015 11:00	FALSE	97.17		124060.25		43.563		-0.212	
TPSWCCS-1B_AT_404658	6/25/2015 12:00	FALSE	97.551		124447.906		43.704		-0.212	
TPSWCCS-1B_AT_404658	6/25/2015 13:00	FALSE	98.695		125614.898		44.033		-0.214	
TPSWCCS-1B_AT_404658	6/25/2015 14:00	FALSE	98.158		125061.258		44.128		-0.219	
TPSWCCS-1B_AT_404658	6/25/2015 15:00	FALSE	97.091		123966.836		44.186		-0.19	
TPSWCCS-1B_AT_404658	6/25/2015 16:00	FALSE	94.698		121497		44.493		-0.187	
TPSWCCS-1B_AT_404658	6/25/2015 17:00	FALSE	94.633		121431.891		44.317		-0.206	
TPSWCCS-1B_AT_404658	6/25/2015 18:00	FALSE	94.334		121119.656		44.498		-0.218	
TPSWCCS-1B_AT_404658	6/25/2015 19:00	FALSE	94.556		121347.57		44.622		-0.223	
TPSWCCS-1B_AT_404658	6/25/2015 20:00	FALSE	94.083		120858.023		44.578		-0.228	
TPSWCCS-1B_AT_404658	6/25/2015 21:00	FALSE	94.694		121494.039		44.39		-0.241	
TPSWCCS-1B_AT_404658	6/25/2015 22:00	FALSE	94.381		121176.555		44.047		-0.244	
TPSWCCS-1B_AT_404658	6/25/2015 23:00	FALSE	94.655		121464.734		43.794		-0.247	
TPSWCCS-1B_AT_404658	6/26/2015 0:00	FALSE	94.165		120963.289		43.472		-0.236	
TPSWCCS-1B_AT_404658	6/26/2015 1:00	FALSE	94.025		120821.836		43.27		-0.232	
TPSWCCS-1B_AT_404658	6/26/2015 2:00	FALSE	94.639		121460.57		43.115		-0.225	
TPSWCCS-1B_AT_404658	6/26/2015 3:00	FALSE	94.013		120814.609		42.995		-0.228	
TPSWCCS-1B_AT_404658	6/26/2015 4:00	FALSE	94.788		121617.805		42.949		-0.234	
TPSWCCS-1B_AT_404658	6/26/2015 5:00	FALSE	94.859		121693.594		42.845		-0.238	
TPSWCCS-1B_AT_404658	6/26/2015 6:00	FALSE	94.073		120880.773		42.777		-0.228	
TPSWCCS-1B_AT_404658	6/26/2015 7:00	FALSE	94.706		121534.383		42.907		-0.234	
TPSWCCS-1B_AT_404658	6/26/2015 8:00	FALSE	94.465		121283.359		42.959		-0.231	
TPSWCCS-1B_AT_404658	6/26/2015 9:00	FALSE	94.899		121726.59		43.279		-0.222	
TPSWCCS-1B_AT_404658	6/26/2015 10:00	FALSE	95.092		121922.695		43.473		-0.223	
TPSWCCS-1B_AT_404658	6/26/2015 11:00	FALSE	94.889		121715.758		43.299		-0.231	
TPSWCCS-1B_AT_404658	6/26/2015 12:00	FALSE	94.351		121154.07		43.563		-0.238	
TPSW										

TPSWCCS-1B_AT_404658	6/27/2015 7:00	FALSE	93.97	120771.32	42.921	-0.182
TPSWCCS-1B_AT_404658	6/27/2015 8:00	FALSE	94.447	121262.297	43.081	-0.188
TPSWCCS-1B_AT_404658	6/27/2015 9:00	FALSE	94.742	121562.156	43.359	-0.167
TPSWCCS-1B_AT_404658	6/27/2015 10:00	FALSE	94.449	121256.063	43.504	-0.174
TPSWCCS-1B_AT_404658	6/27/2015 11:00	FALSE	94.521	121324.492	43.864	-0.172
TPSWCCS-1B_AT_404658	6/27/2015 12:00	FALSE	94.008	120790.133	44.007	-0.196
TPSWCCS-1B_AT_404658	6/27/2015 13:00	FALSE	94.176	120967.516	43.819	-0.148
TPSWCCS-1B_AT_404658	6/27/2015 14:00	FALSE	93.925	120699.922	44.263	-0.136
TPSWCCS-1B_AT_404658	6/27/2015 15:00	FALSE	93.338	120094.406	44.022	-0.158
TPSWCCS-1B_AT_404658	6/27/2015 16:00	FALSE	93.978	120753.648	44.357	-0.199
TPSWCCS-1B_AT_404658	6/27/2015 17:00	FALSE	93.933	120702.445	44.6	-0.213
TPSWCCS-1B_AT_404658	6/27/2015 18:00	FALSE	93.085	119823.313	44.53	-0.222
TPSWCCS-1B_AT_404658	6/27/2015 19:00	FALSE	93.735	120500.531	44.376	-0.225
TPSWCCS-1B_AT_404658	6/27/2015 20:00	FALSE	93.857	120633.336	44.024	-0.224
TPSWCCS-1B_AT_404658	6/27/2015 21:00	FALSE	93.597	120369.688	43.657	-0.201
TPSWCCS-1B_AT_404658	6/27/2015 22:00	FALSE	93.754	120542.695	43.138	-0.179
TPSWCCS-1B_AT_404658	6/27/2015 23:00	FALSE	92.942	119700.055	43.029	-0.184
TPSWCCS-1B_AT_404658	6/28/2015 0:00	FALSE	92.966	119727.438	42.934	-0.211
TPSWCCS-1B_AT_404658	6/28/2015 1:00	FALSE	93.261	120035.422	42.888	-0.217
TPSWCCS-1B_AT_404658	6/28/2015 2:00	FALSE	93.784	120580.281	42.79	-0.214
TPSWCCS-1B_AT_404658	6/28/2015 3:00	FALSE	93.889	120695.023	42.555	-0.195
TPSWCCS-1B_AT_404658	6/28/2015 4:00	FALSE	94.212	121033.516	42.382	-0.189
TPSWCCS-1B_AT_404658	6/28/2015 5:00	FALSE	94.534	121371.156	42.204	-0.183
TPSWCCS-1B_AT_404658	6/28/2015 6:00	FALSE	94.479	121315.594	42.134	-0.177
TPSWCCS-1B_AT_404658	6/28/2015 7:00	FALSE	94.662	121505.164	42.123	-0.166
TPSWCCS-1B_AT_404658	6/28/2015 8:00	FALSE	95.122	121978.156	42.26	-0.181
TPSWCCS-1B_AT_404658	6/28/2015 9:00	FALSE	95.467	122336.422	42.214	-0.17
TPSWCCS-1B_AT_404658	6/28/2015 10:00	FALSE	95.938	122815.633	42.478	-0.169
TPSWCCS-1B_AT_404658	6/28/2015 11:00	FALSE	99.609	126570.734	42.723	-0.167
TPSWCCS-1B_AT_404658	6/28/2015 12:00	FALSE	102.506	129497.336	42.974	-0.142
TPSWCCS-1B_AT_404658	6/28/2015 13:00	FALSE	102.337	129320.047	43.268	-0.136
TPSWCCS-1B_AT_404658	6/28/2015 14:00	FALSE	103.723	130713.414	43.276	-0.138
TPSWCCS-1B_AT_404658	6/28/2015 15:00	FALSE	103.581	130572.219	43.252	-0.129
TPSWCCS-1B_AT_404658	6/28/2015 16:00	FALSE	47.003	67487.211	43.287	-0.065
TPSWCCS-1B_AT_404658	6/28/2015 17:00	FALSE	46.208	66496.367	43.623	-0.12
TPSWCCS-1B_AT_404658	6/28/2015 18:00	FALSE	5.981	10477.802	43.876	0.194
TPSWCCS-1B_AT_404658	6/28/2015 19:00	FALSE	6.253	10918.372	43.842	0.16
TPSWCCS-1B_AT_404658	6/28/2015 20:00	FALSE	6.492	11302.805	43.616	0.148
TPSWCCS-1B_AT_404658	6/28/2015 21:00	FALSE	6.632	11525.718	43.425	0.149
TPSWCCS-1B_AT_404658	6/28/2015 22:00	FALSE	6.666	11580.101	43.318	0.12
TPSWCCS-1B_AT_404658	6/28/2015 23:00	FALSE	6.574	11432.232	43.119	0.131


Temperature (C)




Salinity (PSU)



SpecificConductance (μS/cm)



WaterLevel (ft)



6/21/2015 0:00 6/22/2015 0:00 6/23/2015 0:00 6/24/2015 0:00 6/25/2015 0:00 6/26/2015 0:00 6/27/2015 0:00 6/28/2015 0:00 6/29/2015 0:00 6/30/2015 0:00