



SensorName	DateSampleTaken	IsDataValid	Salinity (PSU)	SalinityTelemetryQualifiers	SpecificConductance (µS/cm)	SpecificConductanceTelemetryQualifiers	Temperature (C)	TemperatureTelemetryQualifiers	WaterLevel (ft)	WaterLevelTelemetryQualifiers
TPSWCCS-2B_AT_376736	7/20/2015 0:00	FALSE	93.956		120922.93		37.196		-0.535	
TPSWCCS-2B_AT_376736	7/20/2015 1:00	FALSE	94.36		121354.641		36.919		-0.533	
TPSWCCS-2B_AT_376736	7/20/2015 2:00	FALSE	93.879		120865.031		36.666		-0.531	
TPSWCCS-2B_AT_376736	7/20/2015 3:00	FALSE	93.739		120737.617		36.245		-0.533	
TPSWCCS-2B_AT_376736	7/20/2015 4:00	FALSE	93.852		120865.07		36.029		-0.535	
TPSWCCS-2B_AT_376736	7/20/2015 5:00	FALSE	94.195		121235.82		35.74		-0.535	
TPSWCCS-2B_AT_376736	7/20/2015 6:00	FALSE	93.821		120850.133		35.667		-0.533	
TPSWCCS-2B_AT_376736	7/20/2015 7:00	FALSE	93.749		120771.969		35.715		-0.534	
TPSWCCS-2B_AT_376736	7/20/2015 8:00	FALSE	93.628		120637.688		35.904		-0.529	
TPSWCCS-2B_AT_376736	7/20/2015 9:00	FALSE	93.24		120217.211		36.224		-0.539	
TPSWCCS-2B_AT_376736	7/20/2015 10:00	FALSE	93.523		120499.078		36.55		-0.536	
TPSWCCS-2B_AT_376736	7/20/2015 11:00	FALSE	93.258		120212.539		36.775		-0.516	
TPSWCCS-2B_AT_376736	7/20/2015 12:00	FALSE	93.18		120122.328		36.994		-0.524	
TPSWCCS-2B_AT_376736	7/20/2015 13:00	FALSE	93.031		119946.695		37.493		-0.523	
TPSWCCS-2B_AT_376736	7/20/2015 14:00	FALSE	92.919		119774.039		39.099		-0.521	
TPSWCCS-2B_AT_376736	7/20/2015 15:00	FALSE	92.675		119506.156		39.521		-0.523	
TPSWCCS-2B_AT_376736	7/20/2015 16:00	FALSE	92.833		119671.063		39.54		-0.529	
TPSWCCS-2B_AT_376736	7/20/2015 17:00	FALSE	92.88		119731.68		39.162		-0.519	
TPSWCCS-2B_AT_376736	7/20/2015 18:00	FALSE	93.239		120120.414		38.725		-0.527	
TPSWCCS-2B_AT_376736	7/20/2015 19:00	FALSE	92.828		119713.063		38.09		-0.529	
TPSWCCS-2B_AT_376736	7/20/2015 20:00	FALSE	93.456		120930.031		37.497		-0.524	
TPSWCCS-2B_AT_376736	7/20/2015 21:00	FALSE	93.035		119967.32		37.077		-0.52	
TPSWCCS-2B_AT_376736	7/20/2015 22:00	FALSE	92.684		119615.609		36.707		-0.525	
TPSWCCS-2B_AT_376736	7/20/2015 23:00	FALSE	93.24		120213.664		36.308		-0.528	
TPSWCCS-2B_AT_376736	7/21/2015 0:00	FALSE	93.141		120125.133		35.986		-0.53	
TPSWCCS-2B_AT_376736	7/21/2015 1:00	FALSE	93.202		120203.867		35.662		-0.531	
TPSWCCS-2B_AT_376736	7/21/2015 2:00	FALSE	93.311		120329.031		35.42		-0.53	
TPSWCCS-2B_AT_376736	7/21/2015 3:00	FALSE	93.105		120120.867		35.281		-0.529	
TPSWCCS-2B_AT_376736	7/21/2015 4:00	FALSE	93.335		120362.789		35.241		-0.529	
TPSWCCS-2B_AT_376736	7/21/2015 5:00	FALSE	93.544		120578.008		35.316		-0.53	
TPSWCCS-2B_AT_376736	7/21/2015 6:00	FALSE	93.206		120218.586		35.439		-0.527	
TPSWCCS-2B_AT_376736	7/21/2015 7:00	FALSE	93.422		120445.797		35.418		-0.52	
TPSWCCS-2B_AT_376736	7/21/2015 8:00	FALSE	93.77		120794.977		35.704		-0.525	
TPSWCCS-2B_AT_376736	7/21/2015 9:00	FALSE	93.217		120214.969		35.761		-0.526	
TPSWCCS-2B_AT_376736	7/21/2015 10:00	FALSE	93.51		120494.469		36.327		-0.521	
TPSWCCS-2B_AT_376736	7/21/2015 11:00	FALSE	93.571		120543.305		36.675		-0.517	
TPSWCCS-2B_AT_376736	7/21/2015 12:00	FALSE	93.6		120534.859		37.651		-0.521	
TPSWCCS-2B_AT_376736	7/21/2015 13:00	FALSE	93.771		120695.508		38.127		-0.514	
TPSWCCS-2B_AT_376736	7/21/2015 14:00	FALSE	94.071		120999.063		38.355		-0.52	
TPSWCCS-2B_AT_376736	7/21/2015 15:00	FALSE	94.202		121134.227		38.373		-0.519	
TPSWCCS-2B_AT_376736	7/21/2015 16:00	FALSE	94.251		121185.414		38.377		-0.53	
TPSWCCS-2B_AT_376736	7/21/2015 17:00	FALSE	94.164		121102.25		38.175		-0.509	
TPSWCCS-2B_AT_376736	7/21/2015 18:00	FALSE	94.485		121449.984		37.79		-0.518	
TPSWCCS-2B_AT_376736	7/21/2015 19:00	FALSE	94.392		121370.781		37.35		-0.518	
TPSWCCS-2B_AT_376736	7/21/2015 20:00	FALSE	94.341		121333.219		36.972		-0.52	
TPSWCCS-2B_AT_376736	7/21/2015 21:00	FALSE	94.514		121529.344		36.593		-0.527	
TPSWCCS-2B_AT_376736	7/21/2015 22:00	FALSE	94.192		121208.352		36.263		-0.526	
TPSWCCS-2B_AT_376736	7/21/2015 23:00	FALSE	93.836		120845.813		36.074		-0.529	
TPSWCCS-2B_AT_376736	7/22/2015 0:00	FALSE	94.226		121259.609		35.923		-0.53	
TPSWCCS-2B_AT_376736	7/22/2015 1:00	FALSE	94.304		121351.422		35.707		-0.53	
TPSWCCS-2B_AT_376736	7/22/2015 2:00	FALSE	94.386		121445.156		35.516		-0.531	
TPSWCCS-2B_AT_376736	7/22/2015 3:00	FALSE	94.166		121218.922		35.465		-0.53	
TPSWCCS-2B_AT_376736	7/22/2015 4:00	FALSE	94.209		121268.211		35.386		-0.53	
TPSWCCS-2B_AT_376736	7/22/2015 5:00	FALSE	93.937		120978.188		35.514		-0.525	
TPSWCCS-2B_AT_376736	7/22/2015 6:00	FALSE	93.991		121013.859		35.949		-0.528	
TPSWCCS-2B_AT_376736	7/22/2015 7:00	FALSE	93.87		120900.328		35.67		-0.527	
TPSWCCS-2B_AT_376736	7/22/2015 8:00	FALSE	93.708		120714.164		36.053		-0.524	
TPSWCCS-2B_AT_376736	7/22/2015 9:00	FALSE	93.86		120964.5		36.316		-0.526	
TPSWCCS-2B_AT_376736	7/22/2015 10:00	FALSE	94.197		121213.813		36.249		-0.525	
TPSWCCS-2B_AT_376736	7/22/2015 11:00	FALSE	93.649		120628.102		36.608		-0.519	
TPSWCCS-2B_AT_376736	7/22/2015 12:00	FALSE	93.709		120676.961		36.924		-0.516	
TPSWCCS-2B_AT_376736	7/22/2015 13:00	FALSE	93.411		120348.266		37.373		-0.52	
TPSWCCS-2B_AT_376736	7/22/2015 14:00	FALSE	93.215		120132.313		37.675		-0.526	
TPSWCCS-2B_AT_376736	7/22/2015 15:00	FALSE	93.187		120080.734		38.291		-0.511	
TPSWCCS-2B_AT_376736	7/22/2015 16:00	FALSE	92.849		119732		38.184		-0.503	
TPSWCCS-2B_AT_376736	7/22/2015 17:00	FALSE	93.422		120335.477		38.024		-0.492	
TPSWCCS-2B_AT_376736	7/22/2015 18:00	FALSE	93.585		120532.18		37.294		-0.507	
TPSWCCS-2B_AT_376736	7/22/2015 19:00	FALSE	93.6		120514.57		37.659		-0.509	
TPSWCCS-2B_AT_376736	7/22/2015 20:00	FALSE	93.432		120352.336		37.828		-0.504	
TPSWCCS-2B_AT_376736	7/22/2015 21:00	FALSE	93.443		120383.742		37.304		-0.504	
TPSWCCS-2B_AT_376736	7/22/2015 22:00	FALSE	93.514		120483.805		36.673		-0.505	
TPSWCCS-2B_AT_376736	7/22/2015 23:00	FALSE	93.176		120147.141		36.3		-0.502	
TPSWCCS-2B_AT_376736	7/23/2015 0:00	FALSE	93.306		120298.063		35.974		-0.501	
TPSWCCS-2B_AT_376736	7/23/2015 1:00									
TPSWCCS-2B_AT_376736	7/23/2015 2:00									
TPSWCCS-2B_AT_376736	7/23/2015 3:00									
TPSWCCS-2B_AT_376736	7/23/2015 4:00									
TPSWCCS-2B_AT_376736	7/23/2015 5:00									
TPSWCCS-2B_AT_376736	7/23/2015 6:00									
TPSWCCS-2B_AT_376736	7/23/2015 7:00									
TPSWCCS-2B_AT_376736	7/23/2015 8:00									
TPSWCCS-2B_AT_376736	7/23/2015 9:00									
TPSWCCS-2B_AT_376736	7/23/2015 10:00	FALSE	84.902		111360.32		36.712		-0.531	
TPSWCCS-2B_AT_376736	7/23/2015 11:00	FALSE	85.097		111577.195		36.503		-0.541	
TPSWCCS-2B_AT_376736	7/23/2015 12:00	FALSE	85.293		111778.953		36.767		-0.537	
TPSWCCS-2B_AT_376736	7/23/2015 13:00	FALSE	85.954		111804.188		38.325		-0.542	
TPSWCCS-2B_AT_376736	7/23/2015 14:00	FALSE	85.816		112296.789		38.032		-0.542	
TPSWCCS-2B_AT_376736	7/23/2015 15:00	FALSE	86.046		112526.469		38.597		-0.54	
TPSWCCS-2B_AT_376736	7/23/2015 16:00	FALSE	86.134		112621.969		38.569		-0.542	
TPSWCCS-2B_AT_376736	7/23/2015 17:00	FALSE	86.03		112511.602		38.537		-0.546	
TPSWCCS-2B_AT_376736	7/23/2015 18:00	FALSE	85.845		112321.5		38.266		-0.538	
TPSWCCS-2B_AT_376736	7/23/2015 19:00	FALSE	85.596		112062.883		37.999		-0.543	
TPSWCCS-2B_AT_376736	7/23/2015 20:00	FALSE	85.829		112323.734		37.652		-0.539	
TPSWCCS-2B_AT_376736	7/23/2015 21:00	FALSE	85.314		111777.328		37.452		-0.542	
TPSWCCS-2B_AT_376736	7/23/2015 22:00	FALSE	85.914		112428.883		37.204		-0.543	
TPSWCCS-2B_AT_376736	7/23/2015 23:00	FALSE	85.93		112457.93		36.866		-0.544	
TPSWCCS-2B_AT_376736	7/24/2015 0:00	FALSE	85.805		112332.078		36.665		-0.543	
TPSWCCS-2B_AT_376736	7/24/2015 1:00	FALSE	86.132		112683.133		36.648		-0.544	
TPSWCCS-2B_AT_376736	7/24/2015 2:00	FALSE	86.132		112680.984		36.699		-0.544	
TPSWCCS-2B_AT_376736	7/24/2015 3:00	FALSE	85.933		112487.68		36.173		-0.543	
TPSWCCS-2B_AT_376736	7/24/2015 4:00	FALSE	85.527		112059.531		35.978		-0.54	
TPSWCCS-2B_AT_376736	7/24/2015 5:00	FALSE	86.233		112820.406		35.879		-0.54	
TPSWCCS-2B_AT_376736	7/24/2015 6:00	FALSE	85.387		111914.969		35.836		-0.539	
TPSWCCS-2B_AT_376736	7/24/2015 7:00	FALSE	85.457		112518.938		35.939		-0.54	
TPSWCCS-2B_AT_376736	7/24/2015 8:00	FALSE	86.061		112616.031		36.389		-0.539	
TPSWCCS-2B_AT_376736	7/24/2015 9:00	FALSE	85.098		111561.625		36.978		-0.537	
TPSWCCS-2B_AT_376736	7/24/2015 10:00	FALSE	85.403		111879.789		37.249		-0.539	
TPSWCCS-2B_AT_376736	7/24/2015 11:00	FALSE	85.913		112432.109		37.099		-0.52	
TPSWCCS-2B_AT_376736	7/24/2015 12:00	FALSE	85.461		111936.625		37.411		-0.531	
TPSWCCS-2B_AT_376736	7/24/2015 13:00	FALSE	85.124		111566.203		37.671		-0.523	
TPSWCCS-2B_AT_376736	7/24/2015 14:00	FALSE	84.385		110758.258		38.1		-0.529	
TPSWCCS-2B_AT_376736	7/24/2015 15:00	FALSE	84.517		110893.977		38.332		-0.54	

TPSWCCS-2B_AT_376736	7/25/2015 7:00	FALSE	86.32	112872.188	36.979	-0.512
TPSWCCS-2B_AT_376736	7/25/2015 8:00	FALSE	86.425	113017.883	36.08	-0.516
TPSWCCS-2B_AT_376736	7/25/2015 9:00	FALSE	85.991	112547.023	36.251	-0.515
TPSWCCS-2B_AT_376736	7/25/2015 10:00	FALSE	86.349	112918.688	36.559	-0.518
TPSWCCS-2B_AT_376736	7/25/2015 11:00	FALSE	86.118	112667.531	36.661	-0.519
TPSWCCS-2B_AT_376736	7/25/2015 12:00	FALSE	86.417	112989.695	36.592	-0.516
TPSWCCS-2B_AT_376736	7/25/2015 13:00	FALSE	86.893	113488.039	36.893	-0.52
TPSWCCS-2B_AT_376736	7/25/2015 14:00	FALSE	86.548	113131.617	36.547	-0.514
TPSWCCS-2B_AT_376736	7/25/2015 15:00	FALSE	86.099	112664.391	36.191	-0.501
TPSWCCS-2B_AT_376736	7/25/2015 16:00	FALSE	86.182	112783.539	35.468	-0.512
TPSWCCS-2B_AT_376736	7/25/2015 17:00	FALSE	86.114	112726.969	35.083	-0.501
TPSWCCS-2B_AT_376736	7/25/2015 18:00	FALSE	86.409	113047.953	34.974	-0.501
TPSWCCS-2B_AT_376736	7/25/2015 19:00	FALSE	86.549	113204.93	34.833	-0.5
TPSWCCS-2B_AT_376736	7/25/2015 20:00	FALSE	85.957	112568.164	34.88	-0.501
TPSWCCS-2B_AT_376736	7/25/2015 21:00	FALSE	86.118	112753.25	34.62	-0.494
TPSWCCS-2B_AT_376736	7/25/2015 22:00	FALSE	85.994	112623.57	34.54	-0.498
TPSWCCS-2B_AT_376736	7/25/2015 23:00	FALSE	85.824	112447.945	34.404	-0.497
TPSWCCS-2B_AT_376736	7/26/2015 0:00	FALSE	85.708	112340.641	34.037	-0.495
TPSWCCS-2B_AT_376736	7/26/2015 1:00	FALSE	85.687	112324.109	33.92	-0.494
TPSWCCS-2B_AT_376736	7/26/2015 2:00	FALSE	85.832	112484.109	33.854	-0.471
TPSWCCS-2B_AT_376736	7/26/2015 3:00	FALSE	85.954	112608.656	33.979	-0.479
TPSWCCS-2B_AT_376736	7/26/2015 4:00	FALSE	85.847	112504.578	33.766	-0.481
TPSWCCS-2B_AT_376736	7/26/2015 5:00	FALSE	86.305	113001.836	33.648	-0.481
TPSWCCS-2B_AT_376736	7/26/2015 6:00	FALSE	85.991	112674.5	33.474	-0.482
TPSWCCS-2B_AT_376736	7/26/2015 7:00	FALSE	86.369	113088.383	33.328	-0.483
TPSWCCS-2B_AT_376736	7/26/2015 8:00	FALSE	86.219	112934.719	33.187	-0.478
TPSWCCS-2B_AT_376736	7/26/2015 9:00	FALSE	86.764	113513.43	33.293	-0.477
TPSWCCS-2B_AT_376736	7/26/2015 10:00	FALSE	86.883	113611.031	33.844	-0.449
TPSWCCS-2B_AT_376736	7/26/2015 11:00	FALSE	86.683	113405.688	33.69	-0.399
TPSWCCS-2B_AT_376736	7/26/2015 12:00	FALSE	86.667	113365.641	34.128	-0.402
TPSWCCS-2B_AT_376736	7/26/2015 13:00	FALSE	86.841	113540.539	34.346	-0.413
TPSWCCS-2B_AT_376736	7/26/2015 14:00	FALSE	86.783	113457.859	34.771	-0.4
TPSWCCS-2B_AT_376736	7/26/2015 15:00	FALSE	86.81	113492.438	34.654	-0.407
TPSWCCS-2B_AT_376736	7/26/2015 16:00	FALSE	86.57	113243.273	34.492	-0.405
TPSWCCS-2B_AT_376736	7/26/2015 17:00	FALSE	86.27	112908.656	34.77	-0.408
TPSWCCS-2B_AT_376736	7/26/2015 18:00	FALSE	86.455	113110.75	34.689	-0.407
TPSWCCS-2B_AT_376736	7/26/2015 19:00	FALSE	86.52	113176.773	34.764	-0.408
TPSWCCS-2B_AT_376736	7/26/2015 20:00	FALSE	87.008	113708.195	34.582	-0.412
TPSWCCS-2B_AT_376736	7/26/2015 21:00	FALSE	87.416	114151.305	34.422	-0.408
TPSWCCS-2B_AT_376736	7/26/2015 22:00	FALSE	87.431	114194.922	33.892	-0.403
TPSWCCS-2B_AT_376736	7/26/2015 23:00	FALSE	86.188	112880.039	33.589	-0.401
TPSWCCS-2B_AT_376736	7/27/2015 0:00	FALSE	85.684	112355.266	33.275	-0.398


Temperature (C)




Salinity (PSU)



SpecificConductance ($\mu\text{S}/\text{cm}$)



WaterLevel (ft)



7/19/2015 0:00 7/20/2015 0:00 7/21/2015 0:00 7/22/2015 0:00 7/23/2015 0:00 7/24/2015 0:00 7/25/2015 0:00 7/26/2015 0:00 7/27/2015 0:00 7/28/2015 0:00