



SensorName	DateSampleTaken	IsDataValid	Salinity (PSU)	SalinityTelemetryQualifiers	SpecificConductance (µS/cm)	SpecificConductanceTelemetryQualifiers	Temperature (C)	TemperatureTelemetryQualifiers	WaterLevel (ft)	WaterLevelTelemetryQualifiers
TPSWCCS-2B_AT_376736	7/27/2015 0:00	FALSE	85.684		112355.266		33.275		-0.398	
TPSWCCS-2B_AT_376736	7/27/2015 1:00	FALSE	85.202		111842.789		33.164		-0.397	
TPSWCCS-2B_AT_376736	7/27/2015 2:00	FALSE	85.023		111661.648		32.94		-0.397	
TPSWCCS-2B_AT_376736	7/27/2015 3:00	FALSE	84.759		111375.469		32.974		-0.397	
TPSWCCS-2B_AT_376736	7/27/2015 4:00	FALSE	85.051		111696.258		32.862		-0.392	
TPSWCCS-2B_AT_376736	7/27/2015 5:00	FALSE	84.996		111624.445		33.083		-0.39	
TPSWCCS-2B_AT_376736	7/27/2015 6:00	FALSE	85.242		111904.57		32.829		-0.389	
TPSWCCS-2B_AT_376736	7/27/2015 7:00	FALSE	85.381		112067.758		32.595		-0.389	
TPSWCCS-2B_AT_376736	7/27/2015 8:00	FALSE	86.013		112744.359		32.657		-0.38	
TPSWCCS-2B_AT_376736	7/27/2015 9:00	FALSE	86.429		113176.195		32.914		-0.378	
TPSWCCS-2B_AT_376736	7/27/2015 10:00	FALSE	87.087		113861.633		33.261		-0.37	
TPSWCCS-2B_AT_376736	7/27/2015 11:00	FALSE	87.329		114088.328		33.847		-0.38	
TPSWCCS-2B_AT_376736	7/27/2015 12:00	FALSE	87.352		114085.313		34.381		-0.381	
TPSWCCS-2B_AT_376736	7/27/2015 13:00	FALSE	87.571		114293.266		34.926		-0.375	
TPSWCCS-2B_AT_376736	7/27/2015 14:00	FALSE	87.542		114240.039		35.404		-0.377	
TPSWCCS-2B_AT_376736	7/27/2015 15:00	FALSE	87.61		114288.102		35.972		-0.382	
TPSWCCS-2B_AT_376736	7/27/2015 16:00	FALSE	87.781		114452.602		36.422		-0.374	
TPSWCCS-2B_AT_376736	7/27/2015 17:00	FALSE	87.63		114283.641		36.611		-0.376	
TPSWCCS-2B_AT_376736	7/27/2015 18:00	FALSE	87.75		114409.719		36.673		-0.385	
TPSWCCS-2B_AT_376736	7/27/2015 19:00	FALSE	87.453		114100.586		36.471		-0.386	
TPSWCCS-2B_AT_376736	7/27/2015 20:00	FALSE	87.561		114222.102		36.327		-0.389	
TPSWCCS-2B_AT_376736	7/27/2015 21:00	FALSE	87.152		113798.508		35.999		-0.388	
TPSWCCS-2B_AT_376736	7/27/2015 22:00	FALSE	86.939		113583.883		35.7		-0.387	
TPSWCCS-2B_AT_376736	7/27/2015 23:00	FALSE	86.894		113547.969		35.41		-0.386	
TPSWCCS-2B_AT_376736	7/28/2015 0:00	FALSE	86.326		112950.641		35.173		-0.386	
TPSWCCS-2B_AT_376736	7/28/2015 1:00	FALSE	86.666		113328.391		34.86		-0.388	
TPSWCCS-2B_AT_376736	7/28/2015 2:00	FALSE	87.039		113739.102		34.614		-0.387	
TPSWCCS-2B_AT_376736	7/28/2015 3:00	FALSE	86.524		113193.625		34.5		-0.387	
TPSWCCS-2B_AT_376736	7/28/2015 4:00	FALSE	85.872		112496.406		34.463		-0.388	
TPSWCCS-2B_AT_376736	7/28/2015 5:00	FALSE	87.018		113698.125		35.01		-0.392	
TPSWCCS-2B_AT_376736	7/28/2015 6:00	FALSE	86.357		113012.898		34.536		-0.385	
TPSWCCS-2B_AT_376736	7/28/2015 7:00	FALSE	86.405		113070.93		34.408		-0.39	
TPSWCCS-2B_AT_376736	7/28/2015 8:00	FALSE	86.178		112824.734		34.467		-0.395	
TPSWCCS-2B_AT_376736	7/28/2015 9:00	FALSE	85.782		112386.586		34.734		-0.385	
TPSWCCS-2B_AT_376736	7/28/2015 10:00	FALSE	85.672		112250.125		35.148		-0.383	
TPSWCCS-2B_AT_376736	7/28/2015 11:00	FALSE	85.979		112565.305		35.49		-0.377	
TPSWCCS-2B_AT_376736	7/28/2015 12:00	FALSE	91.517		118434.078		35.73		-0.416	
TPSWCCS-2B_AT_376736	7/28/2015 13:00	FALSE	90.954		117830.336		35.995		-0.405	
TPSWCCS-2B_AT_376736	7/28/2015 14:00	FALSE	90.781		117587.383		37.497		-0.397	
TPSWCCS-2B_AT_376736	7/28/2015 15:00	FALSE	91.113		117932.367		37.621		-0.387	
TPSWCCS-2B_AT_376736	7/28/2015 16:00	FALSE	91.119		117912.406		38.364		-0.395	
TPSWCCS-2B_AT_376736	7/28/2015 17:00	FALSE	91.667		118491.922		38.254		-0.395	
TPSWCCS-2B_AT_376736	7/28/2015 18:00	FALSE	92.342		119212.852		37.867		-0.404	
TPSWCCS-2B_AT_376736	7/28/2015 19:00	FALSE	92.352		119237.938		37.47		-0.397	
TPSWCCS-2B_AT_376736	7/28/2015 20:00	FALSE	92.268		119167.695		37.015		-0.396	
TPSWCCS-2B_AT_376736	7/28/2015 21:00	FALSE	92.084		118993.07		36.563		-0.397	
TPSWCCS-2B_AT_376736	7/28/2015 22:00	FALSE	92.223		119154.75		36.199		-0.399	
TPSWCCS-2B_AT_376736	7/28/2015 23:00	FALSE	91.738		118657.406		35.937		-0.398	
TPSWCCS-2B_AT_376736	7/29/2015 0:00	FALSE	91.611		118754.656		35.493		-0.399	
TPSWCCS-2B_AT_376736	7/29/2015 1:00	FALSE	92.031		119001.445		35.169		-0.4	
TPSWCCS-2B_AT_376736	7/29/2015 2:00	FALSE	92.127		119112.766		34.957		-0.4	
TPSWCCS-2B_AT_376736	7/29/2015 3:00	FALSE	91.785		118764.43		34.745		-0.399	
TPSWCCS-2B_AT_376736	7/29/2015 4:00	FALSE	91.609		118586.164		34.598		-0.397	
TPSWCCS-2B_AT_376736	7/29/2015 5:00	FALSE	92.339		119366.695		34.347		-0.396	
TPSWCCS-2B_AT_376736	7/29/2015 6:00	FALSE	91.804		118815.352		34.161		-0.393	
TPSWCCS-2B_AT_376736	7/29/2015 7:00	FALSE	91.764		118765.211		34.302		-0.396	
TPSWCCS-2B_AT_376736	7/29/2015 8:00	FALSE	92.664		119678.656		34.888		-0.395	
TPSWCCS-2B_AT_376736	7/29/2015 9:00	FALSE	92.829		119871.789		35.111		-0.395	
TPSWCCS-2B_AT_376736	7/29/2015 10:00	FALSE	92.825		119871.469		35.246		-0.394	
TPSWCCS-2B_AT_376736	7/29/2015 11:00	FALSE	92.567		119535.102		35.753		-0.394	
TPSWCCS-2B_AT_376736	7/29/2015 12:00	FALSE	92.974		119957.445		35.824		-0.377	
TPSWCCS-2B_AT_376736	7/29/2015 13:00	FALSE	93.308		120277.93		36.471		-0.385	
TPSWCCS-2B_AT_376736	7/29/2015 14:00	FALSE	92.656		119574.727		36.995		-0.388	
TPSWCCS-2B_AT_376736	7/29/2015 15:00	FALSE	93.456		120383.094		37.691		-0.364	
TPSWCCS-2B_AT_376736	7/29/2015 16:00	FALSE	92.679		119564.352		37.885		-0.371	
TPSWCCS-2B_AT_376736	7/29/2015 17:00	FALSE	92.805		119702.484		37.724		-0.378	
TPSWCCS-2B_AT_376736	7/29/2015 18:00	FALSE	93.426		120366.898		37.302		-0.385	
TPSWCCS-2B_AT_376736	7/29/2015 19:00	FALSE	93.445		120397.555		37.445		-0.381	
TPSWCCS-2B_AT_376736	7/29/2015 20:00	FALSE	92.768		119708.914		36.588		-0.38	
TPSWCCS-2B_AT_376736	7/29/2015 21:00	FALSE	92.958		119921.281		36.257		-0.385	
TPSWCCS-2B_AT_376736	7/29/2015 22:00	FALSE	92.675		119635.086		36.039		-0.386	
TPSWCCS-2B_AT_376736	7/29/2015 23:00	FALSE	93.062		120047.109		35.879		-0.388	
TPSWCCS-2B_AT_376736	7/30/2015 0:00	FALSE	92.978		119970.648		35.648		-0.388	
TPSWCCS-2B_AT_376736	7/30/2015 1:00	FALSE	92.679		119663.43		35.512		-0.387	
TPSWCCS-2B_AT_376736	7/30/2015 2:00	FALSE	92.591		119577.805		35.386		-0.388	
TPSWCCS-2B_AT_376736	7/30/2015 3:00	FALSE	93.186		120208.164		35.226		-0.389	
TPSWCCS-2B_AT_376736	7/30/2015 4:00	FALSE	92.378		119371.922		35.029		-0.389	
TPSWCCS-2B_AT_376736	7/30/2015 5:00	FALSE	92.916		119945.914		34.838		-0.389	
TPSWCCS-2B_AT_376736	7/30/2015 6:00	FALSE	92.539		119550.969		34.841		-0.393	
TPSWCCS-2B_AT_376736	7/30/2015 7:00	FALSE	92.424		119424.172		34.957		-0.388	
TPSWCCS-2B_AT_376736	7/30/2015 8:00	FALSE	91.544		118485.688		35.243		-0.389	
TPSWCCS-2B_AT_376736	7/30/2015 9:00	FALSE	92.059		119015.828		35.479		-0.391	
TPSWCCS-2B_AT_376736	7/30/2015 10:00	FALSE	91.628		118561.766		35.505		-0.389	
TPSWCCS-2B_AT_376736	7/30/2015 11:00	FALSE	91.92		118849.297		35.917		-0.386	
TPSWCCS-2B_AT_376736	7/30/2015 12:00	FALSE	92.134		118846.523		36.343		-0.375	
TPSWCCS-2B_AT_376736	7/30/2015 13:00	FALSE	92.378		118668.598		36.261		-0.371	
TPSWCCS-2B_AT_376736	7/30/2015 14:00	FALSE	91.883		118751.836		37.332		-0.368	
TPSWCCS-2B_AT_376736	7/30/2015 15:00	FALSE	91.177		117985.609		38.017		-0.368	
TPSWCCS-2B_AT_376736	7/30/2015 16:00	FALSE	91.464		118266.617		38.64		-0.353	
TPSWCCS-2B_AT_376736	7/30/2015 17:00	FALSE	92.256		119101.805		38.452		-0.354	
TPSWCCS-2B_AT_376736	7/30/2015 18:00	FALSE	91.756		118593.25		38.017		-0.365	
TPSWCCS-2B_AT_376736	7/30/2015 19:00	FALSE	91.999		118859.211		37.717		-0.369	
TPSWCCS-2B_AT_376736	7/30/2015 20:00	FALSE	92.258		119139.789		37.467		-0.369	
TPSWCCS-2B_AT_376736	7/30/2015 21:00	FALSE	91.965		118846.523		37.104		-0.369	
TPSWCCS-2B_AT_376736	7/30/2015 22:00	FALSE	92.117		119014.57		36.873		-0.373	
TPSWCCS-2B_AT_376736	7/30/2015 23:00	FALSE	92.25		119164.164		36.633		-0.374	
TPSWCCS-2B_AT_376736	7/31/2015 0:00	FALSE	92.134		119049.914		36.456		-0.373	
TPSWCCS-2B_AT_376736	7/31/2015 1:00	FALSE	92.128		119051.602		36.267		-0.372	
TPSWCCS-2B_AT_376736	7/31/2015 2:00	FALSE	92.073		119002.586		36.069		-0.372	
TPSWCCS-2B_AT_376736	7/31/2015 3:00	FALSE	92.43		119384.305		35.908		-0.375	
TPSWCCS-2B_AT_376736	7/31/2015 4:00	FALSE	92.291		119244.266		35.795		-0.374	
TPSWCCS-2B_AT_376736	7/31/2015 5:00	FALSE	91.654		118577.844		35.753		-0.374	
TPSWCCS-2B_AT_376736	7/31/2015 6:00	FALSE	92.218		119164.211		35.861		-0.376	
TPSWCCS-2B_AT_376736	7/31/2015 7:00	FALSE	92.635		119593.703		36.038		-0.374	
TPSWCCS-2B_AT_376736	7/31/2015 8:00	FALSE	92.371		119311.164		36.154		-0.373	
TPSWCCS-2B_AT_376736	7/31/2015 9:00	FALSE	92.35		119269.109		36.622		-0.371	
TPSWCCS-2B_AT_376736	7/31/2015 10:00	FALSE	92.539		119469.734		36.554		-0.362	
TPSWCCS-2B_AT_376736	7/31/2015 11:00	FALSE	92.686		119614.961		36.762		-0.358	
TPSWCCS-2B_AT_376736										

TPSWCCS-2B_AT_376736	8/1/2015 7:00	FALSE	91.862	118812.273	35.401	-0.307
TPSWCCS-2B_AT_376736	8/1/2015 8:00	FALSE	91.637	118585.117	35.205	-0.306
TPSWCCS-2B_AT_376736	8/1/2015 9:00	FALSE	91.544	118467.953	35.616	-0.309
TPSWCCS-2B_AT_376736	8/1/2015 10:00	FALSE	91.855	118781.844	35.904	-0.304
TPSWCCS-2B_AT_376736	8/1/2015 11:00	FALSE	91.714	118627.344	36.047	-0.297
TPSWCCS-2B_AT_376736	8/1/2015 12:00	FALSE	91.685	118582.227	36.38	-0.285
TPSWCCS-2B_AT_376736	8/1/2015 13:00	FALSE	90.81	117651.234	36.645	-0.274
TPSWCCS-2B_AT_376736	8/1/2015 14:00	FALSE	91.599	118463.984	37.058	-0.289
TPSWCCS-2B_AT_376736	8/1/2015 15:00	FALSE	91.971	118841.5	37.39	-0.287
TPSWCCS-2B_AT_376736	8/1/2015 16:00	FALSE	91.257	118092.328	37.389	-0.291
TPSWCCS-2B_AT_376736	8/1/2015 17:00	FALSE	91.578	118431.492	37.346	-0.282
TPSWCCS-2B_AT_376736	8/1/2015 18:00	FALSE	91.981	118855.914	37.305	-0.283
TPSWCCS-2B_AT_376736	8/1/2015 19:00	FALSE	91.694	118561.242	37.141	-0.287
TPSWCCS-2B_AT_376736	8/1/2015 20:00	FALSE	91.965	118856.586	36.843	-0.287
TPSWCCS-2B_AT_376736	8/1/2015 21:00	FALSE	91.278	118139.281	36.744	-0.286
TPSWCCS-2B_AT_376736	8/1/2015 22:00	FALSE	92.228	119143.25	36.59	-0.287
TPSWCCS-2B_AT_376736	8/1/2015 23:00	FALSE	91.713	118610.891	36.407	-0.287
TPSWCCS-2B_AT_376736	8/2/2015 0:00	FALSE	91.636	118538.969	36.18	-0.286
TPSWCCS-2B_AT_376736	8/2/2015 1:00	FALSE	92.192	119135.602	35.9	-0.286
TPSWCCS-2B_AT_376736	8/2/2015 2:00	FALSE	91.664	118593.258	35.641	-0.289
TPSWCCS-2B_AT_376736	8/2/2015 3:00	FALSE	92.185	119148.664	35.447	-0.291
TPSWCCS-2B_AT_376736	8/2/2015 4:00	FALSE	92.212	119184.508	35.296	-0.292
TPSWCCS-2B_AT_376736	8/2/2015 5:00	FALSE	91.851	118811.211	35.19	-0.296
TPSWCCS-2B_AT_376736	8/2/2015 6:00	FALSE	91.647	118613.664	34.839	-0.296
TPSWCCS-2B_AT_376736	8/2/2015 7:00	FALSE	91.651	118623.609	34.741	-0.289
TPSWCCS-2B_AT_376736	8/2/2015 8:00	FALSE	91.593	118567.43	34.641	-0.298
TPSWCCS-2B_AT_376736	8/2/2015 9:00	FALSE	91.604	118582.547	34.57	-0.295
TPSWCCS-2B_AT_376736	8/2/2015 10:00	FALSE	91.337	118301.719	34.561	-0.292
TPSWCCS-2B_AT_376736	8/2/2015 11:00	FALSE	91.421	118378.258	34.807	-0.282
TPSWCCS-2B_AT_376736	8/2/2015 12:00	FALSE	90.895	117792.008	35.47	-0.292
TPSWCCS-2B_AT_376736	8/2/2015 13:00	FALSE	91.152	118056.672	35.588	-0.277
TPSWCCS-2B_AT_376736	8/2/2015 14:00	FALSE	90.723	117590.188	35.907	-0.265
TPSWCCS-2B_AT_376736	8/2/2015 15:00	FALSE	90.147	116961.445	36.418	-0.267
TPSWCCS-2B_AT_376736	8/2/2015 16:00	FALSE	89.975	116767.195	36.715	-0.262
TPSWCCS-2B_AT_376736	8/2/2015 17:00	FALSE	90.099	116896.422	36.768	-0.264
TPSWCCS-2B_AT_376736	8/2/2015 18:00	FALSE	90.301	117099.969	37.015	-0.264
TPSWCCS-2B_AT_376736	8/2/2015 19:00	FALSE	90.174	116973.484	36.819	-0.27
TPSWCCS-2B_AT_376736	8/2/2015 20:00	FALSE	90.252	117069.406	36.492	-0.27
TPSWCCS-2B_AT_376736	8/2/2015 21:00	FALSE	89.875	116674.523	36.413	-0.268
TPSWCCS-2B_AT_376736	8/2/2015 22:00	FALSE	89.234	116002.305	36.245	-0.27
TPSWCCS-2B_AT_376736	8/2/2015 23:00	FALSE	12.398	20440.492	36.28	-0.18
TPSWCCS-2B_AT_376736	8/3/2015 0:00	FALSE	12.563	20689.832	36.187	-0.179


Temperature (C)



Salinity (PSU)



SpecificConductance (μS/cm)



WaterLevel (ft)

