



SensorName	DateSampleTaken	IsDataValid	Salinity (PSU)	SalinityTelemetryQualifiers	SpecificConductance (µS/cm)	SpecificConductanceTelemetryQualifiers	Temperature (C)	TemperatureTelemetryQualifiers	WaterLevel (ft)	WaterLevelTelemetryQualifiers
TPSWCCS-2B_AT_376736	8/10/2015 0:00	FALSE	91.411		118269.789		36.989		-0.168	
TPSWCCS-2B_AT_376736	8/10/2015 1:00	FALSE	91.309		118178.328		36.581		-0.187	
TPSWCCS-2B_AT_376736	8/10/2015 2:00	FALSE	91.5		118386.32		36.428		-0.177	
TPSWCCS-2B_AT_376736	8/10/2015 3:00	FALSE	94.931		121999.883		35.772		-0.144	
TPSWCCS-2B_AT_376736	8/10/2015 4:00	FALSE	90.569		117440.016		35.453		-0.133	
TPSWCCS-2B_AT_376736	8/10/2015 5:00	FALSE	91.222		118140.383		35.382		-0.167	
TPSWCCS-2B_AT_376736	8/10/2015 6:00	FALSE	91.258		118186.547		35.205		-0.182	
TPSWCCS-2B_AT_376736	8/10/2015 7:00	FALSE	91.063		117989.555		35.027		-0.178	
TPSWCCS-2B_AT_376736	8/10/2015 8:00	FALSE	90.95		117864.789		35.16		-0.177	
TPSWCCS-2B_AT_376736	8/10/2015 9:00	FALSE	90.672		117557.531		35.443		-0.171	
TPSWCCS-2B_AT_376736	8/10/2015 10:00	FALSE	91.373		118280.242		35.794		-0.17	
TPSWCCS-2B_AT_376736	8/10/2015 11:00	FALSE	90.918		117789.852		36.06		-0.156	
TPSWCCS-2B_AT_376736	8/10/2015 12:00	FALSE	90.929		117776.172		36.642		-0.162	
TPSWCCS-2B_AT_376736	8/10/2015 13:00	FALSE	56.323		78895.844		37.445		-0.065	
TPSWCCS-2B_AT_376736	8/10/2015 14:00	FALSE	91.369		118217.125		37.211		-0.084	
TPSWCCS-2B_AT_376736	8/10/2015 15:00	FALSE	91.716		118551.398		38.028		-0.037	
TPSWCCS-2B_AT_376736	8/10/2015 16:00	FALSE	91.4		118198.898		38.636		-0.057	
TPSWCCS-2B_AT_376736	8/10/2015 17:00	FALSE	91.3		118090.547		38.739		-0.063	
TPSWCCS-2B_AT_376736	8/10/2015 18:00	FALSE	91.633		118439.664		38.759		-0.064	
TPSWCCS-2B_AT_376736	8/10/2015 19:00	FALSE	91.179		117966.781		38.634		-0.057	
TPSWCCS-2B_AT_376736	8/10/2015 20:00	FALSE	90.939		117732.773		38.089		-0.063	
TPSWCCS-2B_AT_376736	8/10/2015 21:00	FALSE	91.186		118012.859		37.51		-0.062	
TPSWCCS-2B_AT_376736	8/10/2015 22:00	FALSE	90.953		117766.977		37.532		-0.058	
TPSWCCS-2B_AT_376736	8/10/2015 23:00	FALSE	91.274		118115.484		37.254		-0.056	
TPSWCCS-2B_AT_376736	8/11/2015 0:00	FALSE	91.709		118575.391		37.175		-0.077	
TPSWCCS-2B_AT_376736	8/11/2015 1:00	FALSE	91.371		118231.422		36.883		-0.108	
TPSWCCS-2B_AT_376736	8/11/2015 2:00	FALSE	91.949		118849.156		36.634		-0.125	
TPSWCCS-2B_AT_376736	8/11/2015 3:00	FALSE	91.461		118342.969		36.473		-0.137	
TPSWCCS-2B_AT_376736	8/11/2015 4:00	FALSE	91.771		118673.563		36.361		-0.134	
TPSWCCS-2B_AT_376736	8/11/2015 5:00	FALSE	4.67		8302.027		36.329		0.048	
TPSWCCS-2B_AT_376736	8/11/2015 6:00	FALSE	91.746		118652.695		36.241		-0.116	
TPSWCCS-2B_AT_376736	8/11/2015 7:00	FALSE	91.671		118579.664		36.111		-0.118	
TPSWCCS-2B_AT_376736	8/11/2015 8:00	FALSE	91.851		118768.125		36.114		-0.127	
TPSWCCS-2B_AT_376736	8/11/2015 9:00	FALSE	91.927		118850.586		36.057		-0.126	
TPSWCCS-2B_AT_376736	8/11/2015 10:00	FALSE	91.5		118384.922		36.446		-0.113	
TPSWCCS-2B_AT_376736	8/11/2015 11:00	FALSE	91.469		118329.016		37.03		-0.116	
TPSWCCS-2B_AT_376736	8/11/2015 12:00	FALSE	91.411		118259.328		37.262		-0.098	
TPSWCCS-2B_AT_376736	8/11/2015 13:00	FALSE	91.431		118266.789		37.624		-0.081	
TPSWCCS-2B_AT_376736	8/11/2015 14:00	FALSE	91.412		118202.352		38.918		-0.071	
TPSWCCS-2B_AT_376736	8/11/2015 15:00	FALSE	92.036		118851.641		39.087		-0.061	
TPSWCCS-2B_AT_376736	8/11/2015 16:00	FALSE	95.484		122416.328		39.837		0.038	
TPSWCCS-2B_AT_376736	8/11/2015 17:00	FALSE	93.316		120176.484		39.492		0.019	
TPSWCCS-2B_AT_376736	8/11/2015 18:00	FALSE	90.723		117480.297		38.871		0.011	
TPSWCCS-2B_AT_376736	8/11/2015 19:00	FALSE	91.952		118779.977		38.561		0.02	
TPSWCCS-2B_AT_376736	8/11/2015 20:00	FALSE	91.966		118181.375		38.573		0.024	
TPSWCCS-2B_AT_376736	8/11/2015 21:00	FALSE	90.957		117740.203		38.431		0.026	
TPSWCCS-2B_AT_376736	8/11/2015 22:00	FALSE	91.337		118142.406		38.332		0.032	
TPSWCCS-2B_AT_376736	8/11/2015 23:00	FALSE	90.761		117545.336		38.088		0.032	
TPSWCCS-2B_AT_376736	8/12/2015 0:00	FALSE	90.717		117512.648		37.697		0.035	
TPSWCCS-2B_AT_376736	8/12/2015 1:00	FALSE	90.999		117816.273		37.526		0.026	
TPSWCCS-2B_AT_376736	8/12/2015 2:00	FALSE	90.876		117710.484		36.889		-0.025	
TPSWCCS-2B_AT_376736	8/12/2015 3:00	FALSE	91.404		118277.297		36.606		-0.059	
TPSWCCS-2B_AT_376736	8/12/2015 4:00	FALSE	91.966		118890.031		36.609		-0.085	
TPSWCCS-2B_AT_376736	8/12/2015 5:00	FALSE	91.219		118110.664		35.968		-0.099	
TPSWCCS-2B_AT_376736	8/12/2015 6:00	FALSE	91.327		118211.82		36.242		-0.098	
TPSWCCS-2B_AT_376736	8/12/2015 7:00	FALSE	91.437		118319.938		36.415		-0.101	
TPSWCCS-2B_AT_376736	8/12/2015 8:00	FALSE	90.922		117770.914		36.606		-0.11	
TPSWCCS-2B_AT_376736	8/12/2015 9:00	FALSE	90.466		117280.555		36.842		-0.085	
TPSWCCS-2B_AT_376736	8/12/2015 10:00	FALSE	90.375		117175.219		37.086		-0.073	
TPSWCCS-2B_AT_376736	8/12/2015 11:00	FALSE	90.556		117359.492		37.26		-0.071	
TPSWCCS-2B_AT_376736	8/12/2015 12:00	FALSE	90.293		117057.422		37.937		-0.05	
TPSWCCS-2B_AT_376736	8/12/2015 13:00	FALSE	90.535		117291.172		36.535		-0.038	
TPSWCCS-2B_AT_376736	8/12/2015 14:00	FALSE	90.854		117616.922		38.898		-0.021	
TPSWCCS-2B_AT_376736	8/12/2015 15:00	FALSE	92.147		118964.961		39.165		0.098	
TPSWCCS-2B_AT_376736	8/12/2015 16:00	FALSE	48.847		69776.586		39.421		0.177	
TPSWCCS-2B_AT_376736	8/12/2015 17:00	FALSE	92.201		118999.391		39.927		0.115	
TPSWCCS-2B_AT_376736	8/12/2015 18:00	FALSE	92.46		119274.148		39.78		0.11	
TPSWCCS-2B_AT_376736	8/12/2015 19:00	FALSE	91.685		118472.063		39.462		0.108	
TPSWCCS-2B_AT_376736	8/12/2015 20:00	FALSE	92.338		119171.258		38.981		0.104	
TPSWCCS-2B_AT_376736	8/12/2015 21:00	FALSE	91.118		117909.103		38.438		0.109	
TPSWCCS-2B_AT_376736	8/12/2015 22:00	FALSE	91.063		117860.453		38.169		0.108	
TPSWCCS-2B_AT_376736	8/12/2015 23:00	FALSE	91.416		118243.906		37.82		0.106	
TPSWCCS-2B_AT_376736	8/13/2015 0:00	FALSE	91.525		118371.508		37.455		0.095	
TPSWCCS-2B_AT_376736	8/13/2015 1:00	FALSE	91.914		118792.773		37.097		0.092	
TPSWCCS-2B_AT_376736	8/13/2015 2:00	FALSE	91.968		118859.586		36.866		0.061	
TPSWCCS-2B_AT_376736	8/13/2015 3:00	FALSE	92.447		119371.188		36.61		0.033	
TPSWCCS-2B_AT_376736	8/13/2015 4:00	FALSE	89.95		116756.734		36.334		0.024	
TPSWCCS-2B_AT_376736	8/13/2015 5:00	FALSE	92.108		119036.742		36.141		-0.023	
TPSWCCS-2B_AT_376736	8/13/2015 6:00	FALSE	91.995		118924.805		35.987		-0.052	
TPSWCCS-2B_AT_376736	8/13/2015 7:00	FALSE	92.071		119009.695		35.879		-0.054	
TPSWCCS-2B_AT_376736	8/13/2015 8:00	FALSE	92.007		118934.43		36.049		-0.048	
TPSWCCS-2B_AT_376736	8/13/2015 9:00	FALSE	92.027		118941.93		36.369		-0.044	
TPSWCCS-2B_AT_376736	8/13/2015 10:00	FALSE	91.762		118650.289		36.679		-0.032	
TPSWCCS-2B_AT_376736	8/13/2015 11:00	FALSE	92.142		119066.273		36.276		-0.021	
TPSWCCS-2B_AT_376736	8/13/2015 12:00	FALSE	91.557		118430.484		36.789		-0.019	
TPSWCCS-2B_AT_376736	8/13/2015 13:00	FALSE	92.22		119123.305		36.874		-0.005	
TPSWCCS-2B_AT_376736	8/13/2015 14:00	FALSE	91.861		118731.297		37.021		0.002	
TPSWCCS-2B_AT_376736	8/13/2015 15:00	FALSE	92.138		118960.797		38.997		0.034	
TPSWCCS-2B_AT_376736	8/13/2015 16:00	FALSE	92.388		119220.5		39.05		0.043	
TPSWCCS-2B_AT_376736	8/13/2015 17:00	FALSE	92.214		119037.727		39.075		0.036	
TPSWCCS-2B_AT_376736	8/13/2015 18:00	FALSE	92.395		119231.859		38.945		0.03	
TPSWCCS-2B_AT_376736	8/13/2015 19:00	FALSE	92.057		118885.141		38.72		0.033	
TPSWCCS-2B_AT_376736	8/13/2015 20:00	FALSE	92.426		119281.375		38.423		0.002	
TPSWCCS-2B_AT_376736	8/13/2015 21:00	FALSE	94.415		121362.086		38.191		0.024	
TPSWCCS-2B_AT_376736	8/13/2015 22:00	FALSE	43.895		63593.496		37.529		0.268	
TPSWCCS-2B_AT_376736	8/13/2015 23:00	FALSE	20.423		32188.141		37.074		0.29	
TPSWCCS-2B_AT_376736	8/14/2015 0:00	FALSE	56.29		78862.656		36.944		0.188	
TPSWCCS-2B_AT_376736	8/14/2015 1:00	FALSE	91.073		117924.281		36.733		0.08	
TPSWCCS-2B_AT_376736	8/14/2015 2:00	FALSE	91.062		117921.516		36.53		0.053	
TPSWCCS-2B_AT_376736	8/14/2015 3:00	FALSE	90.624		117477.625		36.107		0.04	
TPSWCCS-2B_AT_376736	8/14/2015 4:00	FALSE	90.986		117859.961		36.083		-0.011	
TPSWCCS-2B_AT_376736	8/14/2015 5:00	FALSE	91.023		117919.328		35.619		-0.004	
TPSWCCS-2B_AT_376736	8/14/2015 6:00	FALSE	90.802		117671.172		35.981		0.031	
TPSWCCS-2B_AT_376736	8/14/2015 7:00	FALSE	90.533		117045.281		37.004		0.035	
TPSWCCS-2B_AT_376736	8/14/2015 8:00	FALSE	90.598		117459.07		35.901		0.022	
TPSWCCS-2B_AT_376736	8/14/2015 9:00	FALSE	90.812		117700.32		35.554		0.022	
TPSWCCS-2B_AT_376736	8/14/2015 10:00	FALSE	90.256		117090.969		36.08		0.034	
TPSWCCS-2B_AT_376736	8/14/2015 11:00	FALSE	90.033		116825.055		36.819		0.056	
TPSWCCS-2B_AT_376736	8/14/201									

TPSWCCS-2B_AT_376736	8/15/2015 8:00	FALSE	92.058	119009.297	35.597	0.048
TPSWCCS-2B_AT_376736	8/15/2015 9:00	FALSE	91.851	118798.898	35.441	0.055
TPSWCCS-2B_AT_376736	8/15/2015 10:00	FALSE	91.78	118706.758	35.813	0.088
TPSWCCS-2B_AT_376736	8/15/2015 11:00	FALSE	92.013	118940.07	36.077	0.095
TPSWCCS-2B_AT_376736	8/15/2015 12:00	FALSE	91.917	118830.648	36.258	0.116
TPSWCCS-2B_AT_376736	8/15/2015 13:00	FALSE	91.772	118681.094	36.195	0.111
TPSWCCS-2B_AT_376736	8/15/2015 14:00	FALSE	91.721	118625.883	36.252	0.11
TPSWCCS-2B_AT_376736	8/15/2015 15:00	FALSE	91.785	118675.43	36.672	0.131
TPSWCCS-2B_AT_376736	8/15/2015 16:00	FALSE	91.855	118775.984	36.034	0.126
TPSWCCS-2B_AT_376736	8/15/2015 17:00	FALSE	91.662	118545.609	36.688	0.134
TPSWCCS-2B_AT_376736	8/15/2015 18:00	FALSE	91.524	118410.273	36.441	0.136
TPSWCCS-2B_AT_376736	8/15/2015 19:00	FALSE	91.82	118728.414	36.268	0.141
TPSWCCS-2B_AT_376736	8/15/2015 20:00	FALSE	91.699	118613.789	35.987	0.141
TPSWCCS-2B_AT_376736	8/15/2015 21:00	FALSE	91.639	118569.719	35.58	0.141
TPSWCCS-2B_AT_376736	8/15/2015 22:00	FALSE	91.515	118442.547	35.513	0.148
TPSWCCS-2B_AT_376736	8/15/2015 23:00	FALSE	90.942	117836.586	35.573	0.12
TPSWCCS-2B_AT_376736	8/16/2015 0:00	FALSE	90.71	117595.148	35.504	0.117
TPSWCCS-2B_AT_376736	8/16/2015 1:00	FALSE	90.397	117262.664	35.559	0.126
TPSWCCS-2B_AT_376736	8/16/2015 2:00	FALSE	90.653	117536.836	35.467	0.132
TPSWCCS-2B_AT_376736	8/16/2015 3:00	FALSE	90.47	117348.563	35.372	0.14
TPSWCCS-2B_AT_376736	8/16/2015 4:00	FALSE	90.637	117527.305	35.311	0.148
TPSWCCS-2B_AT_376736	8/16/2015 5:00	FALSE	91.089	118005.547	35.272	0.162
TPSWCCS-2B_AT_376736	8/16/2015 6:00	FALSE	91.469	118404.227	35.308	0.17
TPSWCCS-2B_AT_376736	8/16/2015 7:00	FALSE	91.521	118467.023	35.126	0.172
TPSWCCS-2B_AT_376736	8/16/2015 8:00	FALSE	91.467	118394.438	35.469	0.183
TPSWCCS-2B_AT_376736	8/16/2015 9:00	FALSE	90.207	117070.438	35.375	0.191
TPSWCCS-2B_AT_376736	8/16/2015 10:00	FALSE	90.095	116934.18	35.776	0.204
TPSWCCS-2B_AT_376736	8/16/2015 11:00	FALSE	90.077	116903.758	36.038	0.211
TPSWCCS-2B_AT_376736	8/16/2015 12:00	FALSE	90.405	117233.195	36.424	0.222
TPSWCCS-2B_AT_376736	8/16/2015 13:00	FALSE	90.343	117140.055	37.134	0.225
TPSWCCS-2B_AT_376736	8/16/2015 14:00	FALSE	90.407	117187.961	37.652	0.198
TPSWCCS-2B_AT_376736	8/16/2015 15:00	FALSE	90.49	117251.477	38.36	0.196
TPSWCCS-2B_AT_376736	8/16/2015 16:00	FALSE	91.671	118485.859	38.575	0.417
TPSWCCS-2B_AT_376736	8/16/2015 17:00	FALSE	92.276	119118.836	38.584	0.428
TPSWCCS-2B_AT_376736	8/16/2015 18:00	FALSE	92.531	119392.961	38.371	0.428
TPSWCCS-2B_AT_376736	8/16/2015 19:00	FALSE	91.683	118520.406	37.919	0.4
TPSWCCS-2B_AT_376736	8/16/2015 20:00	FALSE	88.428	115097.141	37.577	0.38
TPSWCCS-2B_AT_376736	8/16/2015 21:00	FALSE	90.201	117001.344	36.846	0.332
TPSWCCS-2B_AT_376736	8/16/2015 22:00	FALSE	90.377	117171.07	37.257	0.333
TPSWCCS-2B_AT_376736	8/16/2015 23:00	FALSE	90.63	117435.688	37.307	0.267
TPSWCCS-2B_AT_376736	8/17/2015 0:00	FALSE	91.366	118200.898	37.552	0.201

Temperature (C)



Salinity (PSU)



SpecificConductance ($\mu\text{S}/\text{cm}$)



Water Level

