



SensorName	DateSampleTaken	IsDataValid	Salinity (PSU)	SalinityTelemetryQualifiers	SpecificConductance (µS/cm)	SpecificConductanceTelemetryQualifiers	Temperature (C)	TemperatureTelemetryQualifiers	WaterLevel (ft)	WaterLevelTelemetryQualifiers
TPSWCCS-2B_AT_376736	8/24/2015 0:00	FALSE	54.843		77118.016		37.246		1.07	
TPSWCCS-2B_AT_376736	8/24/2015 1:00	FALSE	47.761		68443.672		36.987		1.087	
TPSWCCS-2B_AT_376736	8/24/2015 2:00	FALSE	36.963		54693.52		36.604		1.093	
TPSWCCS-2B_AT_376736	8/24/2015 3:00	FALSE	12.045		19907.494		36.324		1.138	
TPSWCCS-2B_AT_376736	8/24/2015 4:00	FALSE	12.345		20358.873		35.922		1.105	
TPSWCCS-2B_AT_376736	8/24/2015 5:00	FALSE	91.125		118011.234		35.976		0.714	
TPSWCCS-2B_AT_376736	8/24/2015 6:00	FALSE	91.797		118715.578		36.028		0.537	
TPSWCCS-2B_AT_376736	8/24/2015 7:00	FALSE	92.708		119679.828		35.818		0.473	
TPSWCCS-2B_AT_376736	8/24/2015 8:00	FALSE	91.207		118106.07		35.778		0.452	
TPSWCCS-2B_AT_376736	8/24/2015 9:00	FALSE	90.063		116856.641		36.808		0.555	
TPSWCCS-2B_AT_376736	8/24/2015 10:00	FALSE	91.551		118396.758		37.497		1.011	
TPSWCCS-2B_AT_376736	8/24/2015 11:00	FALSE	56.102		78644.57		36.437		1.047	
TPSWCCS-2B_AT_376736	8/24/2015 12:00	FALSE	94.329		121307.648		37.284		0.965	
TPSWCCS-2B_AT_376736	8/24/2015 13:00	FALSE	99.656		126743.344		38.557		0.967	
TPSWCCS-2B_AT_376736	8/24/2015 14:00	FALSE	10.006		16810.354		39.595		1.299	
TPSWCCS-2B_AT_376736	8/24/2015 15:00	FALSE	50.257		71510.758		40.273		1.276	
TPSWCCS-2B_AT_376736	8/24/2015 16:00	FALSE	97.342		124314.039		40.379		1.168	
TPSWCCS-2B_AT_376736	8/24/2015 17:00	FALSE	96.268		123213.063		40.259		1.18	
TPSWCCS-2B_AT_376736	8/24/2015 18:00	FALSE	95.69		122622.18		40.057		1.186	
TPSWCCS-2B_AT_376736	8/24/2015 19:00	FALSE	95.248		122185.891		39.393		1.18	
TPSWCCS-2B_AT_376736	8/24/2015 20:00	FALSE	95.378		122327.422		39.166		1.182	
TPSWCCS-2B_AT_376736	8/24/2015 21:00	FALSE	95.499		122468.57		38.698		1.184	
TPSWCCS-2B_AT_376736	8/24/2015 22:00	FALSE	95.631		122609.328		38.577		1.181	
TPSWCCS-2B_AT_376736	8/24/2015 23:00	FALSE	96.643		123674.906		38.003		1.152	
TPSWCCS-2B_AT_376736	8/25/2015 0:00	FALSE	96.368		123396.391		37.881		1.134	
TPSWCCS-2B_AT_376736	8/25/2015 1:00	FALSE	96.648		123694.055		37.652		1.136	
TPSWCCS-2B_AT_376736	8/25/2015 2:00	FALSE	98.669		125784.203		37.325		1.101	
TPSWCCS-2B_AT_376736	8/25/2015 3:00	FALSE	98.542		125665.445		37.056		1.093	
TPSWCCS-2B_AT_376736	8/25/2015 4:00	FALSE	91.597		118467.789		36.905		0.992	
TPSWCCS-2B_AT_376736	8/25/2015 5:00	FALSE	92.162		119072.023		36.631		0.611	
TPSWCCS-2B_AT_376736	8/25/2015 6:00	FALSE	92.102		119016.547		36.459		0.545	
TPSWCCS-2B_AT_376736	8/25/2015 7:00	FALSE	91.856		118761.789		36.388		0.512	
TPSWCCS-2B_AT_376736	8/25/2015 8:00	FALSE	92.032		118939.344		36.549		0.511	
TPSWCCS-2B_AT_376736	8/25/2015 9:00	FALSE	91.844		118732.516		36.785		0.525	
TPSWCCS-2B_AT_376736	8/25/2015 10:00	FALSE	91.632		118485.945		37.4		0.546	
TPSWCCS-2B_AT_376736	8/25/2015 11:00	FALSE	10.689		17853.51		38.16		1.01	
TPSWCCS-2B_AT_376736	8/25/2015 12:00	FALSE	90.614		117388.297		38.169		0.651	
TPSWCCS-2B_AT_376736	8/25/2015 13:00	FALSE	91.743		118573.523		38.203		0.58	
TPSWCCS-2B_AT_376736	8/25/2015 14:00	FALSE	91.357		118577.164		38.546		0.619	
TPSWCCS-2B_AT_376736	8/25/2015 15:00	FALSE	91.136		118253.695		38.12		0.648	
TPSWCCS-2B_AT_376736	8/25/2015 16:00	FALSE	91.765		118557.281		39.438		0.681	
TPSWCCS-2B_AT_376736	8/25/2015 17:00	FALSE	92.075		118868.672		39.877		0.665	
TPSWCCS-2B_AT_376736	8/25/2015 18:00	FALSE	6.36		11068.881		39.048		1.119	
TPSWCCS-2B_AT_376736	8/25/2015 19:00	FALSE	14.108		23017.424		39.309		1.5	
TPSWCCS-2B_AT_376736	8/25/2015 20:00	FALSE	52.108		73782.914		38.972		1.379	
TPSWCCS-2B_AT_376736	8/25/2015 21:00	FALSE	52.128		73809.641		38.735		1.394	
TPSWCCS-2B_AT_376736	8/25/2015 22:00	FALSE	43.639		63265.871		38.459		1.395	
TPSWCCS-2B_AT_376736	8/25/2015 23:00	FALSE	23.897		37086.18		38.019		1.423	
TPSWCCS-2B_AT_376736	8/26/2015 0:00	FALSE	53.776		75821.063		37.763		1.363	
TPSWCCS-2B_AT_376736	8/26/2015 10:00	FALSE	91.23		118065.75		37.327		0.24	
TPSWCCS-2B_AT_376736	8/26/2015 11:00	FALSE	91.48		118325.289		37.429		0.211	
TPSWCCS-2B_AT_376736	8/26/2015 12:00	FALSE	91.437		118263.563		37.882		0.186	
TPSWCCS-2B_AT_376736	8/26/2015 13:00	FALSE	91.765		118622.859		37.471		0.19	
TPSWCCS-2B_AT_376736	8/26/2015 14:00	FALSE	91.641		118441.961		38.943		-0.079	
TPSWCCS-2B_AT_376736	8/26/2015 15:00	FALSE	91.065		117847.703		38.614		0.137	
TPSWCCS-2B_AT_376736	8/26/2015 16:00	FALSE	91.373		118178.633		38.399		0.335	
TPSWCCS-2B_AT_376736	8/26/2015 17:00	FALSE	91.948		118786.711		38.245		0.318	
TPSWCCS-2B_AT_376736	8/26/2015 18:00	FALSE	90.498		117265.453		38.187		0.33	
TPSWCCS-2B_AT_376736	8/26/2015 19:00	FALSE	91.001		117801.805		37.993		0.328	
TPSWCCS-2B_AT_376736	8/26/2015 20:00	FALSE	91.122		117939.203		37.698		0.332	
TPSWCCS-2B_AT_376736	8/26/2015 21:00	FALSE	91.261		118096.25		37.409		0.336	
TPSWCCS-2B_AT_376736	8/26/2015 22:00	FALSE	90.958		117793.578		36.969		0.347	
TPSWCCS-2B_AT_376736	8/26/2015 23:00	FALSE	90.809		117647.211		36.703		0.363	
TPSWCCS-2B_AT_376736	8/27/2015 0:00	FALSE	91.384		118262.375		36.474		0.359	
TPSWCCS-2B_AT_376736	8/27/2015 1:00	FALSE	90.855		117706.734		36.44		0.382	
TPSWCCS-2B_AT_376736	8/27/2015 2:00	FALSE	91.142		118017.547		36.249		0.391	
TPSWCCS-2B_AT_376736	8/27/2015 3:00	FALSE	90.939		117812.523		36.026		0.417	
TPSWCCS-2B_AT_376736	8/27/2015 4:00	FALSE	92.511		119470.789		35.874		0.48	
TPSWCCS-2B_AT_376736	8/27/2015 5:00	FALSE	94.909		121972.133		35.882		0.601	
TPSWCCS-2B_AT_376736	8/27/2015 6:00	FALSE	94.396		121444.203		35.761		0.677	
TPSWCCS-2B_AT_376736	8/27/2015 7:00	FALSE	93.005		119985.586		35.93		0.652	
TPSWCCS-2B_AT_376736	8/27/2015 8:00	FALSE	89.037		115791.211		36.298		0.615	
TPSWCCS-2B_AT_376736	8/27/2015 9:00	FALSE	89.029		115775.172		36.504		0.604	
TPSWCCS-2B_AT_376736	8/27/2015 10:00	FALSE	89.679		116465.008		36.452		0.515	
TPSWCCS-2B_AT_376736	8/27/2015 11:00	FALSE	89.986		116860.547		34.878		0.455	
TPSWCCS-2B_AT_376736	8/27/2015 12:00	FALSE	88.925		115722.07		35.186		0.461	
TPSWCCS-2B_AT_376736	8/27/2015 13:00	FALSE	88.339		115103.422		35.088		0.454	
TPSWCCS-2B_AT_376736	8/27/2015 14:00	FALSE	88.254		115003.297		35.293		0.476	
TPSWCCS-2B_AT_376736	8/27/2015 15:00	FALSE	88.285		115014.086		35.796		0.44	
TPSWCCS-2B_AT_376736	8/27/2015 16:00	FALSE	88.055		114778.117		35.608		0.459	
TPSWCCS-2B_AT_376736	8/27/2015 17:00	FALSE	87.91		114619.875		35.699		0.458	
TPSWCCS-2B_AT_376736	8/27/2015 18:00	FALSE	89.088		115813.102		37.128		0.197	
TPSWCCS-2B_AT_376736	8/27/2015 19:00	FALSE	90.21		117008.57		36.899		0.267	
TPSWCCS-2B_AT_376736	8/27/2015 20:00	FALSE	89.878		116671.203		36.566		0.288	
TPSWCCS-2B_AT_376736	8/27/2015 21:00	FALSE	89.415		116181.109		36.574		0.334	
TPSWCCS-2B_AT_376736	8/27/2015 22:00	FALSE	89.566		116345.133		36.477		0.353	
TPSWCCS-2B_AT_376736	8/27/2015 23:00	FALSE	89.844		116641.008		36.427		0.353	
TPSWCCS-2B_AT_376736	8/28/2015 0:00	FALSE	89.957		116769.469		36.194		0.347	
TPSWCCS-2B_AT_376736	8/28/2015 1:00	FALSE	89.83		116642.203		36.027		0.352	
TPSWCCS-2B_AT_376736	8/28/2015 2:00	FALSE	89.743		116561.445		35.774		0.358	
TPSWCCS-2B_AT_376736	8/28/2015 3:00	FALSE	89.917		116759.32		35.48		0.379	
TPSWCCS-2B_AT_376736	8/28/2015 4:00	FALSE	89.821		116665.695		35.29		0.421	
TPSWCCS-2B_AT_376736	8/28/2015 5:00	FALSE	88.746		115533.266		35.147		0.623	
TPSWCCS-2B_AT_376736	8/28/2015 6:00	FALSE	88.869		115672.219		34.962		0.631	
TPSWCCS-2B_AT_376736	8/28/2015 7:00	FALSE	89.209		116049.938		34.627		0.589	
TPSWCCS-2B_AT_376736	8/28/2015 8:00	FALSE	88.808		115614.766		34.818		0.565	
TPSWCCS-2B_AT_376736	8/28/2015 9:00	FALSE	89.684		116535.125		34.988		0.617	
TPSWCCS-2B_AT_376736	8/28/2015 10:00	FALSE	90.357		117242.891		35.074		0.631	
TPSWCCS-2B_AT_376736	8/28/2015 11:00	FALSE	90.484		117353.508		35.575		0.651	
TPSWCCS-2B_AT_376736	8/28/2015 12:00	FALSE	90.212		117036.641		36.254		0.561	
TPSWCCS-2B_AT_376736	8/28/2015 13:00	FALSE	91.45		118325.727		36.612		0.413	
TPSWCCS-2B_AT_376736	8/28/2015 14:00	FALSE	91.492		118340.836		37.335		0.424	
TPSWCCS-2B_AT_376736	8/28/2015 15:00	FALSE	92.895		119793.438		37.785		0.426	
TPSWCCS-2B_AT_376736	8/28/2015 16:00	FALSE	91.929		118762.242		38.379		0.444	
TPSWCCS-2B_AT_376736	8/28/2015 17:00	FALSE	91.162		117959.328		38.331		0.409	
TPSWCCS-2B_AT_376736	8/28/2015 18:00	FALSE	91.284		118086.078		38.357		0.404	
TPSWCCS-2B_AT_376736	8/28/2015 19:00	FALSE	91.028		117827.609		38.054		0.39	
TPSWCCS-2B_AT_376736	8/28/2015 20:00	FALSE	91.703		118558.063		37.464		0.382	
TPSWCCS-2B_AT_376736	8/28/2									

TPSWCCS-2B_AT_376736	8/29/2015 5:00	FALSE	97.173	124402.18	34.254	0.319
TPSWCCS-2B_AT_376736	8/29/2015 6:00	FALSE	92.991	120069.125	34	0.337
TPSWCCS-2B_AT_376736	8/29/2015 7:00	FALSE	92.112	119155.438	33.859	0.355
TPSWCCS-2B_AT_376736	8/29/2015 8:00	FALSE	92.623	119688.078	33.923	0.341
TPSWCCS-2B_AT_376736	8/29/2015 9:00	FALSE	97.561	124803.984	34.22	0.327
TPSWCCS-2B_AT_376736	8/29/2015 10:00	FALSE	99.967	127243.898	34.703	0.323
TPSWCCS-2B_AT_376736	8/29/2015 11:00	FALSE	98.763	125976.891	35.317	0.342
TPSWCCS-2B_AT_376736	8/29/2015 12:00	FALSE	95.277	122348.492	35.992	0.362
TPSWCCS-2B_AT_376736	8/29/2015 13:00	FALSE	94.347	121358.938	36.506	0.367
TPSWCCS-2B_AT_376736	8/29/2015 14:00	FALSE	93.202	120146.07	36.98	0.381
TPSWCCS-2B_AT_376736	8/29/2015 15:00	FALSE	90.455	117260.711	37.069	0.392
TPSWCCS-2B_AT_376736	8/29/2015 16:00	FALSE	92.978	119909.336	37.041	0.381
TPSWCCS-2B_AT_376736	8/29/2015 17:00	FALSE	92.559	119469.508	37.087	0.388
TPSWCCS-2B_AT_376736	8/29/2015 18:00	FALSE	88.904	115650.344	36.308	0.367
TPSWCCS-2B_AT_376736	8/29/2015 19:00	FALSE	88.546	115273.766	36.233	0.376
TPSWCCS-2B_AT_376736	8/29/2015 20:00	FALSE	88.545	115268.492	36.329	0.386
TPSWCCS-2B_AT_376736	8/29/2015 21:00	FALSE	89.3	116077.367	36.132	0.378
TPSWCCS-2B_AT_376736	8/29/2015 22:00	FALSE	89.257	116046.055	35.796	0.368
TPSWCCS-2B_AT_376736	8/29/2015 23:00	FALSE	89.507	116330.172	35.374	0.369
TPSWCCS-2B_AT_376736	8/30/2015 0:00	FALSE	89.473	116317.188	34.875	0.381
TPSWCCS-2B_AT_376736	8/30/2015 1:00	FALSE	86.536	113223.188	34.163	0.506
TPSWCCS-2B_AT_376736	8/30/2015 2:00	FALSE	87.401	114128.883	34.569	0.496
TPSWCCS-2B_AT_376736	8/30/2015 3:00	FALSE	88.78	115599.242	34.54	0.527
TPSWCCS-2B_AT_376736	8/30/2015 4:00	FALSE	88.83	115650.297	34.581	0.534
TPSWCCS-2B_AT_376736	8/30/2015 5:00	FALSE	88.197	114971.406	34.688	0.562
TPSWCCS-2B_AT_376736	8/30/2015 6:00	FALSE	87.724	114469.484	34.646	0.576
TPSWCCS-2B_AT_376736	8/30/2015 7:00	FALSE	86.63	113316.844	34.308	0.639
TPSWCCS-2B_AT_376736	8/30/2015 8:00	FALSE	84.351	110865.555	34.316	0.842
TPSWCCS-2B_AT_376736	8/30/2015 9:00	FALSE	83.84	110403.047	32.582	0.758
TPSWCCS-2B_AT_376736	8/30/2015 10:00	FALSE	82.654	109148.563	32.011	0.562
TPSWCCS-2B_AT_376736	8/30/2015 11:00	FALSE	84.435	111031.852	32.856	0.564
TPSWCCS-2B_AT_376736	8/30/2015 12:00	FALSE	83.313	109818.758	32.827	0.625
TPSWCCS-2B_AT_376736	8/30/2015 13:00	FALSE	83.592	110130.383	32.663	0.603
TPSWCCS-2B_AT_376736	8/30/2015 14:00	FALSE	84.41	111015.078	32.671	0.588
TPSWCCS-2B_AT_376736	8/30/2015 15:00	FALSE	84.703	111331.07	32.686	0.554
TPSWCCS-2B_AT_376736	8/30/2015 16:00	FALSE	84.843	111476.68	32.789	0.542
TPSWCCS-2B_AT_376736	8/30/2015 17:00	FALSE	85.322	111999.156	32.674	0.511
TPSWCCS-2B_AT_376736	8/30/2015 18:00	FALSE	84.832	111485.313	32.435	0.505
TPSWCCS-2B_AT_376736	8/30/2015 19:00	FALSE	85.236	111921.313	32.433	0.5
TPSWCCS-2B_AT_376736	8/30/2015 20:00	FALSE	85.32	112024.93	32.22	0.483
TPSWCCS-2B_AT_376736	8/30/2015 21:00	FALSE	85.652	112390.266	32.092	0.473
TPSWCCS-2B_AT_376736	8/30/2015 22:00	FALSE	84.877	111550.906	32.147	0.467
TPSWCCS-2B_AT_376736	8/30/2015 23:00	FALSE	84.658	111316.641	32.103	0.47
TPSWCCS-2B_AT_376736	8/31/2015 0:00	FALSE	84.348	110978.703	32.161	0.472


Temperature (C)



Salinity (PSU)



SpecificConductance ($\mu\text{S}/\text{cm}$)



Water Level

