


SensorName	DateSampleTaken	IsDataValid	Salinity (PSU)	SalinityTelemetryQualifiers	SpecificConductance (µS/cm)	SpecificConductanceTelemetryQualifiers	Temperature (C)	TemperatureTelemetryQualifiers	WaterLevel (ft)	WaterLevelTelemetryQualifiers
TPSWCCS-2B_AT_376736	9/7/2015 0:00	FALSE	80.357		106409.664		37.376		0.791	
TPSWCCS-2B_AT_376736	9/7/2015 1:00	FALSE	80.985		107085.898		37.685		0.788	
TPSWCCS-2B_AT_376736	9/7/2015 2:00	FALSE	80.943		107057.68		37.13		0.819	
TPSWCCS-2B_AT_376736	9/7/2015 3:00	FALSE	80.841		106966.469		36.486		0.888	
TPSWCCS-2B_AT_376736	9/7/2015 4:00	FALSE	80.838		106974.961		36.166		0.886	
TPSWCCS-2B_AT_376736	9/7/2015 5:00	FALSE	81.009		107166.703		36.023		0.884	
TPSWCCS-2B_AT_376736	9/7/2015 6:00	FALSE	80.773		106914.875		35.865		0.887	
TPSWCCS-2B_AT_376736	9/7/2015 7:00	FALSE	81.133		107309.383		35.809		0.886	
TPSWCCS-2B_AT_376736	9/7/2015 8:00	FALSE	80.949		107117.648		35.584		0.881	
TPSWCCS-2B_AT_376736	9/7/2015 9:00	FALSE	80.535		106652.945		35.915		0.867	
TPSWCCS-2B_AT_376736	9/7/2015 10:00	FALSE	80.763		106891.117		36.22		0.832	
TPSWCCS-2B_AT_376736	9/7/2015 11:00	FALSE	81.189		107353.266		36.284		0.894	
TPSWCCS-2B_AT_376736	9/7/2015 12:00	FALSE	81.663		107872.156		36.234		0.872	
TPSWCCS-2B_AT_376736	9/7/2015 13:00	FALSE	81.353		107537.969		36.12		0.859	
TPSWCCS-2B_AT_376736	9/7/2015 14:00	FALSE	81.364		107541.641		36.351		0.709	
TPSWCCS-2B_AT_376736	9/7/2015 15:00	FALSE	81.114		107270.195		36.318		0.746	
TPSWCCS-2B_AT_376736	9/7/2015 16:00	FALSE	81.193		107352.938		36.432		0.794	
TPSWCCS-2B_AT_376736	9/7/2015 17:00	FALSE	80.894		107024.125		36.51		0.818	
TPSWCCS-2B_AT_376736	9/7/2015 18:00	FALSE	81.084		107230.727		36.527		0.812	
TPSWCCS-2B_AT_376736	9/7/2015 19:00	FALSE	80.869		106994.641		36.569		0.79	
TPSWCCS-2B_AT_376736	9/7/2015 20:00	FALSE	80.875		107005.32		36.44		0.651	
TPSWCCS-2B_AT_376736	9/7/2015 21:00	FALSE	80.621		106727.328		36.461		0.61	
TPSWCCS-2B_AT_376736	9/7/2015 22:00	FALSE	80.653		106762.813		36.464		0.66	
TPSWCCS-2B_AT_376736	9/7/2015 23:00	FALSE	80.523		106633.766		36.062		0.647	
TPSWCCS-2B_AT_376736	9/8/2015 0:00	FALSE	80.453		106563.531		35.881		0.688	
TPSWCCS-2B_AT_376736	9/8/2015 1:00	FALSE	80.34		106445.641		35.747		0.524	
TPSWCCS-2B_AT_376736	9/8/2015 2:00	FALSE	80.372		106474.234		35.924		0.773	
TPSWCCS-2B_AT_376736	9/8/2015 3:00	FALSE	80.178		106264.57		35.851		0.728	
TPSWCCS-2B_AT_376736	9/8/2015 4:00	FALSE	80.314		106414.773		35.814		0.74	
TPSWCCS-2B_AT_376736	9/8/2015 5:00	FALSE	79.972		106043.156		35.717		0.804	
TPSWCCS-2B_AT_376736	9/8/2015 6:00	FALSE	79.66		105710.086		35.473		0.839	
TPSWCCS-2B_AT_376736	9/8/2015 7:00	FALSE	79.53		105572.891		35.323		0.852	
TPSWCCS-2B_AT_376736	9/8/2015 8:00	FALSE	79.52		105563.602		35.295		0.785	
TPSWCCS-2B_AT_376736	9/8/2015 9:00	FALSE	79.067		105070.563		35.144		0.778	
TPSWCCS-2B_AT_376736	9/8/2015 10:00	FALSE	79.09		105090.313		35.291		0.745	
TPSWCCS-2B_AT_376736	9/8/2015 11:00	FALSE	78.846		104799.094		35.938		0.708	
TPSWCCS-2B_AT_376736	9/8/2015 12:00	FALSE	78.596		104509.992		36.33		0.654	
TPSWCCS-2B_AT_376736	9/8/2015 13:00	FALSE	78.875		104825.977		36.085		0.755	
TPSWCCS-2B_AT_376736	9/8/2015 14:00	FALSE	78.357		104244.133		37.083		0.705	
TPSWCCS-2B_AT_376736	9/8/2015 15:00	FALSE	79.258		105191.195		38.132		0.458	
TPSWCCS-2B_AT_376736	9/8/2015 16:00	FALSE	79.202		105121.023		38.233		0.387	
TPSWCCS-2B_AT_376736	9/8/2015 17:00	FALSE	79.685		105655.594		38.057		0.378	
TPSWCCS-2B_AT_376736	9/8/2015 18:00	FALSE	79.645		105617.07		37.864		0.358	
TPSWCCS-2B_AT_376736	9/8/2015 19:00	FALSE	78.991		104904.445		37.684		0.368	
TPSWCCS-2B_AT_376736	9/8/2015 20:00	FALSE	78.946		104861.602		37.446		0.383	
TPSWCCS-2B_AT_376736	9/8/2015 21:00	FALSE	79.095		105029.508		37.284		0.39	
TPSWCCS-2B_AT_376736	9/8/2015 22:00	FALSE	79.079		105011.102		37.328		0.399	
TPSWCCS-2B_AT_376736	9/8/2015 23:00	FALSE	78.603		104488.953		37.272		0.411	
TPSWCCS-2B_AT_376736	9/9/2015 0:00	FALSE	78.434		104299.672		37.392		0.433	
TPSWCCS-2B_AT_376736	9/9/2015 1:00	FALSE	78.713		104610.625		37.235		0.458	
TPSWCCS-2B_AT_376736	9/9/2015 2:00	FALSE	78.633		104531.328		36.954		0.493	
TPSWCCS-2B_AT_376736	9/9/2015 3:00	FALSE	78.452		104343.672		36.565		0.535	
TPSWCCS-2B_AT_376736	9/9/2015 4:00	FALSE	78.429		104330.477		36.221		0.59	
TPSWCCS-2B_AT_376736	9/9/2015 5:00	FALSE	78.225		104106.695		36.163		0.857	
TPSWCCS-2B_AT_376736	9/9/2015 6:00	FALSE	78.366		104270.07		35.927		0.906	
TPSWCCS-2B_AT_376736	9/9/2015 7:00	FALSE	78.329		104244.906		35.489		0.876	
TPSWCCS-2B_AT_376736	9/9/2015 8:00	FALSE	78.628		104571.344		35.58		0.919	
TPSWCCS-2B_AT_376736	9/9/2015 9:00	FALSE	78.636		104587.133		35.386		0.908	
TPSWCCS-2B_AT_376736	9/9/2015 10:00	FALSE	78.216		104113.977		35.665		0.882	
TPSWCCS-2B_AT_376736	9/9/2015 11:00	FALSE	78.061		103928.57		36.081		0.947	
TPSWCCS-2B_AT_376736	9/9/2015 12:00	FALSE	78.381		104257.719		36.834		0.868	
TPSWCCS-2B_AT_376736	9/9/2015 13:00	FALSE	78.572		104458.648		37.16		0.606	
TPSWCCS-2B_AT_376736	9/9/2015 14:00	FALSE	78.372		104236.039		37.214		0.439	
TPSWCCS-2B_AT_376736	9/9/2015 15:00	FALSE	78.229		104083.523		37.053		0.613	
TPSWCCS-2B_AT_376736	9/9/2015 16:00	FALSE	78.598		104477.852		37.466		0.775	
TPSWCCS-2B_AT_376736	9/9/2015 17:00	FALSE	78.691		104580.945		37.457		0.418	
TPSWCCS-2B_AT_376736	9/9/2015 18:00	FALSE	78.392		104244.898		37.685		0.398	
TPSWCCS-2B_AT_376736	9/9/2015 19:00	FALSE	78.065		103892.719		37.414		0.409	
TPSWCCS-2B_AT_376736	9/9/2015 20:00	FALSE	78.296		104151.109		37.272		0.419	
TPSWCCS-2B_AT_376736	9/9/2015 21:00	FALSE	78.325		104191.461		36.983		0.413	
TPSWCCS-2B_AT_376736	9/9/2015 22:00	FALSE	78.376		104257.227		36.68		0.4	
TPSWCCS-2B_AT_376736	9/9/2015 23:00	FALSE	78.179		104042.586		36.586		0.428	
TPSWCCS-2B_AT_376736	9/10/2015 0:00	FALSE	77.873		103704.461		36.622		0.43	
TPSWCCS-2B_AT_376736	9/10/2015 1:00	FALSE	77.735		103556.789		36.447		0.446	
TPSWCCS-2B_AT_376736	9/10/2015 2:00	FALSE	77.632		103450.203		36.222		0.457	
TPSWCCS-2B_AT_376736	9/10/2015 3:00	FALSE	77.995		103857.109		36.056		0.473	
TPSWCCS-2B_AT_376736	9/10/2015 4:00	FALSE	77.651		103481.023		35.923		0.5	
TPSWCCS-2B_AT_376736	9/10/2015 5:00	FALSE	77.792		103638.93		35.872		0.541	
TPSWCCS-2B_AT_376736	9/10/2015 6:00	FALSE	77.82		103673.555		35.767		0.654	
TPSWCCS-2B_AT_376736	9/10/2015 7:00	FALSE	77.44		103245.156		35.993		0.893	
TPSWCCS-2B_AT_376736	9/10/2015 8:00	FALSE	77.806		103653.336		35.887		0.876	
TPSWCCS-2B_AT_376736	9/10/2015 9:00	FALSE	77.577		103391.063		36.186		0.762	
TPSWCCS-2B_AT_376736	9/10/2015 10:00	FALSE	77.76		103581.781		36.542		0.745	
TPSWCCS-2B_AT_376736	9/10/2015 11:00	FALSE	77.903		103738.695		36.559		0.758	
TPSWCCS-2B_AT_376736	9/10/2015 12:00	FALSE	77.551		103349.516		36.585		0.803	
TPSWCCS-2B_AT_376736	9/10/2015 13:00	FALSE	77.76		103575.914		36.734		0.896	
TPSWCCS-2B_AT_376736	9/10/2015 14:00	FALSE	77.906		103719.469		37.338		0.871	
TPSWCCS-2B_AT_376736	9/10/2015 15:00	FALSE	77.645		103418.539		37.813		0.87	
TPSWCCS-2B_AT_376736	9/10/2015 16:00	FALSE	77.618		103372.914		38.453		0.495	
TPSWCCS-2B_AT_376736	9/10/2015 17:00	FALSE	78.179		103993.023		38.382		0.37	
TPSWCCS-2B_AT_376736	9/10/2015 18:00	FALSE	78.013		103811.656		38.311		0.386	
TPSWCCS-2B_AT_376736	9/10/2015 19:00	FALSE	78.126		103939.898		38.142		0.413	
TPSWCCS-2B_AT_376736	9/10/2015 20:00	FALSE	77.831		103620.805		37.903		0.434	
TPSWCCS-2B_AT_376736	9/10/2015 21:00	FALSE	77.896		103701.742		37.56		0.457	
TPSWCCS-2B_AT_376736	9/10/2015 22:00	FALSE	77.928		103738.828		37.506		0.437	
TPSWCCS-2B_AT_376736	9/10/2015 23:00	FALSE	77.777		103578.125		37.296		0.455	
TPSWCCS-2B_AT_376736	9/11/2015 0:00	FALSE	77.624		103416.172		37.057		0.427	
TPSWCCS-2B_AT_376736	9/11/2015 1:00	FALSE	77.658		103458.508		36.869		0.444	
TPSWCCS-2B_AT_376736	9/11/2015 2:00	FALSE	77.544		103335.406		36.784		0.452	
TPSWCCS-2B_AT_376736	9/11/2015 3:00	FALSE	77.445		103231.313		36.61		0.485	
TPSWCCS-2B_AT_376736	9/11/2015 4:00	FALSE	77.667		103480.18		36.485		0.535	
TPSWCCS-2B_AT_376736	9/11/2015 5:00	FALSE	77.433		103223.344		36.449		0.763	
TPSWCCS-2B_AT_376736	9/11/2015 6:00	FALSE	77.646		103462.328		36.343		0.894	
TPSWCCS-2B_AT_376736	9/11/2015 7:00	FALSE	77.462		103262.711		36.23		0.901	
TPSWCCS-2B_AT_376736	9/11/2015 8:00	FALSE	77.511		103313.211		36.314		0.913	
TPSWCCS-2B_AT_376736	9/11/2015 9:00	FALSE	77.343		103121.094		36.544		0.888	
TPSWCCS-2B_AT_376736	9/11/2015 10:00	FALSE	77.372		103149.164		36.657		0.843	
TPSWCCS-2B_AT_376736	9/11/2015 11:00	FALSE	77.413		103188.82		36.866		0.909	
TPSWCCS-2B_AT_376736	9/11/2015 12:00	FALSE	77.761		103573.727		36.849			

TPSWCCS-2B_AT_376736	9/11/2015 21:00	FALSE	77.282	103006.273	38.261	0.577
TPSWCCS-2B_AT_376736	9/11/2015 22:00	FALSE	77.433	103178.57	38.045	0.562
TPSWCCS-2B_AT_376736	9/11/2015 23:00	FALSE	77.357	103098.289	37.871	0.481
TPSWCCS-2B_AT_376736	9/12/2015 0:00	FALSE	77.574	103350.641	37.427	0.498
TPSWCCS-2B_AT_376736	9/12/2015 1:00	FALSE	77.395	103160.203	37.137	0.502
TPSWCCS-2B_AT_376736	9/12/2015 2:00	FALSE	77.227	102985.156	36.772	0.545
TPSWCCS-2B_AT_376736	9/12/2015 3:00	FALSE	77.178	102943.484	36.36	0.616
TPSWCCS-2B_AT_376736	9/12/2015 4:00	FALSE	77.349	103144.445	36.01	0.807
TPSWCCS-2B_AT_376736	9/12/2015 5:00	FALSE	77.241	103033.891	35.754	0.84
TPSWCCS-2B_AT_376736	9/12/2015 6:00	FALSE	77.11	102898.055	35.481	0.89
TPSWCCS-2B_AT_376736	9/12/2015 7:00	FALSE	76.736	102488.281	35.347	0.904
TPSWCCS-2B_AT_376736	9/12/2015 8:00	FALSE	76.845	102604.156	35.477	0.922
TPSWCCS-2B_AT_376736	9/12/2015 9:00	FALSE	76.66	102400.914	35.426	0.934
TPSWCCS-2B_AT_376736	9/12/2015 10:00	FALSE	76.984	102747.938	35.771	1.007
TPSWCCS-2B_AT_376736	9/12/2015 11:00	FALSE	76.061	101723.766	35.775	0.945
TPSWCCS-2B_AT_376736	9/12/2015 12:00	FALSE	76.112	101767.977	36.169	1.062
TPSWCCS-2B_AT_376736	9/12/2015 13:00	FALSE	76.142	101786.93	36.604	1.089
TPSWCCS-2B_AT_376736	9/12/2015 14:00	FALSE	75.823	101427.969	36.782	1.111
TPSWCCS-2B_AT_376736	9/12/2015 15:00	FALSE	75.291	100827.102	37.076	1.174
TPSWCCS-2B_AT_376736	9/12/2015 16:00	FALSE	75.32	100855.867	37.19	1.171
TPSWCCS-2B_AT_376736	9/12/2015 17:00	FALSE	75.311	100846.266	37.189	1.032
TPSWCCS-2B_AT_376736	9/12/2015 18:00	FALSE	75.247	100778.953	37.032	0.78
TPSWCCS-2B_AT_376736	9/12/2015 19:00	FALSE	75.348	100900.578	36.721	0.706
TPSWCCS-2B_AT_376736	9/12/2015 20:00	FALSE	75.191	100730.734	36.55	0.694
TPSWCCS-2B_AT_376736	9/12/2015 21:00	FALSE	75.281	100832.828	36.486	0.69
TPSWCCS-2B_AT_376736	9/12/2015 22:00	FALSE	75.2	100745.625	36.374	0.691
TPSWCCS-2B_AT_376736	9/12/2015 23:00	FALSE	75.158	100700.188	36.319	0.691
TPSWCCS-2B_AT_376736	9/13/2015 0:00	FALSE	75.155	100698.438	36.279	0.699
TPSWCCS-2B_AT_376736	9/13/2015 1:00	FALSE	74.983	100510.539	36.161	0.699
TPSWCCS-2B_AT_376736	9/13/2015 2:00	FALSE	74.982	100518.906	35.845	0.716
TPSWCCS-2B_AT_376736	9/13/2015 3:00	FALSE	74.941	100479.797	35.649	0.794
TPSWCCS-2B_AT_376736	9/13/2015 4:00	FALSE	75.08	100647.063	35.279	0.766
TPSWCCS-2B_AT_376736	9/13/2015 5:00	FALSE	74.841	100386.813	35.084	0.903
TPSWCCS-2B_AT_376736	9/13/2015 6:00	FALSE	75.764	101418.813	35.034	0.911
TPSWCCS-2B_AT_376736	9/13/2015 7:00	FALSE	76.251	101961.953	34.987	0.891
TPSWCCS-2B_AT_376736	9/13/2015 8:00	FALSE	76.385	102113.711	34.923	0.885
TPSWCCS-2B_AT_376736	9/13/2015 9:00	FALSE	75.628	101262.977	35.161	0.95
TPSWCCS-2B_AT_376736	9/13/2015 10:00	FALSE	75.433	101037.234	35.381	1.019
TPSWCCS-2B_AT_376736	9/13/2015 11:00	FALSE	75.252	100821.117	35.811	1.055
TPSWCCS-2B_AT_376736	9/13/2015 12:00	FALSE	75.316	100879.57	36.23	1.087
TPSWCCS-2B_AT_376736	9/13/2015 13:00	FALSE	75.884	101501.273	36.576	1.116
TPSWCCS-2B_AT_376736	9/13/2015 14:00	FALSE	75.815	101415.102	36.902	1.006
TPSWCCS-2B_AT_376736	9/13/2015 15:00	FALSE	75.262	100797.305	36.968	0.805
TPSWCCS-2B_AT_376736	9/13/2015 16:00	FALSE	75.328	100868.688	37.072	0.952
TPSWCCS-2B_AT_376736	9/13/2015 17:00	FALSE	75.157	100683.539	36.858	0.855
TPSWCCS-2B_AT_376736	9/13/2015 18:00	FALSE	75.112	100649.523	36.297	0.758
TPSWCCS-2B_AT_376736	9/13/2015 19:00	FALSE	74.665	100157.156	36.09	0.749
TPSWCCS-2B_AT_376736	9/13/2015 20:00	FALSE	74.568	100050.914	36.019	0.734
TPSWCCS-2B_AT_376736	9/13/2015 21:00	FALSE	74.786	100301.172	35.817	0.722
TPSWCCS-2B_AT_376736	9/13/2015 22:00	FALSE	74.385	99853.461	35.786	0.71
TPSWCCS-2B_AT_376736	9/13/2015 23:00	FALSE	74.525	100010.203	35.787	0.702
TPSWCCS-2B_AT_376736	9/14/2015 0:00	FALSE	74.936	100481.688	35.407	0.676


Temperature (C)



Salinity (PSU)



SpecificConductance ($\mu\text{S}/\text{cm}$)



Water Level

