



SensorName	DateSampleTaken	IsDataValid	Salinity (PSU)	SalinityTelemetryQualifiers	SpecificConductance (µS/cm)	SpecificConductanceTelemetryQualifiers	Temperature (C)	TemperatureTelemetryQualifiers	WaterLevel (ft)	WaterLevelTelemetryQualifiers
TPSWCCS-2B_AT_376736	10/5/2015 0:00	FALSE	61.558		85238.336		32.353		0.581	
TPSWCCS-2B_AT_376736	10/5/2015 1:00	FALSE	61.683		85382.836		32.442		0.702	
TPSWCCS-2B_AT_376736	10/5/2015 2:00	FALSE	61.739		85449.477		32.412		0.877	
TPSWCCS-2B_AT_376736	10/5/2015 3:00	FALSE	61.894		85637.211		32.285		0.878	
TPSWCCS-2B_AT_376736	10/5/2015 4:00	FALSE	61.822		85553.977		32.246		0.856	
TPSWCCS-2B_AT_376736	10/5/2015 5:00	FALSE	61.848		85603.227		31.756		0.819	
TPSWCCS-2B_AT_376736	10/5/2015 6:00	FALSE	61.688		85428.891		31.376		0.785	
TPSWCCS-2B_AT_376736	10/5/2015 7:00	FALSE	61.392		85093.344		31.046		0.764	
TPSWCCS-2B_AT_376736	10/5/2015 8:00	FALSE	61.294		84965.172		31.342		0.756	
TPSWCCS-2B_AT_376736	10/5/2015 9:00	FALSE	61.36		85040.391		31.432		0.762	
TPSWCCS-2B_AT_376736	10/5/2015 10:00	FALSE	61.518		85219.969		31.597		0.781	
TPSWCCS-2B_AT_376736	10/5/2015 11:00	FALSE	61.529		85231.023		31.655		0.767	
TPSWCCS-2B_AT_376736	10/5/2015 12:00	FALSE	60.645		84157.758		32.429		0.795	
TPSWCCS-2B_AT_376736	10/5/2015 13:00	FALSE	60.191		83597.766		33.107		0.784	
TPSWCCS-2B_AT_376736	10/5/2015 14:00	FALSE	60.02		83385.289		33.452		0.61	
TPSWCCS-2B_AT_376736	10/5/2015 15:00	FALSE	60.083		83453.461		33.654		0.556	
TPSWCCS-2B_AT_376736	10/5/2015 16:00	FALSE	60.246		83648.273		33.626		0.545	
TPSWCCS-2B_AT_376736	10/5/2015 17:00	FALSE	60.415		83852.078		33.465		0.542	
TPSWCCS-2B_AT_376736	10/5/2015 18:00	FALSE	60.519		83981.5		33.256		0.541	
TPSWCCS-2B_AT_376736	10/5/2015 19:00	FALSE	60.647		84138.57		33.087		0.546	
TPSWCCS-2B_AT_376736	10/5/2015 20:00	FALSE	60.671		84172.32		32.922		0.548	
TPSWCCS-2B_AT_376736	10/5/2015 21:00	FALSE	60.709		84222.57		32.757		0.552	
TPSWCCS-2B_AT_376736	10/5/2015 22:00	FALSE	60.764		84288.813		32.711		0.554	
TPSWCCS-2B_AT_376736	10/5/2015 23:00	FALSE	60.837		84374.602		32.726		0.554	
TPSWCCS-2B_AT_376736	10/6/2015 0:00	FALSE	61.001		84575.078		32.537		0.553	
TPSWCCS-2B_AT_376736	10/6/2015 1:00	FALSE	61.155		84755.102		32.592		0.561	
TPSWCCS-2B_AT_376736	10/6/2015 2:00	FALSE	61.335		84960.914		32.782		0.547	
TPSWCCS-2B_AT_376736	10/6/2015 3:00	FALSE	61.308		84928.914		32.779		0.553	
TPSWCCS-2B_AT_376736	10/6/2015 4:00	FALSE	61.258		84890.563		32.193		0.577	
TPSWCCS-2B_AT_376736	10/6/2015 5:00	FALSE	61.245		84892.633		31.722		0.607	
TPSWCCS-2B_AT_376736	10/6/2015 6:00	FALSE	61.116		84741.797		31.686		0.671	
TPSWCCS-2B_AT_376736	10/6/2015 7:00	FALSE	61.219		84867.492		31.597		0.714	
TPSWCCS-2B_AT_376736	10/6/2015 8:00	FALSE	61.126		84754.969		31.659		0.74	
TPSWCCS-2B_AT_376736	10/6/2015 9:00	FALSE	60.777		84335.102		31.827		0.786	
TPSWCCS-2B_AT_376736	10/6/2015 10:00	FALSE	61.043		84640.672		32.09		0.789	
TPSWCCS-2B_AT_376736	10/6/2015 11:00	FALSE	61.157		84767.086		32.295		0.777	
TPSWCCS-2B_AT_376736	10/6/2015 12:00	FALSE	61.43		85082.852		32.474		0.795	
TPSWCCS-2B_AT_376736	10/6/2015 13:00	FALSE	61.519		85174.32		32.895		0.8	
TPSWCCS-2B_AT_376736	10/6/2015 14:00	FALSE	61.616		85275.844		33.292		0.735	
TPSWCCS-2B_AT_376736	10/6/2015 15:00	FALSE	61.467		85105.609		33.106		0.775	
TPSWCCS-2B_AT_376736	10/6/2015 16:00	FALSE	61.268		84885.734		32.671		0.822	
TPSWCCS-2B_AT_376736	10/6/2015 17:00	FALSE	61.077		84636.008		33.407		0.816	
TPSWCCS-2B_AT_376736	10/6/2015 18:00	FALSE	61.321		84908.695		33.938		0.698	
TPSWCCS-2B_AT_376736	10/6/2015 19:00	FALSE	61.436		85049.367		33.764		0.644	
TPSWCCS-2B_AT_376736	10/6/2015 20:00	FALSE	61.008		84545.5		33.708		0.622	
TPSWCCS-2B_AT_376736	10/6/2015 21:00	FALSE	60.893		84418.75		33.438		0.561	
TPSWCCS-2B_AT_376736	10/6/2015 22:00	FALSE	60.823		84336.445		33.424		0.553	
TPSWCCS-2B_AT_376736	10/6/2015 23:00	FALSE	61.192		84771.508		33.437		0.576	
TPSWCCS-2B_AT_376736	10/7/2015 0:00	FALSE	60.994		84540.109		33.359		0.578	
TPSWCCS-2B_AT_376736	10/7/2015 1:00	FALSE	61.175		84757.633		33.245		0.583	
TPSWCCS-2B_AT_376736	10/7/2015 2:00	FALSE	61.443		85075.031		33.166		0.59	
TPSWCCS-2B_AT_376736	10/7/2015 3:00	FALSE	61.43		85062.656		33.106		0.606	
TPSWCCS-2B_AT_376736	10/7/2015 4:00	FALSE	61.626		85296.586		33.011		0.63	
TPSWCCS-2B_AT_376736	10/7/2015 5:00	FALSE	61.636		85311.633		32.885		0.666	
TPSWCCS-2B_AT_376736	10/7/2015 6:00	FALSE	61.817		85530.805		32.719		0.702	
TPSWCCS-2B_AT_376736	10/7/2015 7:00	FALSE	61.882		85611.984		32.577		0.727	
TPSWCCS-2B_AT_376736	10/7/2015 8:00	FALSE	61.857		85583.219		32.565		0.729	
TPSWCCS-2B_AT_376736	10/7/2015 9:00	FALSE	61.815		85525.992		32.806		0.712	
TPSWCCS-2B_AT_376736	10/7/2015 10:00	FALSE	61.699		85385.305		32.906		0.733	
TPSWCCS-2B_AT_376736	10/7/2015 11:00	FALSE	62.03		85772.008		32.989		0.755	
TPSWCCS-2B_AT_376736	10/7/2015 12:00	FALSE	61.994		85730.086		32.978		0.753	
TPSWCCS-2B_AT_376736	10/7/2015 13:00	FALSE	61.935		85653.031		33.239		0.756	
TPSWCCS-2B_AT_376736	10/7/2015 14:00	FALSE	62.001		85720.875		33.543		0.77	
TPSWCCS-2B_AT_376736	10/7/2015 15:00	FALSE	61.836		85499.141		34.514		0.764	
TPSWCCS-2B_AT_376736	10/7/2015 16:00	FALSE	62.16		85878.656		34.535		0.77	
TPSWCCS-2B_AT_376736	10/7/2015 17:00	FALSE	62.132		85817.148		35.703		0.515	
TPSWCCS-2B_AT_376736	10/7/2015 18:00	FALSE	62.223		85930.992		35.398		0.501	
TPSWCCS-2B_AT_376736	10/7/2015 19:00	FALSE	62.267		85986.867		35.235		0.479	
TPSWCCS-2B_AT_376736	10/7/2015 20:00	FALSE	62.13		85826.063		35.229		0.479	
TPSWCCS-2B_AT_376736	10/7/2015 21:00	FALSE	61.915		85577.469		35.074		0.492	
TPSWCCS-2B_AT_376736	10/7/2015 22:00	FALSE	61.807		85454.195		34.916		0.515	
TPSWCCS-2B_AT_376736	10/7/2015 23:00	FALSE	61.859		85518.141		34.8		0.531	
TPSWCCS-2B_AT_376736	10/8/2015 0:00	FALSE	61.794		85447.266		34.598		0.549	
TPSWCCS-2B_AT_376736	10/8/2015 1:00	FALSE	61.964		85649.977		34.499		0.583	
TPSWCCS-2B_AT_376736	10/8/2015 2:00	FALSE	61.793		85455.406		34.245		0.63	
TPSWCCS-2B_AT_376736	10/8/2015 3:00	FALSE	61.873		85554.969		34.067		0.666	
TPSWCCS-2B_AT_376736	10/8/2015 4:00	FALSE	61.804		85481.453		33.808		0.677	
TPSWCCS-2B_AT_376736	10/8/2015 5:00	FALSE	62.049		85772.93		33.681		0.697	
TPSWCCS-2B_AT_376736	10/8/2015 6:00	FALSE	61.851		85548.305		33.402		0.716	
TPSWCCS-2B_AT_376736	10/8/2015 7:00	FALSE	62.148		85899.438		33.334		0.73	
TPSWCCS-2B_AT_376736	10/8/2015 8:00	FALSE	62.073		85810		33.376		0.725	
TPSWCCS-2B_AT_376736	10/8/2015 9:00	FALSE	61.766		85431.813		33.978		0.715	
TPSWCCS-2B_AT_376736	10/8/2015 10:00	FALSE	62.11		85839.555		33.865		0.732	
TPSWCCS-2B_AT_376736	10/8/2015 11:00	FALSE	62.264		86019.344		33.876		0.745	
TPSWCCS-2B_AT_376736	10/8/2015 12:00	FALSE	62.065		85784.211		33.934		0.744	
TPSWCCS-2B_AT_376736	10/8/2015 13:00	FALSE	62.26		86013.742		33.927		0.74	
TPSWCCS-2B_AT_376736	10/8/2015 14:00	FALSE	62.377		86152.438		33.86		0.742	
TPSWCCS-2B_AT_376736	10/8/2015 15:00	FALSE	62.418		86199.391		33.896		0.748	
TPSWCCS-2B_AT_376736	10/8/2015 16:00	FALSE	62.445		86204.82		34.87		0.745	
TPSWCCS-2B_AT_376736	10/8/2015 17:00	FALSE	62.397		86107.758		36.657		0.551	
TPSWCCS-2B_AT_376736	10/8/2015 18:00	FALSE	62.462		86189.492		36.38		0.453	
TPSWCCS-2B_AT_376736	10/8/2015 19:00	FALSE	62.344		86056.852		36.111		0.445	
TPSWCCS-2B_AT_376736	10/8/2015 20:00	FALSE	62.279		85986.781		35.85		0.485	
TPSWCCS-2B_AT_376736	10/8/2015 21:00	FALSE	62.215		85915.953		35.674		0.509	
TPSWCCS-2B_AT_376736	10/8/2015 22:00	FALSE	62.424		86169.438		35.316		0.552	
TPSWCCS-2B_AT_376736	10/8/2015 23:00	FALSE	62.333		86059.945		35.406		0.574	
TPSWCCS-2B_AT_376736	10/9/2015 0:00	FALSE	62.412		86154.227		35.338		0.625	
TPSWCCS-2B_AT_376736	10/9/2015 1:00	FALSE	62.643		86433.672		34.984		0.699	
TPSWCCS-2B_AT_376736	10/9/2015 2:00	FALSE	62.835		86656.094		35.07		0.704	
TPSWCCS-2B_AT_376736	10/9/2015 3:00	FALSE	62.953		86800.984		34.827		0.714	
TPSWCCS-2B_AT_376736	10/9/2015 4:00	FALSE	62.867		86705.633		34.627		0.736	
TPSWCCS-2B_AT_376736	10/9/2015 5:00	FALSE	62.905		86754.461		34.448		0.747	
TPSWCCS-2B_AT_376736	10/9/2015 6:00	FALSE	62.762		86591.32		34.317		0.749	
TPSWCCS-2B_AT_376736	10/9/2015 7:00	FALSE	62.627		86435.195		34.24		0.755	
TPSWCCS-2B_AT_376736	10/9/2015 8:00	FALSE	62.708		86530.938		34.205		0.753	
TPSWCCS-2B_AT_376736	10/9/2015 9:00	FALSE	62.478		86241.82		34.934		0.74	
TPSWCCS-2B_AT_376736	10/9/2015 10:00	FALSE	62.56		86342.563		34.767		0.757	
TPSWCCS-2B_AT_376736	10/9/2015 11:00	FALSE	62.702		86509.07		34.763		0.773	
TPSWCCS-2B_AT_376736	10/9/2015 12:00	FALSE	62.681		86486.734		34.658		0.759	
TPSWCCS-2B_AT_376736	1									

TPSWCCS-2B_AT_376736	10/9/2015 21:00	FALSE	61.474	85038.758	35.956	0.669
TPSWCCS-2B_AT_376736	10/9/2015 22:00	FALSE	61.554	85141.852	35.564	0.698
TPSWCCS-2B_AT_376736	10/9/2015 23:00	FALSE	61.711	85324.625	35.617	0.783
TPSWCCS-2B_AT_376736	10/10/2015 0:00	FALSE	61.991	85661.453	35.301	0.778
TPSWCCS-2B_AT_376736	10/10/2015 1:00	FALSE	61.997	85659.555	35.656	0.838
TPSWCCS-2B_AT_376736	10/10/2015 2:00	FALSE	61.913	85561.594	35.667	0.842
TPSWCCS-2B_AT_376736	10/10/2015 3:00	FALSE	62.053	85726.117	35.66	0.843
TPSWCCS-2B_AT_376736	10/10/2015 4:00	FALSE	62.099	85777.398	35.743	0.838
TPSWCCS-2B_AT_376736	10/10/2015 5:00	FALSE	62.198	85903.063	35.341	0.845
TPSWCCS-2B_AT_376736	10/10/2015 6:00	FALSE	62.294	86030.391	34.744	0.85
TPSWCCS-2B_AT_376736	10/10/2015 7:00	FALSE	62.19	85901.891	34.998	0.872
TPSWCCS-2B_AT_376736	10/10/2015 8:00	FALSE	62.077	85773.008	34.862	0.876
TPSWCCS-2B_AT_376736	10/10/2015 9:00	FALSE	62.137	85841.188	34.96	0.844
TPSWCCS-2B_AT_376736	10/10/2015 10:00	FALSE	62.063	85748.008	35.226	0.85
TPSWCCS-2B_AT_376736	10/10/2015 11:00	FALSE	62.075	85757.289	35.4	0.851
TPSWCCS-2B_AT_376736	10/10/2015 12:00	FALSE	61.647	85249.117	35.674	0.895
TPSWCCS-2B_AT_376736	10/10/2015 13:00	FALSE	61.03	84515.695	35.965	0.902
TPSWCCS-2B_AT_376736	10/10/2015 14:00	FALSE	60.352	83716.68	35.972	0.949
TPSWCCS-2B_AT_376736	10/10/2015 15:00	FALSE	60.031	83332.008	36.232	0.966
TPSWCCS-2B_AT_376736	10/10/2015 16:00	FALSE	60.115	83423.5	36.626	0.946
TPSWCCS-2B_AT_376736	10/10/2015 17:00	FALSE	60.365	83718.148	36.661	0.872
TPSWCCS-2B_AT_376736	10/10/2015 18:00	FALSE	60.686	84103.875	36.309	0.831
TPSWCCS-2B_AT_376736	10/10/2015 19:00	FALSE	60.889	84348.188	36.082	0.772
TPSWCCS-2B_AT_376736	10/10/2015 20:00	FALSE	61.014	84498.82	35.902	0.741
TPSWCCS-2B_AT_376736	10/10/2015 21:00	FALSE	61.141	84651.758	35.765	0.734
TPSWCCS-2B_AT_376736	10/10/2015 22:00	FALSE	61.45	85013.883	35.82	0.733
TPSWCCS-2B_AT_376736	10/10/2015 23:00	FALSE	61.511	85085.961	35.798	0.737
TPSWCCS-2B_AT_376736	10/11/2015 0:00	FALSE	61.578	85164.125	35.842	0.731
TPSWCCS-2B_AT_376736	10/11/2015 1:00	FALSE	61.728	85341.016	35.813	0.743
TPSWCCS-2B_AT_376736	10/11/2015 2:00	FALSE	61.714	85323.453	35.873	0.737
TPSWCCS-2B_AT_376736	10/11/2015 3:00	FALSE	61.81	85434.484	35.947	0.739
TPSWCCS-2B_AT_376736	10/11/2015 4:00	FALSE	61.9	85542.555	35.83	0.739
TPSWCCS-2B_AT_376736	10/11/2015 5:00	FALSE	61.946	85618.789	34.865	0.74
TPSWCCS-2B_AT_376736	10/11/2015 6:00	FALSE	61.696	85340.023	34.279	0.737
TPSWCCS-2B_AT_376736	10/11/2015 7:00	FALSE	61.508	85123.828	34.125	0.742
TPSWCCS-2B_AT_376736	10/11/2015 8:00	FALSE	61.444	85048.219	34.141	0.754
TPSWCCS-2B_AT_376736	10/11/2015 9:00	FALSE	61.458	85060.055	34.287	0.764
TPSWCCS-2B_AT_376736	10/11/2015 10:00	FALSE	61.342	84914.227	34.629	0.779
TPSWCCS-2B_AT_376736	10/11/2015 11:00	FALSE	61.357	84920.406	35.088	0.754
TPSWCCS-2B_AT_376736	10/11/2015 12:00	FALSE	61.445	85034.656	34.664	0.768
TPSWCCS-2B_AT_376736	10/11/2015 13:00	FALSE	61.364	84948.023	34.334	0.76
TPSWCCS-2B_AT_376736	10/11/2015 14:00	FALSE	61.002	84523.273	34.264	0.822
TPSWCCS-2B_AT_376736	10/11/2015 15:00	FALSE	60.94	84436.07	34.825	0.831
TPSWCCS-2B_AT_376736	10/11/2015 16:00	FALSE	61.134	84665.688	34.774	0.842
TPSWCCS-2B_AT_376736	10/11/2015 17:00	FALSE	61.028	84533.75	35.05	0.836
TPSWCCS-2B_AT_376736	10/11/2015 18:00	FALSE	61.088	84600.617	35.247	0.824
TPSWCCS-2B_AT_376736	10/11/2015 19:00	FALSE	61.455	85025.531	35.574	0.825
TPSWCCS-2B_AT_376736	10/11/2015 20:00	FALSE	61.689	85325.195	34.558	0.807
TPSWCCS-2B_AT_376736	10/11/2015 21:00	FALSE	61.525	85126.234	34.759	0.839
TPSWCCS-2B_AT_376736	10/11/2015 22:00	FALSE	61.616	85226.258	35.039	0.84
TPSWCCS-2B_AT_376736	10/11/2015 23:00	FALSE	61.779	85427.633	34.691	0.83
TPSWCCS-2B_AT_376736	10/12/2015 0:00	FALSE	61.568	85183.469	34.521	0.814


Temperature (C)



Salinity (PSU)



SpecificConductance ($\mu\text{S}/\text{cm}$)



Water Level

