

JONATHAN DICKINSON STATE PARK

ANIMALS

| COMMON NAME | SCIENTIFIC NAME | PRIMARY HABITAT (for all species) |
|----------------------------|-------------------------------|--|
| P | | |
| BIRDS | | |
| Common loon | <i>Gavia immer</i> | 53 |
| Pied-billed grebe | <i>Podilymbus podiceps</i> | 49,53 |
| Brown pelican | <i>Pelecanus occidentalis</i> | 53,76 |
| Double-crested cormorant | <i>Phalacrocorax auritus</i> | 53,76 |
| Anhinga | <i>Anhinga anhinga</i> | 29,53 |
| Magnificent frigatebird | <i>Fregata magnificens</i> | Unknown |
| American bittern | <i>Botaurus lentiginosus</i> | 29 |
| Least bittern | <i>Ixobrychus exilis</i> | 29 |
| Great blue heron | <i>Ardea herodias</i> | 29,42,49.53 |
| Great egret | <i>Casmerodias albus</i> | 29,42 |
| Snowy egret | <i>Egretta thula</i> | 53,76 |
| Little blue heron | <i>Egretta caerulea</i> | 42,76 |
| Tricolored heron | <i>Egretta tricolor</i> | 29,42 |
| Cattle egret | <i>Bubulcus ibis</i> | 82 |
| Green heron | <i>Butorides virescens</i> | 42,53 |
| Black-crowned night heron | <i>Nycticorax nycticorax</i> | 53,76 |
| Yellow-crowned night heron | <i>Nyctanrassa violacea</i> | 53,76 |
| White ibis | <i>Eudocimus albus</i> | 53,76 |
| Roseate spoonbill | <i>Ajaia ajaja</i> | 76 |
| Wood stork | <i>Mycteria americana</i> | 29,42 |
| Black vulture | <i>Coragyps atratus</i> | Throughout |
| Turkey vulture | <i>Cathartes aura</i> | Throughout |
| Wood duck | <i>Aix sponsa</i> | 33,39 |
| Green-winged teal | <i>Anas crecca</i> | 29,53 |
| Mottled duck | <i>Anas fulviquila</i> | 29,53 |
| Mallard | <i>Anas platyrhynchos</i> | 29,53 |
| Northern pintail | <i>Anas acuta</i> | 29,53 |
| Blue-winged teal | <i>Anas discors</i> | 29,53 |
| American wigeon | <i>Anas americana</i> | 29,53 |
| Lesser scaup | <i>Aythya affinis</i> | 53 |
| Hooded merganser | <i>Lophodytes cucullatus</i> | 42,53 |
| Red-breasted merganser | <i>Mergus serrator</i> | 53,76 |
| Osprey | <i>Pandion haliaetus</i> | 53,76 |
| Swallow-tailed kite | <i>Elanoides forficatus</i> | Throughout |

JONATHAN DICKINSON STATE PARK

ANIMALS

| COMMON NAME | SCIENTIFIC NAME | PRIMARY HABITAT (for all species) |
|---------------------------|-----------------------------------|--|
| Snail kite | <i>Rostrhamus sociabilis</i> | 42 |
| Bald eagle | <i>Haliaeetus leucocephalus</i> | Throughout |
| Northern harrier | <i>Circus cyaneus</i> | 29,41,42 |
| Sharp-shinned hawk | <i>Accipiter striatus</i> | 41 |
| Cooper's hawk | <i>Accipiter cooperii</i> | 41 |
| Red-shouldered hawk | <i>Buteo lineatus</i> | 41 |
| Red-tailed hawk | <i>Buteo jamaicensis</i> | Throughout |
| American kestrel | <i>Falco sparverius</i> | Throughout |
| Merlin | <i>Falco columbarius</i> | Throughout |
| Peregrine falcon | <i>Falco peregrinus</i> | Throughout |
| Common indian peacock* | <i>Pavo cristatus</i> | 82 |
| Wild turkey | <i>Meleagris gallopavo</i> | 41 |
| Northern bobwhite | <i>Colinus virginianus</i> | 15,41 |
| Common moorhen | <i>Gallinula chloropus</i> | 49 |
| American coot | <i>Fulica americana</i> | 49 |
| Limpkin | <i>Aramus quarauna</i> | 33,39,42 |
| Sandhill crane | <i>Grus canadensis</i> | 41,42 |
| Killdeer | <i>Charadrius vociferus</i> | 41,82 |
| Spotted sandpiper | <i>Actitis macularia</i> | 76 |
| Common snipe | <i>Gallinago gallinago</i> | 29,42 |
| American woodcock | <i>Scolopax minor</i> | 41,82 |
| Laughing gull | <i>Larus articulla</i> | 53,76 |
| Ring-billed gull | <i>Larus delawarensis</i> | 53,76 |
| Herring gull | <i>Larus argentatus</i> | 53,76 |
| Royal tern | <i>Sterna maxima</i> | 53 |
| Least tern | <i>Sterna antillarum</i> | 53 |
| Black skimmer | <i>Rynchops niger</i> | 53 |
| Rock dove* | <i>Columbia livia</i> | 82 |
| Morning dove | <i>Zenaida macroura</i> | Throughout |
| Ground dove | <i>Columbina passerina</i> | 13,41 |
| Yellow-billed cuckoo | <i>Coccyzus americanus</i> | 76 |
| Smooth-billed ani | <i>Crotophaga ani</i> | 41 |
| Barn owl | <i>Tyto alba</i> | 41 |
| Eastern screech owl | <i>Otus asio</i> | 33,41,82 |
| Great horned owl | <i>Bubo virginianus</i> | 14,41 |
| Barred owl | <i>Strix varia</i> | 33,39 |
| Common nighthawk | <i>Chordeiles minor</i> | Throughout |
| Chuck-will's widow | <i>Caprimulgus carolinensis</i> | 13,14,41 |
| Whip-poor-will | <i>Caprimulgus vociferus</i> | 41 |
| Chimney swift | <i>Chaetura pelagica</i> | Throughout |
| Ruby-throated hummingbird | <i>Archilochus colubris</i> | 41 |
| Belted kingfisher | <i>Ceryle alcyon</i> | 29,42,53,76 |
| Red-headed woodpecker | <i>Melanerpes erythrocephalus</i> | 13,41 |
| Red-bellied woodpecker | <i>Melanerpes carolinus</i> | Throughout |
| Yellow-bellied sapsucker | <i>Sphyrapicus varius</i> | 33,41 |
| Downy woodpecker | <i>Picoides pubescens</i> | 41 |
| Hairy woodpecker | <i>Picoides villosus</i> | 41 |

* Non-native Species

JONATHAN DICKINSON STATE PARK

ANIMALS

| COMMON NAME | SCIENTIFIC NAME | PRIMARY HABITAT (for all species) |
|-------------------------------|-----------------------------------|--------------------------------------|
| Red-cockaded Woodpecker ** | <i>Picoides borealis</i> | 15 |
| Northern flicker | <i>Colaptes auratus</i> | Throughout |
| Pileated woodpecker | <i>Dryocopus pileatus</i> | 33,41 |
| Eastern wood pewee | <i>Contopus virens</i> | 41 |
| Eastern phoebe | <i>Sayornis phoebe</i> | 41 |
| Great-crested flycatcher | <i>Myiarchus crinitus</i> | 41,42 |
| Gray kingbird | <i>Tyrannus dominicensis</i> | 13,41 |
| Purple martin | <i>Progne subis</i> | Throughout |
| Tree swallow | <i>Tachycineta bicolor</i> | Throughout |
| Northern rough-winged swallow | <i>Stelgidopteryx serripennis</i> | Throughout |
| Bank swallow | <i>Riparia riparia</i> | Throughout |
| Barn swallow | <i>Hirundo rustica</i> | Throughout |
| Blue jay | <i>Cyanocitta cristata</i> | Throughout |
| Florida scrub jay | <i>Aphelocoma coerulescens</i> | 14,15 |
| American crow | <i>Corvus brachyrhynchos</i> | Throughout |
| Fish crow | <i>Corvus ossifragus</i> | Throughout |
| Carolina wren | <i>Thryothorus ludovicianus</i> | 41 |
| House wren | <i>Troglodytes aedon</i> | 82 |
| Ruby-crowned kinglet | <i>Regulus calendula</i> | Throughout |
| Blue-gray gnatcatcher | <i>Polioptila caerulea</i> | 14,41 |
| Swainson's thrush | <i>Catharus ustulatus</i> | Throughout |
| American robin | <i>Turdus migratorius</i> | 15,41 |
| Gray catbird | <i>Dumetella carolinensis</i> | |
| Northern mockingbird | <i>Mimus polyglottos</i> | Throughout |
| Brown thrasher | <i>Toxostoma rurum</i> | 15,41 |
| Cedar waxwing | <i>Bombycilla cedrorum</i> | Throughout |
| Loggerhead shrike | <i>Lanius ludovicianus</i> | 13,14 |
| European starling* | <i>Sturnus vulgaris</i> | 82 |
| White-eyed vireo | <i>Vireo griseus</i> | Throughout |
| Solitary vireo | <i>Vireo solitarius</i> | Throughout |
| Orange-crowned warbler | <i>Vermivora celata</i> | Throughout |
| Northern parula | <i>Parula americana</i> | Throughout |
| Chestnut-sided warbler | <i>Dendroica pensylvanica</i> | 33,41 |
| Cape May warbler | <i>Dendroica tigrina</i> | 33,41 |
| Black-throated blue warbler | <i>Dendroica caerulescens</i> | Throughout |
| Yellow-rumped warbler | <i>Dendroica coronata</i> | Throughout |
| Blackburnian warbler | <i>Dendroica fusca</i> | Throughout |
| Yellow-throated warbler | <i>Dendroica dominica</i> | 39,41 |
| Pine warbler | <i>Dendroica pinus</i> | 14,41 |
| Kirtland's warbler | <i>Dendroica kirtlandii</i> | 14 |
| Prairie | <i>Dendroica discolor</i> | 41,76 |
| Palm warbler | <i>Dendroica palmarum</i> | 33,41 |
| Blackpoll warbler | <i>Dendroica striata</i> | 33,41 |
| Black-and-white warbler | <i>Mniotilta varia</i> | Throughout |
| American redstart | <i>Setophaga ruticalla</i> | Throughout |
| Ovenbird | <i>Seirus aurocapillus</i> | 33,42 |
| Northern waterthrush | <i>Seirus noveboracensis</i> | 33,39 |

* Non-native Species

JONATHAN DICKINSON STATE PARK

ANIMALS

| COMMON NAME | SCIENTIFIC NAME | PRIMARY HABITAT (for all species) |
|--------------------------|--------------------------------|--|
| Common yellowthroat | <i>Geothlypis trichas</i> | 33,42 |
| Summer tanager | <i>Piranga rubra</i> | 33,39 |
| Northern cardinal | <i>Cardinalis cardinalis</i> | Throughout |
| Rose-breasted grosbeak | <i>Pheucticus ludovicianus</i> | 14 |
| Indigo bunting | <i>Passerina cyanea</i> | 39,41 |
| Painted bunting | <i>Passerina ciris</i> | 33,39 |
| Rufous-sided towhee | <i>Pipilo erythrophthalmus</i> | 13,14,15 |
| Bachman's sparrow | <i>Aimophila aestivalis</i> | 41 |
| Chipping sparrow | <i>Spizella passerina</i> | 41,42 |
| Swamp sparrow | <i>Melospiza georgiana</i> | 33,39,42 |
| Bobolink | <i>Dalichonyx oryzivorus</i> | 42 |
| Red-winged blackbird | <i>Agelaius phoeniceus</i> | 39,42 |
| Eastern meadowlark | <i>Sturnella magna</i> | 41,42 |
| Boat-tailed grackle | <i>Quiscalus major</i> | 41,42 |
| Common grackle | <i>Quiscalus quiscula</i> | 41,42 |
| Brown-headed cowbird | <i>Molothrus ater</i> | 13,82 |
| Spotted-breasted oriole* | <i>Icterus pectoralis</i> | 82 |
| House sparrow* | <i>Passer domesticus</i> | 82 |
| American goldfinch | <i>Carduelis tristis</i> | 33,39 |

* Non-native Species