

# Application of the Lake Okeechobee Regulation Schedule (LORS2008) on 8/24/2015 (Developing El Nino Condition)

## Lake Okeechobee Net Inflow Outlook:

The Lake Okeechobee Net Inflow Outlook has been computed using 4 methods: Croley's method<sup>1</sup>, the SFWMD empirical method<sup>2</sup>, a sub-sampling of El Nino years<sup>3</sup> and a sub-sampling of cold years of the Atlantic Multi-decadal Oscillation (AMO) in combination with ENSO El Nino years<sup>4</sup>. The results for Croley's method and the SFWMD empirical method are based on the [CPC Outlook](#).

Table of the Lake Okeechobee Net Inflow Outlooks in feet of equivalent depth. All methods are updated on a weekly basis with observed net inflow for the current month.

Season	Croley's Method <sup>1*</sup>		SFWMD Empirical Method <sup>2</sup>		Sub-sampling of ENSO El Nino Years <sup>3</sup>		Sub-sampling of AMO Warm + ENSO El Nino Years <sup>4</sup>	
	Value (ft)	<a href="#">Condition</a>	Value (ft)	<a href="#">Condition</a>	Value (ft)	<a href="#">Condition</a>	Value (ft)	<a href="#">Condition</a>
Current (Aug-Jan)	N/A	N/A	2.37	Very Wet	2.67	Very Wet	1.72	Wet
Multi Seasonal (Aug-Apr)	N/A	N/A	2.55	Wet	3.61	Wet	2.37	Normal

\*Croley's Method Not Produced For This Report

See [Seasonal](#) and [Multi-Seasonal](#) tables for the classification of Lake Okeechobee Outlooks.

The recommended methods and values for estimating the Lake Okeechobee Net Inflow Outlook are shaded and should be used in the LORS2008 Release Guidance Flow Charts.

## [Tributary Hydrologic Conditions Graph:](#)

**4560 cfs** 14-day running average for Lake Okeechobee Net Inflow through 8/24/2015. According to the classification in [Tributary Hydrologic Conditions](#) table, this condition is Wet.

**-0.92** for Palmer Index on 8/23/2015.

According to the classification in [Tributary Hydrologic Conditions](#) table, this condition is Normal.

The wetter of the two conditions above is **Wet**.

## [LORS2008 Classification Tables:](#)

### Lake Okeechobee Stage on 8/24/2015

Lake Okeechobee Stage: **12.64 feet**

[USACE Report for Lake Okeechobee](#)

[Lake Okeechobee Stage Hydrograph](#)

Lake Okeechobee Management Zone/Band		Bottom Elevation (feet, NGVD)	Current Lake Stage
High Lake Management Band		16.39	
Operational Band	High sub-band	15.99	
	Intermediate sub-band	15.59	
	Low sub-band	13.79	
Base Flow sub-band		12.60	← 12.64
Beneficial Use sub-band		12.22	
Water Shortage Management Band			

**[Part C of LORS2008: Discharge to WCA's](#)**

Release Guidance Flow Chart Outcome: Up to Maximum Releases to the WCAs if Desirable or with Minimum Everglades Impacts

**[Part D of LORS2008: Discharge to Tidewater](#)**

Release Guidance Flow Chart Outcome: S-79 up to 450 cfs and S-80 up to 200 cfs

**Technical Input Summaries from:**

- [Lake Okeechobee Division](#)
- [Coastal Ecosystems](#)
- [Everglades Ecosystems Division](#)
- [Water Supply Department](#)
- [Water Resource Management Release Recommendation](#)
- [Kissimmee Watershed Environmental Conditions](#)
- [Operations Department](#)

**[Back to Lake Okeechobee Operations Main Page](#)**

**[Back to U.S. Army Corps of Engineers LORSS Homepage](#)**

**LORS2008 Implementation on 8/24/2015 (ENSO Neutral Condition):**

**Water Supply Department Technical Input**

**Water Supply Outlook:**

District wide, Raindar rainfall 1.14 inches for the week ending 8/25/2015. Lake stage on 8/24/2015 is 12.64 ft, up 0.16 ft from last week.

The updated August 2015 SFWMM Dynamic Position Analysis [percentile graph](#) and [tracking chart](#) for Lake Okeechobee show that the lake stage is in the Base Flow Operational Sub-Band.

The LORS2008 tributary [indices](#) are classified as **Wet**. The PDSI indicates normal condition and the LONIN is Wet. The classification is based on the wetter of the two.

**Water Supply Risk Evaluation**


Area	Indicator	Value	Color Coded Scoring Scheme
LOK	Projected LOK Stage for the next two months	Base Flow Sub-Band	M
	Palmer Index for LOK Tributary Conditions	-0.92 (Normal)	L
	CPC Precipitation Outlook	1 month: Below Normal	M
		3 months: Normal	L
	LOK Seasonal Net Inflow Forecast	2.67 ft (Normal to Extremely Wet)	L
	AMO warm/El Nino		
	LOK Multi-Seasonal Net Inflow Forecast	3.61 ft (Wet)	L
AMO warm/El Nino			
WCAs	WCA 1: Site 1-8C	Above Line 1 (15.84 ft)	L
	WCA 2A: Site 2-17 HW	Above Line 1 (12.32 ft)	L
	WCA-3A: 3 Station Average (Site 63, 64 and 65)	Between Line 1 & 2 (8.81 ft)	M
LEC	Service Area 1	50% or more of USGS wells are within the lowest 10% to 30% of past water elevations and not more than 25% are in the lowest 10% of past water elevations	M
	Service Area 2	50% or more of USGS wells are within the lowest 10% to 30% of past water elevations and more than 25% are in the lowest 10% of past water elevations	H
	Service Area 3	50% or more of USGS wells are within the lowest 10% to 30% of past water elevations and more than 25% are in the lowest 10% of past water elevations	H

Note: The water supply risk classification based on the Palmer index, as well as the LOK seasonal and multi-seasonal net inflow forecasts use slightly different classification intervals than those used by the 2008-LORS for classifying the tributary hydrologic condition (THC).

[Back to Lake Okeechobee Operations Main Page](#)

[Back to U.S. Army Corps of Engineers LORSS Homepage](#)


# Lake Okeechobee SFWMM August 2015 Dynamic Position Analysis




(See assumptions on the Position Analysis Results website)

# Tributary Basin Condition Indicators as of August 24 2015

## Palmer Index



## Lake Okeechobee Net Inflow (LONIN) 14-day Running Average



Tue Aug 25 09:03:14 EDT 2015

# 2008 LORS

## Part C: Establish Allowable Lake Okeechobee Releases to the Water Conservation Areas




Figure 7-3

# 2008 LORS FORECAST

## Part C: Establish Allowable Lake Okeechobee Releases to the Water Conservation Areas




Figure 7-3


# 2008 LORS

## Part D: Establish Allowable Lake Okeechobee Releases to Tide (Estuaries)

Note: This operational guidance provides essential supplementary information to be used in conjunction with other supporting documentation including text within the Water Control Plan.

When conducting Base Flow releases, flows can be distributed East and West up to 650 cfs as needed to minimize impacts or provide benefits through S-80 and S-79

Apply Meteorological Forecasts on a Weekly Basis; apply Seasonal and Multi-Seasonal Climate/Hydrologic Outlooks on a Monthly Basis



\* Very Dry Conditions may require that releases to tide (estuaries) be discontinued

Figure 7-4


# 2008 LORS FORECAST

## Part D: Establish Allowable Lake Okeechobee Releases to Tide (Estuaries)

Note: This operational guidance provides essential supplementary information to be used in conjunction with other supporting documentation including text within the Water Control Plan.

When conducting Base Flow releases, flows can be distributed East and West up to 650 cfs as needed to minimize impacts or provide benefits through S-80 and S-79


Apply Meteorological Forecasts on a Weekly Basis; apply Seasonal and Multi-Seasonal Climate/Hydrologic Outlooks on a Monthly Basis



\* Very Dry Conditions may require that releases to tide (estuaries) be discontinued

Figure 7-4

# Lake Okeechobee Water Level History and Projected Stages



U. S. Army Corps of Engineers, Jacksonville District  
 Lake Okeechobee and Vicinity Report  
 \*\* Preliminary Data - Subject to Revision \*\*

Data Ending 2400 hours    24 AUG 2015

Okeechobee Lake Regulation	Elevation	Last Year	2YRS Ago
	(ft-NGVD)	(ft-NGVD)	(ft-NGVD)
*Okeechobee Lake Elevation	12.63	14.52	15.59 (Official Elv)
Bottom of High Lake Mngmt=	16.40	Top of Water Short Mngmt=	12.24
Currently in Operational Management Band			

Simulated Average LORS2008 [1965-2000]    13.11  
 Difference from Average LORS2008            -0.48

24AUG (1965-2007) Period of Record Average    14.11  
 Difference from POR Average                    -1.48

Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations

++Navigation Depth (Based on 2007 Channel Condition Survey) Route 1 ÷  
 6.57'

++Navigation Depth (Based on 2008 Channel Condition Survey) Route 2 ÷  
 4.77'

Bridge Clearance = 49.76'

4 Interior and 4 Edge Okeechobee Lake Average (Avg-Daily values):

L001	L005	L006	LZ40	S4	S352	S308	S133
12.49	12.72	12.63	12.59	12.70	12.78	12.53	12.58

\*Combination Okeechobee Avg-Daily Lake Average = 12.63  
 (\*See Note)

Okeechobee Inflows (cfs):

S65E	2648	C5	0	Fisheating Cr	1556
S154	0	S191	103	S135 Pumps	-NR-
S84	0	S133 Pumps	-NR-	S2 Pumps	0
S84X	552	S127 Pumps	0	S3 Pumps	0
S71	359	S129 Pumps	0	S4 Pumps	0
S72	0	S131 Pumps	0		
Total Inflows:	5218				

Okeechobee Outflows (cfs):

S135 Culverts (Used)	-NR-	S354	0	S77	1
S127 Culverts (USED)	6	S351	0	S77Below	-42 (NOT USED)



C5:	12.93	12.77	0	0.0	0.0	0.0			
South Shore									
S4 Pumps:	12.67	12.83	0	0	0	0			(cfs)
S169:	12.63	12.66	-42	0.0	0.0	0.0			
S310:	12.38		-33						
S3 Pumps:	9.59	12.65	0	0	0	0			(cfs)
S354:	12.65	9.59	0	0.0	0.0				
S2 Pumps:	10.43	12.64	0	0	0	0	0		(cfs)
S351:	12.64	10.43	0	0.0	0.0	0.0			
S352:	12.79	10.69	0	0.0	0.0				
C10A:	-NR-	12.87		8.5	8.5	8.5	8.5	8.5	
L8 Canal PT		12.58	-9						

---

S351 and S352 Temporary Pumps/S354 Spillway									
S351:	10.43	12.64	0	-NR-	-NR-	-NR-	-NR-	-NR-	-NR-
S352:	10.69	12.79	0	-NR-	-NR-	-NR-	-NR-		
S354:	9.59	12.65	0	-NR-	-NR-	-NR-	-NR-		

---

Caloosahatchee River (S77, S78, S79)									
S47B:	12.64	10.83		0.0	0.0				
S47D:	10.90	10.90	-73	5.0					
S77:	Spillway and Sector Flow:								
	12.66	10.94	0	0.0	0.0	0.0	0.0		
	Flow Due to Lockages+:		1						
S77 Below USGS Flow Gage			-42						
S78:	Spillway and Sector Flow:								
	10.79	2.60	148	0.0	0.0	0.0	0.0		
	Flow Due to Lockages+:		8						
S79:	Spillway and Sector Flow:								
	2.77	1.60	2932	1.0	2.0	2.0	2.0	2.0	2.0
1.0	Flow Due to Lockages+:		2						
	Percent of flow from S77		0%						
	Chloride	(ppm)	56						

St. Lucie Canal (S308, S80)									
S308:	Spillway and Sector Flow:								
	12.54	13.74	0	0.0	0.0	0.0	0.0		
	Flow Due to Lockages+:		-2						
S308 Below USGS Flow Gage			1						
S153:	19.02	13.63	0	0.0	0.0				
S80:	Spillway and Sector Flow:								
	13.87	0.79	0	0.0	0.0	0.0	0.0	0.0	0.0

Flow Due to Lockages+: 15  
 Percent of flow from S308 NA %

Steele Point Top Salinity (mg/ml) \*\*\*\*  
 Steele Point Bottom Salinity (mg/ml) \*\*\*\*

Speedy Point Top Salinity (mg/ml) \*\*\*\*  
 Speedy Point Bottom Salinity (mg/ml) \*\*\*\*

+ Flow Due to lockages is computed utilizing average daily headwater and tailwater along with total number of lockages for the day to calculate a volume which is then converted to an average discharge in cfs.

---

					----- Wind ---	
Daily Precipitation Totals	1-Day	3-Day	7-Day	Direction		
Speed	(inches)	(inches)	(inches)	(Degø)		
(mph)						
S133 Pump Station:	-NR-	0.05	0.05			
S193:	-NR-	0.00	0.00	-NR-	-NR-	
Okeechobee Field Station:	-NR-	0.00	0.00			
S135 Pump Station:	-NR-	0.21	0.42			
S127 Pump Station:	-NR-	0.00	0.32			
S129 Pump Station:	-NR-	0.00	0.50			
S131 Pump Station:	-NR-	0.00	0.90			
S77:	0.45	0.45	0.56	270	1	
S78:	0.03	0.05	0.17	232	2	
S79:	0.00	0.39	0.74	196	2	
S4 Pump Station:	-NR-	0.00	0.00			
Clewiston Field Station:	-NR-	0.00	0.00			
S3 Pump Station:	-NR-	0.00	0.98			
S2 Pump Station:	-NR-	0.01	1.56			
S308:	0.01	1.42	1.55	94	4	
S80:	0.00	0.00	0.36	97	1	
Okeechobee Average	0.23	0.16	0.53			
(Sites S78, S79 and S80 not included)						
-----						
Oke Nexrad Basin Avg	-NR-	0.00	0.00			
-----						

---

Okeechobee Lake Elevations	24 AUG 2015	12.63 Difference from
24AUG15		
24AUG15 -1 Day =	23 AUG 2015	12.64 0.01
24AUG15 -2 Days =	22 AUG 2015	12.60 -0.03
24AUG15 -3 Days =	21 AUG 2015	12.58 -0.05
24AUG15 -4 Days =	20 AUG 2015	12.58 -0.05
24AUG15 -5 Days =	19 AUG 2015	12.54 -0.09
24AUG15 -6 Days =	18 AUG 2015	12.52 -0.11
24AUG15 -7 Days =	17 AUG 2015	12.49 -0.14
24AUG15 -30 Days =	25 JUL 2015	12.08 -0.55
24AUG15 -1 Year =	24 AUG 2014	14.52 1.89
24AUG15 -2 Year =	24 AUG 2013	15.59 2.96

Long Term Mean 30day Avearge ET for Lake Alfred (Inches) = -NR-

Lake Okeechobee Net Inflow (LONIN)						
Average Flow over the previous 14 days						Avg-Daily Flow
24AUG15	Today =	24 AUG 2015	5610	TUE		-1916
24AUG15	-1 Day =	23 AUG 2015	5641	MON		7757
24AUG15	-2 Days =	22 AUG 2015	4843	SUN		4015
24AUG15	-3 Days =	21 AUG 2015	4518	SAT		-NR-
24AUG15	-4 Days =	20 AUG 2015	4194	FRI		8037
24AUG15	-5 Days =	19 AUG 2015	3609	THU		3951
24AUG15	-6 Days =	18 AUG 2015	3337	WED		5919
24AUG15	-7 Days =	17 AUG 2015	3059	TUE		0
24AUG15	-8 Days =	16 AUG 2015	3512	MON		13764
24AUG15	-9 Days =	15 AUG 2015	2771	SUN		7764
24AUG15	-10 Days =	14 AUG 2015	2952	SAT		17335
24AUG15	-11 Days =	13 AUG 2015	1796	FRI		-NR-
24AUG15	-12 Days =	12 AUG 2015	1968	THU		470
24AUG15	-13 Days =	11 AUG 2015	2100	WED		220

S65E						
Average Flow over previous 14 days						Avg-Daily Flow
24AUG15	Today=	24 AUG 2015	2151	TUE		2648
24AUG15	-1 Day =	23 AUG 2015	2047	MON		2578
24AUG15	-2 Days =	22 AUG 2015	1937	SUN		2689
24AUG15	-3 Days =	21 AUG 2015	1822	SAT		2482
24AUG15	-4 Days =	20 AUG 2015	1723	FRI		2479
24AUG15	-5 Days =	19 AUG 2015	1624	THU		2088
24AUG15	-6 Days =	18 AUG 2015	1545	WED		2134
24AUG15	-7 Days =	17 AUG 2015	1470	TUE		1990
24AUG15	-8 Days =	16 AUG 2015	1386	MON		2545
24AUG15	-9 Days =	15 AUG 2015	1278	SUN		2046
24AUG15	-10 Days =	14 AUG 2015	1185	SAT		1945
24AUG15	-11 Days =	13 AUG 2015	1106	FRI		1570
24AUG15	-12 Days =	12 AUG 2015	1057	THU		1602
24AUG15	-13 Days =	11 AUG 2015	994	WED		1324

Lake Okeechobee Outlets Last 14 Days

DATE	S-77 Discharge (0700-2100) (AC-FT)	S-77 Discharge (ALL DAY) (AC-FT)	Below S-77 Discharge (ALL-DAY) (AC-FT)	S-78 Discharge (0700-2100) (AC-FT)	S-78 Discharge (ALL DAY) (AC-FT)	S-79 Discharge (ALL DAY) (AC-FT)
24 AUG 2015	0	2	-84	110	309	5818
23 AUG 2015	0	4	-234	353	546	7706
22 AUG 2015	0	3	-348	215	719	9083
21 AUG 2015	0	2	36	1190	1396	10582
20 AUG 2015	318	-NA-	262	53	794	6854
19 AUG 2015	0	2	183	1513	2525	7967
18 AUG 2015	0	1	496	1423	1984	7861
17 AUG 2015	0	1	99	557	1129	6373

16 AUG 2015	0	1	-118	1162	1605	7290
15 AUG 2015	0	1	-313	458	722	3884
14 AUG 2015	0	1	-110	133	296	1322
13 AUG 2015	0	3	-209	132	307	1302
12 AUG 2015	0	2	-310	132	301	1599
11 AUG 2015	0	1	-77	132	405	1171

	S-310	S-351	S-352	S-354	L8 Canal Pt
	Discharge	Discharge	Discharge	Discharge	Discharge
	(ALL DAY)				
DATE	(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)
24 AUG 2015	-65	0	0	0	-18
23 AUG 2015	-46	0	0	0	185
22 AUG 2015	-164	0	0	0	164
21 AUG 2015	-110	0	0	-NR-	174
20 AUG 2015	-262	0	0	0	25
19 AUG 2015	-315	0	0	0	36
18 AUG 2015	-262	0	0	0	40
17 AUG 2015	-592	0	0	0	-23
16 AUG 2015	-404	0	0	0	-134
15 AUG 2015	-236	0	0	0	-117
14 AUG 2015	-304	0	0	0	84
13 AUG 2015	188	589	-NR-	0	225
12 AUG 2015	117	242	0	460	229
11 AUG 2015	183	0	0	254	182

	S-308	Below S-308	S-80
	Discharge	Discharge	Discharge
	(ALL DAY)	(ALL-DAY)	(ALL-DAY)
DATE	(AC-FT)	(AC-FT)	(AC-FT)
24 AUG 2015	-NA-	2	30
23 AUG 2015	-5	86	37
22 AUG 2015	-6	-43	26
21 AUG 2015	-1	-143	11
20 AUG 2015	-2	-29	23
19 AUG 2015	-1	-135	15
18 AUG 2015	-3	49	22
17 AUG 2015	-2	-68	33
16 AUG 2015	-2	23	25
15 AUG 2015	-2	42	11
14 AUG 2015	-2	-231	18
13 AUG 2015	-3	39	15
12 AUG 2015	-3	22	22
11 AUG 2015	-2	-72	15

\*\*\* NOTE: 1) Discharge from (0700-2100) is computed using Spillway and Sector Gate Discharges from 0700 hrs to 2100 hrs.

2) Discharge (ALL DAY) is computed using Spillway, Sector Gate and Lockages Discharges from 0015 hrs to 2400 hrs.

---

(I) - Flows preceded by "I" signify an instantaneous flow computed from the single value reported for the day

---

—

\* On 11 May 1999, Lake Okeechobee Elevation was switched from Instantaneous 2400 value to an average-daily lake average.

On 14 Mar 2001, due to the isolation of various gages within the standard 10 stations, the average of the interior 4 station gages was used as the Lake Okeechobee Elevation.

On 05 November 2010, Lake Okeechobee Elevation was switched to a 9 gage mix of interior and edge gages to obtain a more reliable representation of the lake level.

On 09 May 2011, Lake Okeechobee Elevation was switched to a 8 gage mix of interior and edge gages to obtain a more reliable representation of the lake level due to isolation of S135 from low lake levels.

Today Lake Okechobee elevation is determined from the 4 Int & 4 Edge stations

++ For more information see the Jacksonville District Navigation website at <http://www.saj.usace.army.mil/>

\$ For information regarding Lake Okeechobee Service Area water restrictions please refer to [www.sfwmd.gov](http://www.sfwmd.gov)


---

—

Report Generated 25AUG2015 @ 08:45 \*\* Preliminary Data - Subject to Revision \*\*

# Lake Okeechobee

25AUG15 08:45:27



- High Lake Management
- Okeechobee Avg Elev
- Average Elev [1965-2007]
- Water Shortage Management

# Classification Tables

---

Supplemental Tables used in conjunction with the LORS2008 Release

Guidance Flow Charts

- [Class Limits for Tributary Hydrologic Conditions](#)

Table K-2 in the Lake Okeechobee Water Control Plan

- [6-15 Day Precipitation Outlook Categories](#)

Table ?? in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Seasonal Outlook](#)

Table K-3 in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Multi-Seasonal Outlook](#)

Table K-4 in the Lake Okeechobee Water Control Plan

---

[Back to Lake Okeechobee Operations Main Page](#)

[Back to U.S. Army Corps of Engineers Lake Okeechobee Operations Homepage](#)

Tributary Hydrologic Classification*	Palmer Index Class Limits	2-wk Mean L.O. Net Inflow Class Limits
Very Wet	3.0 or greater	Greater $\geq$ 6000 cfs
Wet	1.5 to 2.99	2500 - 5999 cfs
Near Normal	-1.49 to 1.49	500 - 2499 cfs
Dry	-2.99 to -1.5	-5000 – 500 cfs
Very Dry	-3.0 or less	Less than -5000 cfs

\* use the wettest of the two indicators

**Classification of Lake Okeechobee Net Inflow Seasonal Outlook\***

<b>Lake Net Inflow Prediction</b> <b>[million acre-feet]</b>	<b>Equivalent Depth**</b> <b>[feet]</b>	<b>Lake Okeechobee Net Inflow Seasonal Outlook</b>
> 0.93	> 2.0	Very Wet
0.71 to 0.93	1.51 to 2.0	Wet
0.35 to 0.70	0.75 to 1.5	Normal
< 0.35	< 0.75	Dry

**\*\*Volume-depth conversion based on average lake surface area of 467,000 acres**

## Classification of Lake Okeechobee Net Inflow Multi-Seasonal Outlook\*

<b>Lake Net Inflow Prediction</b> <b>[million acre-feet]</b>	<b>Equivalent Depth**</b> <b>[feet]</b>	<b>Lake Okeechobee</b> <b>Net Inflow</b> <b>Multi-Seasonal Outlook</b>
> 2.0	> 4.3	Very Wet
1.18 to 2.0	2.51 to 4.3	Wet
0.5 to 1.17	1.1 to 2.5	Normal
< 0.5	< 1.1	Dry

**\*\*Volume-depth conversion based on average lake surface area of 467,000 acres**

**6-15 Day Precipitation Outlook Categories\***

<b>6-15 Day Precipitation Outlook Categories</b>	<b>WSE Decision Tree Categories</b>
Above Normal	Wet to Very Wet
Normal	Normal
Below Normal	Dry

\* Corresponds to Table 7-6 in the Lake Okeechobee Water Control Plan

Under Construction