

Application of the Lake Okeechobee Regulation Schedule (LORS2008) on 4/4/2016 (El Nino Condition)

Lake Okeechobee Net Inflow Outlook:

The Lake Okeechobee Net Inflow Outlook has been computed using 4 methods: Croley's method¹, the SFWMD empirical method², a sub-sampling of El Nino years³ and a sub-sampling of warm years of the Atlantic Multi-decadal Oscillation (AMO) in combination with El Nino ENSO years⁴. The results for Croley's method and the SFWMD empirical method are based on the [CPC Outlook](#).

Table of the Lake Okeechobee Net Inflow Outlooks in feet of equivalent depth. All methods are updated on a weekly basis with observed net inflow for the current month.

Season	Croley's Method ^{1*}		SFWMD Empirical Method ²		Sub-sampling of El Nino ENSO Years ³		Sub-sampling of AMO Warm + El Nino ENSO Years ⁴	
	Value (ft)	Condition	Value (ft)	Condition	Value (ft)	Condition	Value (ft)	Condition
Current (Apr-Sep)	N/A	N/A	1.88	Wet	1.85	Wet	2.91	Very Wet
Multi Seasonal (May-Apr)	N/A	N/A	2.53	Wet	3.99	Wet	6.05	Very Wet

*Croley's Method Not Produced For This Report

See [Seasonal](#) and [Multi-Seasonal](#) tables for the classification of Lake Okeechobee Outlooks.

The recommended methods and values for estimating the Lake Okeechobee Net Inflow Outlook are shaded and should be used in the LORS2008 Release Guidance Flow Charts.

Values were adjusted this week to account for antecedent conditions in the Lake O watershed, increasing releases from the Lake Kissimmee, and the forecast for up to 2 inches of rainfall over the Upper Kissimmee Basin during the upcoming 5 days.

[Tributary Hydrologic Conditions Graph:](#)

1400 cfs 14-day running average for Lake Okeechobee Net Inflow through 4/4/2016. According to the classification in [Tributary Hydrologic Conditions](#) table, this condition is Normal.

-0.49 for Palmer Index on 4/3/2016.

According to the classification in [Tributary Hydrologic Conditions](#) table, this condition is Normal.

The wetter of the two conditions above is **Normal**.

[LORS2008 Classification Tables:](#)

Lake Okeechobee Stage on 4/4/2016

Lake Okeechobee Stage: **15.09 feet**

[USACE Report for Lake Okeechobee](#)

[Lake Okeechobee Stage Hydrograph](#)

Lake Okeechobee Management Zone/Band		Bottom Elevation (feet, NGVD)	Current Lake Stage
High Lake Management Band		17.19	
Operational Band	High sub-band	16.45	
	Intermediate sub-band	15.48	
	Low sub-band	13.50	← 15.09
Base Flow sub-band		12.60	
Beneficial Use sub-band		11.62	
Water Shortage Management Band			

[Part C of LORS2008: Discharge to WCA's](#)

Release Guidance Flow Chart Outcome: Up to Maximum Releases to the WCAs if Desirable or with Minimum Everglades Impacts

[Part D of LORS2008: Discharge to Tidewater](#)

Release Guidance Flow Chart Outcome: S-79 up to 3000 cfs and S-80 up to 1170 cfs

Technical Input Summaries from:

- [Lake Okeechobee Division](#)
- [Coastal Ecosystems](#)
- [Everglades Ecosystems Division](#)
- [Water Supply Department](#)
- [Water Resource Management Release Recommendation](#)
- [Kissimmee Watershed Environmental Conditions](#)
- [Operations Department](#)

[Back to Lake Okeechobee Operations Main Page](#)

[Back to U.S. Army Corps of Engineers LORSS Homepage](#)

LORS2008 Implementation on 4/4/2016 (ENSO El Nino Condition):

Water Supply Department Technical Input

Water Supply Outlook:

District wide, Raindar rainfall 0.98 inches for the week ending 4/4/2016. Lake stage on 4/4/2016 is 15.09 ft, up 0.02 ft from last week.

The updated April 2016 SFWMM Dynamic Position Analysis [percentile graph](#) and [tracking chart](#) for Lake Okeechobee show that the lake stage is in the Low Operational Sub-Band.

The LORS2008 tributary [indices](#) are classified as **Normal**. The PDSI indicates normal condition and the LONIN is Normal. The classification is based on the wetter of the two.

Water Supply Risk Evaluation


Area	Indicator	Value	Color Coded Scoring Scheme
LOK	Projected LOK Stage for the next two months	Low Flow Sub-Band	M
	Palmer Index for LOK Tributary Conditions	-0.49 (Normal)	L
	CPC Precipitation Outlook	1 month: Normal	L
		3 months: Above Normal	L
	LOK Seasonal Net Inflow Forecast AMO warm/El Nino	1.85 ft (Normal to Extremely Wet)	L
	LOK Multi-Seasonal Net Inflow Forecast AMO warm/El Nino	3.99 ft (Normal)	L
			L
WCAs	WCA 1: Site 1-7, Site 1-8T, & Site 1-9 Average	Above Line 1 (16.37 ft)	L
	WCA 2A: Site 2-17 HW	Above Line1 (12.06 ft)	L
	WCA-3A: 3 Station Average (Site 63, 64 and 65)	Above Line 1 (10.60 ft)	L
LEC	Service Area 1	Year-Round Irrigation Rule in effect	L
	Service Area 2	Year-Round Irrigation Rule in effect	L
	Service Area 3	Year-Round Irrigation Rule in effect	L

Note: The water supply risk classification based on the Palmer index, as well as the LOK seasonal and multi-seasonal net inflow forecasts use slightly different classification intervals than those used by the 2008-LORS for classifying the tributary hydrologic condition (THC).

[Back to Lake Okeechobee Operations Main Page](#)

[Back to U.S. Army Corps of Engineers LORSS Homepage](#)


Lake Okeechobee SFWMM April 2016 Position Analysis




(See assumptions on the Position Analysis Results website)

Tributary Basin Condition Indicators as of April 4 2016

Palmer Index



Lake Okeechobee Net Inflow (LONIN) 14-day Running Average



Mon Apr 4 17:39:51 2016

2008 LORS

Part C: Establish Allowable Lake Okeechobee Releases to the Water Conservation Areas




Figure 7-3


2008 LORS

Part D: Establish Allowable Lake Okeechobee Releases to Tide (Estuaries)

Note: This operational guidance provides essential supplementary information to be used in conjunction with other supporting documentation including text within the Water Control Plan.

When conducting Base Flow releases, flows can be distributed East and West up to 650 cfs as needed to minimize impacts or provide benefits through S-80 and S-79

Apply Meteorological Forecasts on a Weekly Basis; apply Seasonal and Multi-Seasonal Climate/Hydrologic Outlooks on a Monthly Basis



* Very Dry Conditions may require that releases to tide (estuaries) be discontinued

Figure 7-4

2008 LORS FORECAST

Part C: Establish Allowable Lake Okeechobee Releases to the Water Conservation Areas




Figure 7-3

2008 LORS FORECAST

Part D: Establish Allowable Lake Okeechobee Releases to Tide (Estuaries)

Note: This operational guidance provides essential supplementary information to be used in conjunction with other supporting documentation including text within the Water Control Plan.

When conducting Base Flow releases, flows can be distributed East and West up to 650 cfs as needed to minimize impacts or provide benefits through S-80 and S-79

Apply Meteorological Forecasts on a Weekly Basis; apply Seasonal and Multi-Seasonal Climate/Hydrologic Outlooks on a Monthly Basis





Figure 7-4

Lake Okeechobee Water Level History and Projected Stages

15.08 ft, NGVD
5-Apr-2016



U. S. Army Corps of Engineers, Jacksonville District
 Lake Okeechobee and Vicinity Report
 ** Preliminary Data - Subject to Revision **

Data Ending 2400 hours 03 APR 2016

Okeechobee Lake Regulation	Elevation	Last Year	2YRS Ago
	(ft-NGVD)	(ft-NGVD)	(ft-NGVD)
*Okeechobee Lake Elevation	15.09	13.93	13.53 (Official Elv)
Bottom of High Lake Mngmt=	17.21	Top of Water Short Mngmt=	11.63
Currently in Operational Management Band			
Simulated Average LORS2008 [1965-2000]		12.97	
Difference from Average LORS2008		2.12	
03APR (1965-2007) Period of Record Average		14.22	
Difference from POR Average		0.87	

Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations

++Navigation Depth (Based on 2007 Channel Condition Survey) Route 1 ÷ 9.03'
 ++Navigation Depth (Based on 2008 Channel Condition Survey) Route 2 ÷ 7.23'
 Bridge Clearance = 49.01'

4 Interior and 4 Edge Okeechobee Lake Average (Avg-Daily values):

L001	L005	L006	LZ40	S4	S352	S308	S133
14.86	15.13	15.18	15.11	15.22	15.32	15.06	14.85

*Combination Okeechobee Avg-Daily Lake Average = 15.09
 (*See Note)

Okeechobee Inflows (cfs):

S65E	4836	C5	0	Fisheating Cr	72
S154	5	S191	0	S135 Pumps	0
S84	76	S133 Pumps	0	S2 Pumps	0
S84X	498	S127 Pumps	0	S3 Pumps	0
S71	321	S129 Pumps	0	S4 Pumps	0
S72	132	S131 Pumps	0		
Total Inflows:	5940				

Okeechobee Outflows (cfs):

S135 Culverts	0	S354	391	S77	(Not Used)
S127 Culverts	0	S351	0	S77Below	1967
(USED)					
S129 Culverts	-NR-	S352	51	S308	(Not Used)

S131 Culverts -NR- L8 Canal Pt 8 S308Below 681
 (USED)
 Total Outflows: 3098

****S77 Structure outflow is being used to compute Total Outflow.
 ****S308 Structure outflow is being used to compute Total Outflow.

Okeechobee Pan Evaporation (inches):
 S77 0.06 S308 0.24
 Average Pan Evap x 0.75 Pan Coefficient = 0.11" = 0.01'

Lake Average Precipitation using NEXRAD: = -NR- = -NR-'

Evaporation - Precipitation: = -NR- = -NR-'
 Evaporation - Precipitation using Lake Area of 730 square miles
 is equal to -NR-
 Lake Okeechobee (Change in Storage) Flow is -6504 cfs or -12900 AC-FT

Note: Headwater, tailwater, and stage values below are instantaneous values unless otherwise specified.

	Headwater	Tailwater		----- Gate Positions -----						
---	Elevation	Elevation	Disch	#1	#2	#3	#4	#5	#6	#7
#8	(ft-msl)	(ft-msl)	(cfs)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)
(ft)										
	(I) see note at bottom									
North East Shore										
S133 Pumps:	13.47	14.93	0	0	0	0	0	0	0	(cfs)
S193:										
S191:	19.62	14.94	0	0.0	0.0	0.0				
S135 Pumps:		-NR-	0	0	0	0	0			(cfs)
S135 Culverts:			0	-NR-	-NR-					
North West Shore										
S65E:	21.14	14.88	4836	2.0	2.0	2.0	2.0	1.9	2.0	
S127 Pumps:	13.31	15.01	0	0	0	0	0	0	0	(cfs)
S127 Culvert:			0	0.0						
S129 Pumps:	12.94	15.12	0	0	0	0				(cfs)
S129 Culvert:			-NR-	-NR-						
S131 Pumps:	12.85	15.23	0	0	0					(cfs)
S131 Culvert:			-NR-							
Fisheating Creek										
nr Palmdale		30.29	72							
nr Lakeport										
C5:	14.02	15.11	0	0.0	0.0	0.0				

South Shore

S4 Pumps:	11.08	15.21	0	0	0	0				(cfs)
S169:	15.25	11.07	14	0.0	0.0	0.0				
S310:	15.17		22							
S3 Pumps:	10.80	15.27	0	0	0	0				(cfs)
S354:	15.27	10.80	391	0.2	0.2					
S2 Pumps:	10.41	15.18	0	0	0	0	0			(cfs)
S351:	15.18	10.41	0	0.0	0.0	0.0				
S352:	15.21	10.80	51	0.2	0.2					
C10A:	-NR-	12.84		0.0	0.0	4.0	0.0	0.0		
L8 Canal PT		12.63	8							

S351 and S352 Temporary Pumps/S354 Spillway

S351:	10.41	15.18	0	-NR--NR--NR--NR--NR--NR-
S352:	10.80	15.21	51	-NR--NR--NR--NR-
S354:	10.80	15.27	391	-NR--NR--NR--NR-

Caloosahatchee River (S77, S78, S79)

S47B:	13.10	10.96		0.3	0.0					
S47D:	11.04	11.03	7	5.0						
S77:										
Spillway and Sector Flow:										
14.93	11.13	1967	3.0	3.5	3.0	0.0				
Flow Due to Lockages+:		11								
S77 Below USGS Flow Gage		1967								
S78:										
Spillway and Sector Flow:										
11.11	2.84	1829	1.5	2.5	2.5	0.0				
Flow Due to Lockages+:		23								
S79:										
Spillway and Sector Flow:										
2.94	1.02	2761	1.0	1.0	1.0	2.0	1.0	1.0	1.0	
1.0										
Flow Due to Lockages+:		15								
Percent of flow from S77		71%								
Chloride (ppm)		51								

St. Lucie Canal (S308, S80)

S308:										
Spillway and Sector Flow:										
14.98	14.49	681	2.5	2.5	2.5	2.5				
Flow Due to Lockages+:		4								
S308 Below USGS Flow Gage		681								
S153:	18.72	14.30	41	0.0	0.0					
S80:										
Spillway and Sector Flow:										
14.35	0.58	956	0.0	0.7	0.5	0.0	0.7	0.5	0.0	
Flow Due to Lockages+:		28								
Percent of flow from S308		110%								

Steele Point Top Salinity (mg/ml) ****
 Steele Point Bottom Salinity (mg/ml) ****

Speedy Point Top Salinity (mg/ml) 6324
 Speedy Point Bottom Salinity (mg/ml) 9266

+ Flow Due to lockages is computed utilizing average daily headwater and tailwater along with total number of lockages for the day to calculate a volume which is then converted to an average discharge in cfs.

	----- Wind ---				
Daily Precipitation Totals	1-Day	3-Day	7-Day	Direction	
Speed	(inches)	(inches)	(inches)	(Degø)	
(mph)					
S133 Pump Station:	-NR-	0.00	1.11		
S193:	-NR-	0.00	0.00	-NR-	-NR-
Okeechobee Field Station:	-NR-	0.00	0.00		
S135 Pump Station:	-NR-	0.00	0.57		
S127 Pump Station:	-NR-	0.00	0.35		
S129 Pump Station:	-NR-	0.00	0.88		
S131 Pump Station:	-NR-	0.00	0.51		
S77:	0.00	0.02	0.53	78	2
S78:	0.00	0.00	0.30	52	1
S79:	0.00	0.13	0.92	139	3
S4 Pump Station:	-NR-	0.00	0.00		
Clewiston Field Station:	-NR-	0.00	0.00		
S3 Pump Station:	-NR-	0.00	1.24		
S2 Pump Station:	-NR-	0.00	1.52		
S308:	*****	*****	*****	12	1
S80:	0.00	0.00	2.00	0	2
Okeechobee Average	*****	5615.54	*****		
(Sites S78, S79 and S80 not included)					

Oke Nexrad Basin Avg	-NR-	0.22	1.05		

Okeechobee Lake Elevations	03 APR 2016	15.09	Difference from
03APR16			
03APR16 -1 Day =	02 APR 2016	15.12	0.03
03APR16 -2 Days =	01 APR 2016	15.11	0.02
03APR16 -3 Days =	31 MAR 2016	15.10	0.01
03APR16 -4 Days =	30 MAR 2016	15.09	0.00
03APR16 -5 Days =	29 MAR 2016	15.06	-0.03
03APR16 -6 Days =	28 MAR 2016	15.07	-0.02
03APR16 -7 Days =	27 MAR 2016	15.07	-0.02
03APR16 -30 Days =	04 MAR 2016	15.76	0.67
03APR16 -1 Year =	03 APR 2015	13.93	-1.16
03APR16 -2 Year =	03 APR 2014	13.53	-1.56

Long Term Mean 30day Avearge ET for Lake Alfred (Inches) = -NR-

Lake Okeechobee Net Inflow (LONIN)

Average Flow over the previous 14 days				Avg-Daily Flow
03APR16	Today =	03 APR 2016	1402 MON	-3406
03APR16	-1 Day =	02 APR 2016	2115 SUN	5073
03APR16	-2 Days =	01 APR 2016	2010 SAT	4409
03APR16	-3 Days =	31 MAR 2016	1548 FRI	5641
03APR16	-4 Days =	30 MAR 2016	900 THU	10576
03APR16	-5 Days =	29 MAR 2016	-195 WED	2263
03APR16	-6 Days =	28 MAR 2016	-253 TUE	4225
03APR16	-7 Days =	27 MAR 2016	-506 MON	2924
03APR16	-8 Days =	26 MAR 2016	-688 SUN	2287
03APR16	-9 Days =	25 MAR 2016	-957 SAT	6737
03APR16	-10 Days =	24 MAR 2016	-1362 FRI	666
03APR16	-11 Days =	23 MAR 2016	-1482 THU	-2590
03APR16	-12 Days =	22 MAR 2016	-1192 WED	-14332
03APR16	-13 Days =	21 MAR 2016	-264 TUE	-4852

S65E

Average Flow over previous 14 days				Avg-Daily Flow
03APR16	Today=	03 APR 2016	1842 MON	4836
03APR16	-1 Day =	02 APR 2016	1541 SUN	3911
03APR16	-2 Days =	01 APR 2016	1295 SAT	3133
03APR16	-3 Days =	31 MAR 2016	1095 FRI	2431
03APR16	-4 Days =	30 MAR 2016	970 THU	2052
03APR16	-5 Days =	29 MAR 2016	865 WED	1967
03APR16	-6 Days =	28 MAR 2016	761 TUE	1790
03APR16	-7 Days =	27 MAR 2016	677 MON	1629
03APR16	-8 Days =	26 MAR 2016	618 SUN	1199
03APR16	-9 Days =	25 MAR 2016	573 SAT	786
03APR16	-10 Days =	24 MAR 2016	613 FRI	622
03APR16	-11 Days =	23 MAR 2016	679 THU	412
03APR16	-12 Days =	22 MAR 2016	789 WED	398
03APR16	-13 Days =	21 MAR 2016	914 TUE	623

Lake Okeechobee Outlets Last 14 Days

DATE	S-77 Discharge (0700-2100) (AC-FT)	S-77 Discharge (ALL DAY) (AC-FT)	Below S-77 Discharge (ALL-DAY) (AC-FT)	S-78 Discharge (0700-2100) (AC-FT)	S-78 Discharge (ALL DAY) (AC-FT)	S-79 Discharge (ALL DAY) (AC-FT)
03 APR 2016			3900	-NR-	3673	5504
02 APR 2016			2325	-NR-	2950	4086
01 APR 2016			2906	-NR-	2663	3864
31 MAR 2016			5308	-NR-	4184	6319
30 MAR 2016			5389	-NR-	6289	8528
29 MAR 2016			5479	-NR-	5767	7677
28 MAR 2016			4044	-NR-	4163	6122
27 MAR 2016			3477	-NR-	3607	5424
26 MAR 2016			2509	-NR-	3127	4308
25 MAR 2016			3019	-NR-	3412	4511

24 MAR 2016		6434	-NR-	5999	7607
23 MAR 2016		6113	-NR-	6488	7179
22 MAR 2016		4644	-NR-	4396	7162
21 MAR 2016		4512	-NR-	4251	4841

	S-310	S-351	S-352	S-354	L8 Canal Pt
	Discharge	Discharge	Discharge	Discharge	Discharge
	(ALL DAY)	(ALL DAY)	(ALL DAY)	(ALL DAY)	(ALL DAY)
DATE	(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)
03 APR 2016	43	0	101	775	16
02 APR 2016	23	403	1162	1005	-1
01 APR 2016	13	0	180	387	25
31 MAR 2016	1	0	0	0	121
30 MAR 2016	-56	0	0	167	244
29 MAR 2016	78	303	131	408	344
28 MAR 2016	25	474	375	811	347
27 MAR 2016	20	625	0	627	320
26 MAR 2016	-79	0	163	583	289
25 MAR 2016	-72	0	143	527	345
24 MAR 2016	-5	466	198	113	359
23 MAR 2016	28	1317	412	1003	363
22 MAR 2016	190	1200	101	1158	390
21 MAR 2016	162	2306	585	1816	252

	S-308	Below S-308	S-80
	Discharge	Discharge	Discharge
	(ALL DAY)	(ALL-DAY)	(ALL-DAY)
DATE	(AC-FT)	(AC-FT)	(AC-FT)
03 APR 2016		1350	1130
02 APR 2016		866	873
01 APR 2016		946	996
31 MAR 2016		1458	1768
30 MAR 2016		2275	2215
29 MAR 2016		2121	1771
28 MAR 2016		2327	1462
27 MAR 2016		750	1135
26 MAR 2016		991	882
25 MAR 2016		727	922
24 MAR 2016		2348	1876
23 MAR 2016		2851	2241
22 MAR 2016		2778	1739
21 MAR 2016		2403	1416

*** NOTE: 1) Discharge from (0700-2100) is computed using Spillway and Sector Gate Discharges from 0700 hrs to 2100 hrs.

2) Discharge (ALL DAY) is computed using Spillway, Sector Gate and Lockages Discharges from 0015 hrs to 2400 hrs.

(I) - Flows preceded by "I" signify an instantaneous flow computed from the single value reported for the day

* On 11 May 1999, Lake Okeechobee Elevation was switched from

Instantaneous 2400 value to an average-daily lake average.

On 14 Mar 2001, due to the isolation of various gages within the standard

10 stations, the average of the interior 4 station gages was used as the Lake Okeechobee Elevation.

On 05 November 2010, Lake Okeechobee Elevation was switched to a 9 gage mix of interior and edge gages to obtain a more reliable representation of the lake level.

On 09 May 2011, Lake Okeechobee Elevation was switched to a 8 gage mix of interior and edge gages to obtain a more reliable representation of the lake level due to isolation of S135 from low lake levels.


Today Lake Okechobee elevation is determined from the 4 Int & 4 Edge stations

++ For more information see the Jacksonville District Navigation website at <http://www.saj.usace.army.mil/>

\$ For information regarding Lake Okeechobee Service Area water restrictions please refer to www.sfwmd.gov

Lake Okeechobee

04APR16 13:30:23



- High Lake Management
- Okeechobee Avg Elev
- Average Elev [1965-2007]
- Water Shortage Management

Classification Tables

Supplemental Tables used in conjunction with the LORS2008 Release

Guidance Flow Charts

- [Class Limits for Tributary Hydrologic Conditions](#)

Table K-2 in the Lake Okeechobee Water Control Plan

- [6-15 Day Precipitation Outlook Categories](#)

Table ?? in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Seasonal Outlook](#)

Table K-3 in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Multi-Seasonal Outlook](#)

Table K-4 in the Lake Okeechobee Water Control Plan

[Back to Lake Okeechobee Operations Main Page](#)

[Back to U.S. Army Corps of Engineers Lake Okeechobee Operations Homepage](#)

Tributary Hydrologic Classification*	Palmer Index Class Limits	2-wk Mean L.O. Net Inflow Class Limits
Very Wet	3.0 or greater	Greater \geq 6000 cfs
Wet	1.5 to 2.99	2500 - 5999 cfs
Near Normal	-1.49 to 1.49	500 - 2499 cfs
Dry	-2.99 to -1.5	-5000 – 500 cfs
Very Dry	-3.0 or less	Less than -5000 cfs

* use the wettest of the two indicators

Classification of Lake Okeechobee Net Inflow Seasonal Outlook*

Lake Net Inflow Prediction [million acre-feet]	Equivalent Depth** [feet]	Lake Okeechobee Net Inflow Seasonal Outlook
> 0.93	> 2.0	Very Wet
0.71 to 0.93	1.51 to 2.0	Wet
0.35 to 0.70	0.75 to 1.5	Normal
< 0.35	< 0.75	Dry

****Volume-depth conversion based on average lake surface area of 467,000 acres**

Classification of Lake Okeechobee Net Inflow Multi-Seasonal Outlook*

Lake Net Inflow Prediction [million acre-feet]	Equivalent Depth** [feet]	Lake Okeechobee Net Inflow Multi-Seasonal Outlook
> 2.0	> 4.3	Very Wet
1.18 to 2.0	2.51 to 4.3	Wet
0.5 to 1.17	1.1 to 2.5	Normal
< 0.5	< 1.1	Dry

****Volume-depth conversion based on average lake surface area of 467,000 acres**

6-15 Day Precipitation Outlook Categories*

6-15 Day Precipitation Outlook Categories	WSE Decision Tree Categories
Above Normal	Wet to Very Wet
Normal	Normal
Below Normal	Dry

* Corresponds to Table 7-6 in the Lake Okeechobee Water Control Plan

Under Construction