

# Application of the Lake Okeechobee Regulation Schedule (LORS2008) on 5/23/2016 (ENSO Neutral Condition)

## Lake Okeechobee Net Inflow Outlook:

The Lake Okeechobee Net Inflow Outlook has been computed using 4 methods: Croley's method<sup>1</sup>, the SFWMD empirical method<sup>2</sup>, a sub-sampling of Neutral years<sup>3</sup> and a sub-sampling of warm years of the Atlantic Multi-decadal Oscillation (AMO) in combination with Neutral ENSO years<sup>4</sup>. The results for Croley's method and the SFWMD empirical method are based on the [CPC Outlook](#).

Table of the Lake Okeechobee Net Inflow Outlooks in feet of equivalent depth. All methods are updated on a weekly basis with observed net inflow for the current month.

Season	Croley's Method <sup>1*</sup>		SFWMD Empirical Method <sup>2</sup>		Sub-sampling of Neutral ENSO Years <sup>3</sup>		Sub-sampling of AMO Warm + Neutral ENSO Years <sup>4</sup>	
	Value (ft)	<a href="#">Condition</a>	Value (ft)	<a href="#">Condition</a>	Value (ft)	<a href="#">Condition</a>	Value (ft)	<a href="#">Condition</a>
Current (May-Oct)	N/A	N/A	2.40	Very Wet	2.69	Very Wet	3.32	Very Wet
Multi Seasonal (May-Apr)	N/A	N/A	3.25	Normal	3.90	Wet	4.91	Very Wet

\*Croley's Method Not Produced For This Report

See [Seasonal](#) and [Multi-Seasonal](#) tables for the classification of Lake Okeechobee Outlooks.

The recommended methods and values for estimating the Lake Okeechobee Net Inflow Outlook are shaded and should be used in the LORS2008 Release Guidance Flow Charts.

## [Tributary Hydrologic Conditions Graph:](#)

**8886 cfs** 14-day running average for Lake Okeechobee Net Inflow through 5/22/2016. According to the classification in [Tributary Hydrologic Conditions](#) table, this condition is Very Wet.

**-0.41** for Palmer Index on 5/21/2016.

According to the classification in [Tributary Hydrologic Conditions](#) table, this condition is Normal.

The wetter of the two conditions above is **Very Wet**.

## [LORS2008 Classification Tables:](#)

### Lake Okeechobee Stage on 5/23/2016

Lake Okeechobee Stage: **14.29 feet**

[USACE Report for Lake Okeechobee](#)

[Lake Okeechobee Stage Hydrograph](#)

Lake Okeechobee Management Zone/Band		Bottom Elevation (feet, NGVD)	Current Lake Stage
High Lake Management Band		16.18	
Operational Band	High sub-band	15.65	
	Intermediate sub-band	15.07	
	Low sub-band	13.10	← 14.29
Base Flow sub-band		12.60	
Beneficial Use sub-band		10.62	
Water Shortage Management Band			

**[Part C of LORS2008: Discharge to WCA's](#)**

Release Guidance Flow Chart Outcome: Up to Maximum Releases to the WCAs if Desirable or with Minimum Everglades Impacts

**[Part D of LORS2008: Discharge to Tidewater](#)**

Release Guidance Flow Chart Outcome: S-77 up to 4000 cfs and S-80 up to 1800 cfs

**Technical Input Summaries from:**

- [Lake Okeechobee Division](#)
- [Coastal Ecosystems](#)
- [Everglades Ecosystems Division](#)
- [Water Supply Department](#)
- [Water Resource Management Release Recommendation](#)
- [Kissimmee Watershed Environmental Conditions](#)
- [Operations Department](#)

**[Back to Lake Okeechobee Operations Main Page](#)**

**[Back to U.S. Army Corps of Engineers LORSS Homepage](#)**

## LORS2008 Implementation on 5/23/2016 (ENSO Neutral Condition):

### Water Supply Department Technical Input

#### Water Supply Outlook:

District wide, Raindar rainfall 3.98 inches for the week ending **5/24/2016**. Lake stage on 5/23/2016 is 14.29 ft, up 0.62 ft from last week.

The updated May 2016 SFWMM Dynamic Position Analysis [percentile graph](#) and [tracking chart](#) for Lake Okeechobee show that the lake stage is in the Low Operational Sub-Band.

The LORS2008 tributary [indices](#) are classified as **Very Wet**. The PDSI indicates normal condition and the LONIN is Very Wet. The classification is based on the wetter of the two.

#### Water Supply Risk Evaluation


Area	Indicator	Value	Color Coded Scoring Scheme
LOK	Projected LOK Stage for the next two months	Low Sub-Band	L
	Palmer Index for LOK Tributary Conditions	-0.41 (Normal)	L
	CPC Precipitation Outlook	1 month: Normal	L
		3 months: Normal	L
	LOK Seasonal Net Inflow Forecast	2.69 ft (Normal to Extremely Wet)	L
	El Nino		
LOK Multi-Seasonal Net Inflow Forecast	3.90 ft (Wet)	L	
El Nino			
WCAs	WCA 1: Site 1-7, Site 1-8T, & Site 1-9 Average	Above Line 1 (16.14 ft)	L
	WCA 2A: Site 2-17 HW	Above Line1 (11.90 ft)	L
	WCA-3A: 3 Station Average (Site 63, 64 and 65)	Above Line 1 (9.55 ft)	L
LEC	Service Area 1	Year-Round Irrigation Rule in effect	L
	Service Area 2	Year-Round Irrigation Rule in effect	L
	Service Area 3	Year-Round Irrigation Rule in effect	L

Note: The water supply risk classification based on the Palmer index, as well as the LOK seasonal and multi-seasonal net inflow forecasts use slightly different classification intervals than those used by the 2008-LORS.

[Back to Lake Okeechobee Operations Main Page](#)

[Back to U.S. Army Corps of Engineers LORSS Homepage](#)


# Lake Okeechobee SFWMM May 2016 Dynamic Position Analysis




(See assumptions on the Position Analysis Results website)

# Tributary Basin Condition Indicators as of May 23 2016

## Palmer Index



## Lake Okeechobee Net Inflow (LONIN) 14-day Running Average



Mon May 23 15:34:19 EDT 2016

# 2008 LORS

## Part C: Establish Allowable Lake Okeechobee Releases to the Water Conservation Areas




Figure 7-3


# 2008 LORS

## Part D: Establish Allowable Lake Okeechobee Releases to Tide (Estuaries)

Note: This operational guidance provides essential supplementary information to be used in conjunction with other supporting documentation including text within the Water Control Plan.

When conducting Base Flow releases, flows can be distributed East and West up to 650 cfs as needed to minimize impacts or provide benefits through S-80 and S-79

Apply Meteorological Forecasts on a Weekly Basis; apply Seasonal and Multi-Seasonal Climate/Hydrologic Outlooks on a Monthly Basis



\* Very Dry Conditions may require that releases to tide (estuaries) be discontinued

Figure 7-4

# 2008 LORS FORECAST

## Part C: Establish Allowable Lake Okeechobee Releases to the Water Conservation Areas




Figure 7-3


# 2008 LORS FORECAST

## Part D: Establish Allowable Lake Okeechobee Releases to Tide (Estuaries)

Note: This operational guidance provides essential supplementary information to be used in conjunction with other supporting documentation including text within the Water Control Plan.

When conducting Base Flow releases, flows can be distributed East and West up to 650 cfs as needed to minimize impacts or provide benefits through S-80 and S-79

Apply Meteorological Forecasts on a Weekly Basis; apply Seasonal and Multi-Seasonal Climate/Hydrologic Outlooks on a Monthly Basis




\* Very Dry Conditions may require that releases to tide (estuaries) be discontinued

Figure 7-4

# Lake Okeechobee Water Level History and Projected Stages

**14.32 ft, NGVD**  
24-May-2016



**LEGEND**

**Lake Release Color Code**

- S80 & S77 max practicable
- S80 < 2,800 cfs; S77 < 6,500 cfs
- S80 < 1,800 cfs; S77 < 4,000 cfs
- S80 < 1,170 cfs; S79 < 3000 cfs
- Baseflow S80 < 200 cfs; S79 < 450 cfs
- No Regulatory Release From Lake
- Environmental WS Release
- Regulatory Release to WCAs

U. S. Army Corps of Engineers, Jacksonville District  
 Lake Okeechobee and Vicinity Report  
 \*\* Preliminary Data - Subject to Revision \*\*

Data Ending 2400 hours    22 MAY 2016

Okeechobee Lake Regulation	Elevation	Last Year	2YRS Ago
	(ft-NGVD)	(ft-NGVD)	(ft-NGVD)
*Okeechobee Lake Elevation	14.29	13.08	12.69 (Official Elv)
Bottom of High Lake Mngmt= 16.20    Top of Water Short Mngmt= 10.63			
Currently in Operational Management Band			

Simulated Average LORS2008 [1965-2000]	11.99
Difference from Average LORS2008	2.30

22MAY (1965-2007) Period of Record Average	13.18
Difference from POR Average	1.11

Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations

++Navigation Depth (Based on 2007 Channel Condition Survey) Route 1 ÷ 8.23'  
 ++Navigation Depth (Based on 2008 Channel Condition Survey) Route 2 ÷ 6.43'  
 Bridge Clearance = 49.46'

4 Interior and 4 Edge Okeechobee Lake Average (Avg-Daily values):

L001	L005	L006	LZ40	S4	S352	S308	S133
14.14	14.22	14.39	14.26	14.25	14.55	14.33	14.18

\*Combination Okeechobee Avg-Daily Lake Average = 14.29  
 (\*See Note)

Okeechobee Inflows (cfs):

S65E	5844	C5	-1	Fisheating Cr	-NR-
S154	13	S191	170	S135 Pumps	188
S84	2068	S133 Pumps	62	S2 Pumps	0
S84X	808	S127 Pumps	127	S3 Pumps	0
S71	1336	S129 Pumps	50	S4 Pumps	0
S72	427	S131 Pumps	45		
Total Inflows: 11137					

Okeechobee Outflows (cfs):

S135 Culverts	0	S354	0	S77	(Not Used)
S127 Culverts	0	S351	0	S77Below	513
(USED)					
S129 Culverts	-NR-	S352	0	S308	(Not Used)

S131 Culverts -NR- L8 Canal Pt 174 S308Below 512  
 (USED)  
 Total Outflows: 1199

\*\*\*\*S77 Structure outflow is being used to compute Total Outflow.  
 \*\*\*\*S308 Structure outflow is being used to compute Total Outflow.

Okeechobee Pan Evaporation (inches):  
 S77 0.20 S308 0.29  
 Average Pan Evap x 0.75 Pan Coefficient = 0.18" = 0.02'

Lake Average Precipitation using NEXRAD: = 0.02" = 0.00'

Evaporation - Precipitation: = 0.16" = 0.01'  
 Evaporation - Precipitation using Lake Area of 730 square miles  
 is equal to 3214 cfs out of the lake.  
 Lake Okeechobee (Change in Storage) Flow is 10588 cfs or 21000 AC-FT

Note: Headwater, tailwater, and stage values below are instantaneous values unless otherwise specified.

---	Headwater Tailwater		Disch	----- Gate Positions -----						
	Elevation	Elevation		#1	#2	#3	#4	#5	#6	#7
#8	(ft-msl)	(ft-msl)	(cfs)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)
	(I) see note at bottom									
North East Shore										
S133 Pumps:	13.35	14.09	62	44	18	0	0	0	(cfs)	
S193:										
S191:	18.64	14.12	170	0.0	0.0	0.5				
S135 Pumps:	13.27	14.20	188	0	109	0	78	(cfs)		
S135 Culverts:			0	-NR-	-NR-					
North West Shore										
S65E:	20.95	14.27	5844	2.5	2.5	2.5	2.5	2.5	3.0	
S127 Pumps:	13.38	14.13	127	0	0	0	127	0	(cfs)	
S127 Culvert:			0	0.0						
S129 Pumps:	_____	-NR-	50	44	0	6	(cfs)			
S129 Culvert:			-NR-	-NR-						
S131 Pumps:	13.07	14.10	45	6	31	(cfs)				
S131 Culvert:			-NR-							
Fisheating Creek										
nr Palmdale	_____		-NR-							
nr Lakeport	_____		-NR-							
C5:	14.22	14.20	-1	5.2	5.3	5.3				

South Shore

S4 Pumps:	13.12	14.29	0	0	0	0				(cfs)
S169:	14.33	13.11	0	0.0	0.0	0.0				
S310:	14.26		-157							
S3 Pumps:	10.31	14.56	0	0	0	0				(cfs)
S354:	14.56	10.31	0	0.0	0.0					
S2 Pumps:	10.23	14.51	0	0	0	0	0			(cfs)
S351:	14.51	10.23	0	0.0	0.0	0.0				
S352:	14.63	9.20	0	0.0	0.0					
C10A:	-NR-	14.62		0.0	0.0	4.0	0.0	0.0		
L8 Canal PT		14.40	174							

---

S351 and S352 Temporary Pumps/S354 Spillway

S351:	10.23	14.51	0	-NR-	-NR-	-NR-	-NR-	-NR-	-NR-
S352:	9.20	14.63	0	-NR-	-NR-	-NR-	-NR-		
S354:	10.31	14.56	0	-NR-	-NR-	-NR-	-NR-		

---

Caloosahatchee River (S77, S78, S79)

S47B:	12.68	11.52		1.7	2.2				
S47D:	11.29	11.25	146	6.0					
S77:									
Spillway and Sector Flow:									
14.04	11.35	513	0.0	0.0	3.0	0.0			
Flow Due to Lockages+:		4							
S77 Below USGS Flow Gage		513							
S78:									
Spillway and Sector Flow:									
11.35	3.34	1702	0.0	0.0	2.5	2.5			
Flow Due to Lockages+:		11							
S79:									
Spillway and Sector Flow:									
3.38	0.84	3794	1.0	1.0	2.0	2.0	2.0	1.0	1.0
1.0									
Flow Due to Lockages+:		10							
Percent of flow from S77		8%							
Chloride (ppm)		46							

St. Lucie Canal (S308, S80)

S308:									
Spillway and Sector Flow:									
14.40	14.04	512	2.0	2.0	2.0	2.0			
Flow Due to Lockages+:		1							
S308 Below USGS Flow Gage		512							
S153:	18.87	13.85	79	0.0	0.0				
S80:									
Spillway and Sector Flow:									
-NR-	-NR-	-NR-	-NR-	-NR-	-NR-	-NR-	-NR-	-NR-	-NR-
Flow Due to Lockages+:		-NR-							
Percent of flow from S308		-NR-%							

Steele Point Top Salinity (mg/ml) \*\*\*\*  
 Steele Point Bottom Salinity (mg/ml) \*\*\*\*

Speedy Point Top Salinity (mg/ml) 4120  
 Speedy Point Bottom Salinity (mg/ml) 6477

+ Flow Due to lockages is computed utilizing average daily headwater and tailwater along with total number of lockages for the day to calculate a volume which is then converted to an average discharge in cfs.

---

	----- Wind ---				
Daily Precipitation Totals	1-Day	3-Day	7-Day	Direction	
Speed	(inches)	(inches)	(inches)	(Degø)	
(mph)					
S133 Pump Station:	-NR-	0.00	0.00		
S193:	-NR-	0.00	0.00	-NR-	-NR-
Okeechobee Field Station:	-NR-	0.00	0.00		
S135 Pump Station:	-NR-	0.00	0.00		
S127 Pump Station:	-NR-	0.00	0.00		
S129 Pump Station:	-NR-	0.00	0.00		
S131 Pump Station:	-NR-	0.00	0.00		
S77:	0.00	0.24	5.56	298	1
S78:	0.00	0.04	5.73	301	1
S79:	0.00	0.00	1.66	288	3
S4 Pump Station:	-NR-	0.00	0.00		
Clewiston Field Station:	-NR-	0.00	0.00		
S3 Pump Station:	-NR-	0.00	0.00		
S2 Pump Station:	-NR-	0.00	0.00		
S308:	*****	*****	*****	283	14
S80:	0.00	0.35	2.84	-NR-	-NR-
Okeechobee Average	*****	4986.48	*****		
(Sites S78, S79 and S80 not included)					
-----					
Oke Nexrad Basin Avg	0.02	0.49	6.48		
-----					

---

Okeechobee Lake Elevations	22 MAY 2016	14.29	Difference from
22MAY16			
22MAY16 -1 Day =	21 MAY 2016	14.24	-0.05
22MAY16 -2 Days =	20 MAY 2016	14.16	-0.13
22MAY16 -3 Days =	19 MAY 2016	14.06	-0.23
22MAY16 -4 Days =	18 MAY 2016	13.88	-0.41
22MAY16 -5 Days =	17 MAY 2016	13.65	-0.64
22MAY16 -6 Days =	16 MAY 2016	13.64	-0.65
22MAY16 -7 Days =	15 MAY 2016	13.67	-0.62
22MAY16 -30 Days =	22 APR 2016	14.48	0.19
22MAY16 -1 Year =	22 MAY 2015	13.08	-1.21
22MAY16 -2 Year =	22 MAY 2014	12.69	-1.60

---

Long Term Mean 30day Avearge ET for Lake Alfred (Inches) = -NR-

---

Lake Okeechobee Net Inflow (LONIN)

		Average Flow over the previous 14 days			Avg-Daily Flow
22MAY16	Today =	22 MAY 2016	8958	MON	11787
22MAY16	-1 Day =	21 MAY 2016	7826	SUN	17360
22MAY16	-2 Days =	20 MAY 2016	6171	SAT	21478
22MAY16	-3 Days =	19 MAY 2016	4221	FRI	38133
22MAY16	-4 Days =	18 MAY 2016	1456	THU	49047
22MAY16	-5 Days =	17 MAY 2016	-1787	WED	4877
22MAY16	-6 Days =	16 MAY 2016	-2174	TUE	-474
22MAY16	-7 Days =	15 MAY 2016	-2305	MON	-4573
22MAY16	-8 Days =	14 MAY 2016	-2116	SUN	85
22MAY16	-9 Days =	13 MAY 2016	-2316	SAT	-538
22MAY16	-10 Days =	12 MAY 2016	-2494	FRI	-3123
22MAY16	-11 Days =	11 MAY 2016	-2250	THU	-558
22MAY16	-12 Days =	10 MAY 2016	-2529	WED	-4725
22MAY16	-13 Days =	09 MAY 2016	-2241	TUE	-3365

---



---

S65E

		Average Flow over previous 14 days			Avg-Daily Flow
22MAY16	Today=	22 MAY 2016	2410	MON	5844
22MAY16	-1 Day =	21 MAY 2016	2120	SUN	4452
22MAY16	-2 Days =	20 MAY 2016	1911	SAT	3350
22MAY16	-3 Days =	19 MAY 2016	1783	FRI	2515
22MAY16	-4 Days =	18 MAY 2016	1713	THU	2222
22MAY16	-5 Days =	17 MAY 2016	1660	WED	1703
22MAY16	-6 Days =	16 MAY 2016	1602	TUE	1589
22MAY16	-7 Days =	15 MAY 2016	1580	MON	1674
22MAY16	-8 Days =	14 MAY 2016	1535	SUN	1672
22MAY16	-9 Days =	13 MAY 2016	1516	SAT	1791
22MAY16	-10 Days =	12 MAY 2016	1490	FRI	1711
22MAY16	-11 Days =	11 MAY 2016	1493	THU	1682
22MAY16	-12 Days =	10 MAY 2016	1499	WED	1744
22MAY16	-13 Days =	09 MAY 2016	1519	TUE	1787

---

Lake Okeechobee Outlets Last 14 Days

DATE	S-77	S-77	Below S-77	S-78	S-78	S-79
	Discharge (0700-2100) (AC-FT)	Discharge (ALL DAY) (AC-FT)	Discharge (ALL-DAY) (AC-FT)	Discharge (0700-2100) (AC-FT)	Discharge (ALL DAY) (AC-FT)	Discharge (ALL DAY) (AC-FT)
22 MAY 2016			1018	-NR-	3397	7542
21 MAY 2016			158	-NR-	3486	8574
20 MAY 2016			-24	-NR-	6676	10785
19 MAY 2016			35	-NR-	6928	12560
18 MAY 2016			502	-NR-	3280	9485
17 MAY 2016			2380	-NR-	2017	3551
16 MAY 2016			4677	-NR-	3612	4460
15 MAY 2016			5188	-NR-	4108	5651
14 MAY 2016			5090	-NR-	4120	5203
13 MAY 2016			3809	-NR-	3205	3314

12 MAY 2016		3426	-NR-	2270	2722
11 MAY 2016		4112	-NR-	3412	4758
10 MAY 2016		3937	-NR-	3394	4031
09 MAY 2016		3314	-NR-	3462	4100

	S-310	S-351	S-352	S-354	L8 Canal Pt
	Discharge	Discharge	Discharge	Discharge	Discharge
	(ALL DAY)				
DATE	(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)
22 MAY 2016	-312	0	0	0	346
21 MAY 2016	-359	0	0	0	118
20 MAY 2016	-496	0	0	0	-169
19 MAY 2016	-546	0	0	0	-129
18 MAY 2016	-244	0	0	0	182
17 MAY 2016	81	849	603	38	390
16 MAY 2016	136	2179	1501	1446	404
15 MAY 2016	285	2344	1489	1079	451
14 MAY 2016	268	2499	1642	1521	453
13 MAY 2016	208	2719	1682	2257	447
12 MAY 2016	230	2384	1600	1925	454
11 MAY 2016	232	2423	1582	1933	492
10 MAY 2016	276	2368	1505	1947	475
09 MAY 2016	202	2007	1122	1735	476

	S-308	Below S-308	S-80
	Discharge	Discharge	Discharge
	(ALL DAY)	(ALL-DAY)	(ALL-DAY)
DATE	(AC-FT)	(AC-FT)	(AC-FT)
22 MAY 2016		1015	-NR-
21 MAY 2016		158	-NR-
20 MAY 2016		-22	1175
19 MAY 2016		-54	1124
18 MAY 2016		-169	571
17 MAY 2016		1212	712
16 MAY 2016		1450	853
15 MAY 2016		1376	927
14 MAY 2016		1560	1037
13 MAY 2016		617	665
12 MAY 2016		813	404
11 MAY 2016		948	531
10 MAY 2016		1393	695
09 MAY 2016		1468	886

\*\*\* NOTE: 1) Discharge from (0700-2100) is computed using Spillway and Sector Gate Discharges from 0700 hrs to 2100 hrs.

2) Discharge (ALL DAY) is computed using Spillway, Sector Gate and Lockages Discharges from 0015 hrs to 2400 hrs.

---

(I) - Flows preceded by "I" signify an instantaneous flow computed from the single value reported for the day

---

\* On 11 May 1999, Lake Okeechobee Elevation was switched from

Instantaneous 2400 value to an average-daily lake average.

On 14 Mar 2001, due to the isolation of various gages within the standard

10 stations, the average of the interior 4 station gages was used as the Lake Okeechobee Elevation.

On 05 November 2010, Lake Okeechobee Elevation was switched to a 9 gage mix of interior and edge gages to obtain a more reliable representation of the lake level.

On 09 May 2011, Lake Okeechobee Elevation was switched to a 8 gage mix of interior and edge gages to obtain a more reliable representation of the lake level due to isolation of S135 from low lake levels.


Today Lake Okechobee elevation is determined from the 4 Int & 4 Edge stations

++ For more information see the Jacksonville District Navigation website at <http://www.saj.usace.army.mil/>

\$ For information regarding Lake Okeechobee Service Area water restrictions please refer to [www.sfwmd.gov](http://www.sfwmd.gov)

# Lake Okeechobee

23MAY16 11:45:22



- High Lake Management
- Okeechobee Avg Elev
- Average Elev [1965-2007]
- Water Shortage Management

# Classification Tables

---

Supplemental Tables used in conjunction with the LORS2008 Release

Guidance Flow Charts

- [Class Limits for Tributary Hydrologic Conditions](#)

Table K-2 in the Lake Okeechobee Water Control Plan

- [6-15 Day Precipitation Outlook Categories](#)

Table ?? in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Seasonal Outlook](#)

Table K-3 in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Multi-Seasonal Outlook](#)

Table K-4 in the Lake Okeechobee Water Control Plan

---

[Back to Lake Okeechobee Operations Main Page](#)

[Back to U.S. Army Corps of Engineers Lake Okeechobee Operations Homepage](#)

Tributary Hydrologic Classification*	Palmer Index Class Limits	2-wk Mean L.O. Net Inflow Class Limits
Very Wet	3.0 or greater	Greater $\geq$ 6000 cfs
Wet	1.5 to 2.99	2500 - 5999 cfs
Near Normal	-1.49 to 1.49	500 - 2499 cfs
Dry	-2.99 to -1.5	-5000 – 500 cfs
Very Dry	-3.0 or less	Less than -5000 cfs

\* use the wettest of the two indicators

**Classification of Lake Okeechobee Net Inflow Seasonal Outlook\***

<b>Lake Net Inflow Prediction [million acre-feet]</b>	<b>Equivalent Depth** [feet]</b>	<b>Lake Okeechobee Net Inflow Seasonal Outlook</b>
> 0.93	> 2.0	Very Wet
0.71 to 0.93	1.51 to 2.0	Wet
0.35 to 0.70	0.75 to 1.5	Normal
< 0.35	< 0.75	Dry

\*\*Volume-depth conversion based on average lake surface area of 467,000 acres

## Classification of Lake Okeechobee Net Inflow Multi-Seasonal Outlook\*

<b>Lake Net Inflow Prediction</b> <b>[million acre-feet]</b>	<b>Equivalent Depth**</b> <b>[feet]</b>	<b>Lake Okeechobee Net Inflow Multi-Seasonal Outlook</b>
> 2.0	> 4.3	Very Wet
1.18 to 2.0	2.51 to 4.3	Wet
0.5 to 1.17	1.1 to 2.5	Normal
< 0.5	< 1.1	Dry

**\*\*Volume-depth conversion based on average lake surface area of 467,000 acres**

**6-15 Day Precipitation Outlook Categories\***

<b>6-15 Day Precipitation Outlook Categories</b>	<b>WSE Decision Tree Categories</b>
Above Normal	Wet to Very Wet
Normal	Normal
Below Normal	Dry

**\* Corresponds to Table 7-6 in the Lake Okeechobee Water Control Plan**

Under Construction