

Application of the Lake Okeechobee Regulation Schedule (LORS2008) on 6/6/2016 (ENSO Neutral Condition)

Lake Okeechobee Net Inflow Outlook:

The Lake Okeechobee Net Inflow Outlook has been computed using 4 methods: Croley's method¹, the SFWMD empirical method², a sub-sampling of Neutral years³ and a sub-sampling of warm years of the Atlantic Multi-decadal Oscillation (AMO) in combination with Neutral ENSO years⁴. The results for Croley's method and the SFWMD empirical method are based on the [CPC Outlook](#).

Table of the Lake Okeechobee Net Inflow Outlooks in feet of equivalent depth. All methods are updated on a weekly basis with observed net inflow for the current month.

Season	Croley's Method ^{1*}		SFWMD Empirical Method ²		Sub-sampling of Neutral ENSO Years ³		Sub-sampling of AMO Warm + Neutral ENSO Years ⁴	
	Value (ft)	Condition	Value (ft)	Condition	Value (ft)	Condition	Value (ft)	Condition
Current (Jun-Nov)	N/A	N/A	2.66	Very Wet	3.32	Very Wet	3.10	Very Wet
Multi Seasonal (Jun-Apr)	N/A	N/A	2.73	Wet	3.56	Wet	5.42	Very Wet

***Croley's Method Not Produced For This Report**

See [Seasonal](#) and [Multi-Seasonal](#) tables for the classification of Lake Okeechobee Outlooks.

The recommended methods and values for estimating the Lake Okeechobee Net Inflow Outlook are shaded and should be used in the LORS2008 Release Guidance Flow Charts.

[Tributary Hydrologic Conditions Graph:](#)

5294 cfs 14-day running average for Lake Okeechobee Net Inflow through 6/5/2016. According to the classification in [Tributary Hydrologic Conditions](#) table, this condition is Wet.

1.37 for Palmer Index on 6/4/2016.

According to the classification in [Tributary Hydrologic Conditions](#) table, this condition is Normal.

The wetter of the two conditions above is **Wet**.

[LORS2008 Classification Tables:](#)

Lake Okeechobee Stage on 6/6/2016

Lake Okeechobee Stage: **14.32 feet**

[USACE Report for Lake Okeechobee](#)

[Lake Okeechobee Stage Hydrograph](#)

Lake Okeechobee Management Zone/Band		Bottom Elevation (feet, NGVD)	Current Lake Stage
High Lake Management Band		16.02	
Operational Band	High sub-band	15.53	
	Intermediate sub-band	15.04	
	Low sub-band	13.05	← 14.32
Base Flow sub-band		12.60	
Beneficial Use sub-band		10.60	
Water Shortage Management Band			

[Part C of LORS2008: Discharge to WCA's](#)

Release Guidance Flow Chart Outcome: Up to Maximum Releases to the WCAs if Desirable or with Minimum Everglades Impacts

[Part D of LORS2008: Discharge to Tidewater](#)

Release Guidance Flow Chart Outcome: S-79 up to 3000 cfs and S-80 up to 1170 cfs

Technical Input Summaries from:

- [Lake Okeechobee Division](#)
- [Coastal Ecosystems](#)
- [Everglades Ecosystems Division](#)
- [Water Supply Department](#)
- [Water Resource Management Release Recommendation](#)
- [Kissimmee Watershed Environmental Conditions](#)
- [Operations Department](#)

[Back to Lake Okeechobee Operations Main Page](#)

[Back to U.S. Army Corps of Engineers LORSS Homepage](#)

LORS2008 Implementation on 6/6/2016 (ENSO Neutral Condition):

Water Supply Department Technical Input

Water Supply Outlook:

District wide, Raindar rainfall 1.43 inches for the week ending 6/6/2016. Lake stage on 6/6/2016 is 14.32 ft, up 0.08 ft from last week.

The updated May 2016 SFWMM Dynamic Position Analysis [percentile graph](#) and [tracking chart](#) for Lake Okeechobee show that the lake stage is in the Low Operational Sub-Band.

The LORS2008 tributary [indices](#) are classified as **Wet**. The PDSI indicates normal condition and the LONIN is Wet. The classification is based on the wetter of the two.

Water Supply Risk Evaluation


Area	Indicator	Value	Color Coded Scoring Scheme
LOK	Projected LOK Stage for the next two months	Low Sub-Band	L
	Palmer Index for LOK Tributary Conditions	1.37 (Normal)	L
	CPC Precipitation Outlook	1 month: Normal	L
		3 months: Normal	L
	LOK Seasonal Net Inflow Forecast	3.32 ft (Normal to Extremely Wet)	L
	El Nino		
	LOK Multi-Seasonal Net Inflow Forecast	3.56 ft (Wet)	L
El Nino			
WCAs	WCA 1: Site 1-7, Site 1-8T, & Site 1-9 Average	Above Line 1 (15.87 ft)	L
	WCA 2A: Site 2-17 HW	Above Line1 (12.07 ft)	L
	WCA-3A: 3 Station Average (Site 63, 64 and 65)	Above Line 1 (9.58 ft)	L
LEC	Service Area 1	Year-Round Irrigation Rule in effect	L
	Service Area 2	Year-Round Irrigation Rule in effect	L
	Service Area 3	Year-Round Irrigation Rule in effect	L

Note: The water supply risk classification based on the Palmer index, as well as the LOK seasonal and multi-seasonal net inflow forecasts use slightly different classification intervals than those used by the 2008-LORS.

[Back to Lake Okeechobee Operations Main Page](#)

[Back to U.S. Army Corps of Engineers LORSS Homepage](#)


Lake Okeechobee SFWMM May 2016 Dynamic Position Analysis




(See assumptions on the Position Analysis Results website)

Tributary Basin Condition Indicators as of Jun 6 2016

Palmer Index



Lake Okeechobee Net Inflow (LONIN) 14-day Running Average



2008 LORS

Part C: Establish Allowable Lake Okeechobee Releases to the Water Conservation Areas




Figure 7-3


2008 LORS

Part D: Establish Allowable Lake Okeechobee Releases to Tide (Estuaries)

Note: This operational guidance provides essential supplementary information to be used in conjunction with other supporting documentation including text within the Water Control Plan.

When conducting Base Flow releases, flows can be distributed East and West up to 650 cfs as needed to minimize impacts or provide benefits through S-80 and S-79

Apply Meteorological Forecasts on a Weekly Basis; apply Seasonal and Multi-Seasonal Climate/Hydrologic Outlooks on a Monthly Basis



* Very Dry Conditions may require that releases to tide (estuaries) be discontinued

Figure 7-4

2008 LORS FORECAST

Part C: Establish Allowable Lake Okeechobee Releases to the Water Conservation Areas




Figure 7-3

2008 LORS FORECAST

Part D: Establish Allowable Lake Okeechobee Releases to Tide (Estuaries)

Note: This operational guidance provides essential supplementary information to be used in conjunction with other supporting documentation including text within the Water Control Plan.

When conducting Base Flow releases, flows can be distributed East and West up to 650 cfs as needed to minimize impacts or provide benefits through S-80 and S-79

Apply Meteorological Forecasts on a Weekly Basis; apply Seasonal and Multi-Seasonal Climate/Hydrologic Outlooks on a Monthly Basis





Figure 7-4

* Very Dry Conditions may require that releases to tide (estuaries) be discontinued

Lake Okeechobee Water Level History and Projected Stages

14.40 ft, NGVD
7-June-2016



LEGEND

Lake Release Color Code

- S80 & S77 max practicable
- S80 < 2,800 cfs; S77 < 6,500 cfs
- S80 < 1,800 cfs; S77 < 4,000 cfs
- S80 < 1,170 cfs; S79 < 3000 cfs
- Baseflow S80 < 200 cfs; S79 < 450 cfs
- No Regulatory Release From Lake
- Environmental WS Release
- Regulatory Release to WCAs

U. S. Army Corps of Engineers, Jacksonville District
 Lake Okeechobee and Vicinity Report
 ** Preliminary Data - Subject to Revision **

Data Ending 2400 hours 05 JUN 2016

Okeechobee Lake Regulation	Elevation	Last Year	2YRS Ago
	(ft-NGVD)	(ft-NGVD)	(ft-NGVD)
*Okeechobee Lake Elevation	14.32	12.59	12.39 (Official Elv)
Bottom of High Lake Mngmt= 16.02 Top of Water Short Mngmt= 10.58			
Currently in Operational Management Band			

Simulated Average LORS2008 [1965-2000]	11.97
Difference from Average LORS2008	2.35

05JUN (1965-2007) Period of Record Average	13.13
Difference from POR Average	1.19

Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations

++Navigation Depth (Based on 2007 Channel Condition Survey) Route 1 ÷ 8.26'
 ++Navigation Depth (Based on 2008 Channel Condition Survey) Route 2 ÷ 6.46'
 Bridge Clearance = -NR-'

4 Interior and 4 Edge Okeechobee Lake Average (Avg-Daily values):

L001	L005	L006	LZ40	S4	S352	S308	S133
14.23	14.40	14.39	14.28	14.25	14.45	-NR-	14.33

*Combination Okeechobee Avg-Daily Lake Average = 14.32
 (*See Note)

Okeechobee Inflows (cfs):

S65E	4221	C5	-112	Fisheating Cr	110
S154	0	S191	0	S135 Pumps	0
S84	226	S133 Pumps	0	S2 Pumps	0
S84X	810	S127 Pumps	0	S3 Pumps	0
S71	102	S129 Pumps	0	S4 Pumps	0
S72	12	S131 Pumps	0		
Total Inflows:	5369				

Okeechobee Outflows (cfs):

S135 Culverts	0	S354	0	S77	(Not Used)
S127 Culverts	0	S351	0	S77Below	3924
(USED)					
S129 Culverts	-NR-	S352	0	S308	(Not Used)

S131 Culverts -NR- L8 Canal Pt 267 S308Below 1747
 (USED)

Total Outflows: No Report Due To Missing S77 or S308 Discharge Data

****S77 Structure outflow is being used to compute Total Outflow.
 ****S308 Structure outflow is being used to compute Total Outflow.

Okeechobee Pan Evaporation (inches):

S77 0.28 S308 0.29
 Average Pan Evap x 0.75 Pan Coefficient = 0.21" = 0.02'

Lake Average Precipitation using NEXRAD: = 0.99" = 0.08'

Evaporation - Precipitation: = -0.78" = -0.06'

Evaporation - Precipitation using Lake Area of 730 square miles
 is equal to 15237 cfs into the lake.

Lake Okeechobee (Change in Storage) Flow is 2118 cfs or 4200 AC-FT

Note: Headwater, tailwater, and stage values below are instantaneous values
 unless otherwise specified.

	Headwater	Tailwater		----- Gate Positions -----						
---	Elevation	Elevation	Disch	#1	#2	#3	#4	#5	#6	#7
#8	(ft-msl)	(ft-msl)	(cfs)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)
(ft)										

(I) see note at bottom

North East Shore

S133 Pumps:	13.58	14.63	0	0	0	0	0	0	0	(cfs)
S193:										
S191:	18.26	14.58	0	0.0	0.0	0.0				
S135 Pumps:	13.71	14.36	0	0	0	0	0			(cfs)
S135 Culverts:			0	-NR-	-NR-					

North West Shore

S65E:	21.11	14.62	4221	1.9	2.4	2.4	2.4	2.4	1.4	
S127 Pumps:	13.49	14.45	0	0	0	0	0	0	0	(cfs)
S127 Culvert:			0	0.0						
S129 Pumps:	_____	-NR-	0	0	0	0				(cfs)
S129 Culvert:			-NR-	-NR-						
S131 Pumps:	13.06	14.60	0	0	0					(cfs)
S131 Culvert:			-NR-							

Fisheating Creek

nr Palmdale		30.78	110							
nr Lakeport										
C5:	14.31	14.26	-112	5.2	5.3	5.3				

South Shore

S4 Pumps:	11.25	14.26	0	0	0	0				(cfs)
S169:	14.28	11.24	0	0.0	0.0	0.0				
S310:	14.30		37							
S3 Pumps:	9.57	14.30	0	0	0	0				(cfs)
S354:	14.30	9.57	0	0.0	0.0					
S2 Pumps:	9.50	14.28	0	0	0	0	0			(cfs)
S351:	14.28	9.50	0	0.0	0.0	0.0				
S352:	14.51	9.65	0	0.0	0.0					
C10A:	-NR-	14.37		0.0	0.0	4.0	0.0	0.0		
L8 Canal PT		14.20	267							

S351 and S352 Temporary Pumps/S354 Spillway

S351:	9.50	14.28	0	-NR-	-NR-	-NR-	-NR-	-NR-	-NR-
S352:	9.65	14.51	0	-NR-	-NR-	-NR-	-NR-		
S354:	9.57	14.30	0	-NR-	-NR-	-NR-	-NR-		

Caloosahatchee River (S77, S78, S79)

S47B:	13.20	10.91		0.4	0.9				
S47D:	10.92	10.91	58	6.0					
S77:									
Spillway and Sector Flow:									
13.81	11.06	3924	4.4	4.4	4.4	4.4			
Flow Due to Lockages+:		5							
S77 Below USGS Flow Gage		3924							
S78:									
Spillway and Sector Flow:									
10.87	3.14	3583	3.5	0.0	4.0	4.0			
Flow Due to Lockages+:		17							
S79:									
Spillway and Sector Flow:									
2.99	1.55	4983	3.0	4.0	3.0	4.0	4.0	4.0	4.0
4.0									
Flow Due to Lockages+:		6							
Percent of flow from S77		77%							
Chloride (ppm)		44							

St. Lucie Canal (S308, S80)

S308:									
Spillway and Sector Flow:									
-NR-	-NR-	1747	5.0	5.0	5.0	5.0			
Flow Due to Lockages+:		-NR-							
S308 Below USGS Flow Gage		1747							
S153:	18.93	13.95	55	0.0	0.0				
S80:									
Spillway and Sector Flow:									
-NR-	-NR-	-NR-	1.1	1.1	1.2	0.0	1.2	1.1	0.0
Flow Due to Lockages+:		-NR-							
Percent of flow from S308		-NR-%							

Steele Point Top Salinity (mg/ml) ****
 Steele Point Bottom Salinity (mg/ml) ****

Speedy Point Top Salinity (mg/ml) 5923
 Speedy Point Bottom Salinity (mg/ml) 8347

+ Flow Due to lockages is computed utilizing average daily headwater and tailwater along with total number of lockages for the day to calculate a volume which is then converted to an average discharge in cfs.

				----- Wind ---	
Daily Precipitation Totals	1-Day	3-Day	7-Day	Direction	
Speed	(inches)	(inches)	(inches)	(Degø)	
(mph)					
S133 Pump Station:	-NR-	0.00	0.00		
S193:	-NR-	0.00	0.00	-NR-	-NR-
Okeechobee Field Station:	-NR-	0.00	0.00		
S135 Pump Station:	-NR-	0.00	0.00		
S127 Pump Station:	-NR-	0.00	0.00		
S129 Pump Station:	-NR-	0.00	0.00		
S131 Pump Station:	-NR-	0.00	0.00		
S77:	0.22	0.22	0.22	169	2
S78:	0.12	0.12	0.25	114	4
S79:	0.30	2.03	2.31	143	4
S4 Pump Station:	-NR-	0.00	0.00		
Clewiston Field Station:	-NR-	0.00	0.00		
S3 Pump Station:	-NR-	0.00	0.00		
S2 Pump Station:	-NR-	0.00	0.00		
S308:	*****	*****	*****	-NR-	-NR-
S80:	0.06	0.06	1.03	-NR-	-NR-
Okeechobee Average	*****	4869.94	*****		
(Sites S78, S79 and S80 not included)					

Oke Nexrad Basin Avg	0.99	1.17	1.35		

Okeechobee Lake Elevations	05 JUN 2016	14.32	Difference from
05JUN16			
05JUN16 -1 Day =	04 JUN 2016	14.31	-0.01
05JUN16 -2 Days =	03 JUN 2016	14.33	0.01
05JUN16 -3 Days =	02 JUN 2016	14.35	0.03
05JUN16 -4 Days =	01 JUN 2016	14.38	0.06
05JUN16 -5 Days =	31 MAY 2016	14.39	0.07
05JUN16 -6 Days =	30 MAY 2016	14.40	0.08
05JUN16 -7 Days =	29 MAY 2016	14.40	0.08
05JUN16 -30 Days =	06 MAY 2016	14.03	-0.29
05JUN16 -1 Year =	05 JUN 2015	12.59	-1.73
05JUN16 -2 Year =	05 JUN 2014	12.39	-1.93

Long Term Mean 30day Avearge ET for Lake Alfred (Inches) = -NR-

Lake Okeechobee Net Inflow (LONIN)

Average Flow over the previous 14 days				Avg-Daily Flow
05JUN16	Today =	05 JUN 2016	5295 MON	8056
05JUN16	-1 Day =	04 JUN 2016	5561 SUN	1924
05JUN16	-2 Days =	03 JUN 2016	6664 SAT	2659
05JUN16	-3 Days =	02 JUN 2016	8008 FRI	408
05JUN16	-4 Days =	01 JUN 2016	10703 THU	4325
05JUN16	-5 Days =	31 MAY 2016	13897 WED	4322
05JUN16	-6 Days =	30 MAY 2016	13937 TUE	6829
05JUN16	-7 Days =	29 MAY 2016	13415 MON	6995
05JUN16	-8 Days =	28 MAY 2016	12589 SUN	8652
05JUN16	-9 Days =	27 MAY 2016	11977 SAT	6601
05JUN16	-10 Days =	26 MAY 2016	11467 FRI	1151
05JUN16	-11 Days =	25 MAY 2016	11162 THU	5558
05JUN16	-12 Days =	24 MAY 2016	10725 WED	9299
05JUN16	-13 Days =	23 MAY 2016	9723 TUE	7350

S65E

Average Flow over previous 14 days				Avg-Daily Flow
05JUN16	Today=	05 JUN 2016	6519 MON	4221
05JUN16	-1 Day =	04 JUN 2016	6636 SUN	4359
05JUN16	-2 Days =	03 JUN 2016	6644 SAT	4942
05JUN16	-3 Days =	02 JUN 2016	6531 FRI	5362
05JUN16	-4 Days =	01 JUN 2016	6328 THU	5654
05JUN16	-5 Days =	31 MAY 2016	6083 WED	5971
05JUN16	-6 Days =	30 MAY 2016	5779 TUE	6589
05JUN16	-7 Days =	29 MAY 2016	5422 MON	6912
05JUN16	-8 Days =	28 MAY 2016	5048 SUN	6949
05JUN16	-9 Days =	27 MAY 2016	4671 SAT	7359
05JUN16	-10 Days =	26 MAY 2016	4273 FRI	7831
05JUN16	-11 Days =	25 MAY 2016	3836 THU	8245
05JUN16	-12 Days =	24 MAY 2016	3367 WED	8401
05JUN16	-13 Days =	23 MAY 2016	2892 TUE	8468

Lake Okeechobee Outlets Last 14 Days

DATE	S-77	S-77	Below S-77	S-78	S-78	S-79
	Discharge (0700-2100) (AC-FT)	Discharge (ALL DAY) (AC-FT)	Discharge (ALL-DAY) (AC-FT)	Discharge (0700-2100) (AC-FT)	Discharge (ALL DAY) (AC-FT)	Discharge (ALL DAY) (AC-FT)
05 JUN 2016			7782	-NR-	7139	9892
04 JUN 2016			7758	-NR-	7011	9442
03 JUN 2016			8163	-NR-	7480	10428
02 JUN 2016			7440	-NR-	6650	8972
01 JUN 2016			7221	-NR-	6422	9391
31 MAY 2016			7390	-NR-	6990	10570
30 MAY 2016			8454	-NR-	9312	13113
29 MAY 2016			9291	-NR-	9623	13538
28 MAY 2016			8753	-NR-	9294	11120
27 MAY 2016			5860	-NR-	6195	7480

26 MAY 2016		521	-NR-	2911	3423
25 MAY 2016		1398	-NR-	3080	3418
24 MAY 2016		628	-NR-	4889	7788
23 MAY 2016		784	-NR-	2777	5643

	S-310	S-351	S-352	S-354	L8 Canal Pt
	Discharge	Discharge	Discharge	Discharge	Discharge
	(ALL DAY)	(ALL DAY)	(ALL DAY)	(ALL DAY)	(ALL DAY)
DATE	(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)
05 JUN 2016	73	0	0	0	530
04 JUN 2016	180	256	36	91	515
03 JUN 2016	232	1003	6	525	493
02 JUN 2016	165	1194	276	498	464
01 JUN 2016	153	611	286	642	419
31 MAY 2016	69	571	700	131	520
30 MAY 2016	20	535	266	208	543
29 MAY 2016	2	331	171	230	548
28 MAY 2016	-23	32	173	16	552
27 MAY 2016	-18	77	355	99	532
26 MAY 2016	-39	28	506	220	537
25 MAY 2016	-162	0	0	0	459
24 MAY 2016	-260	0	0	0	405
23 MAY 2016	-345	0	0	0	371

	S-308	Below S-308	S-80
	Discharge	Discharge	Discharge
	(ALL DAY)	(ALL-DAY)	(ALL-DAY)
DATE	(AC-FT)	(AC-FT)	(AC-FT)
05 JUN 2016		3464	-NR-
04 JUN 2016		3558	2379
03 JUN 2016		3480	2368
02 JUN 2016		3534	2393
01 JUN 2016		3597	2414
31 MAY 2016		3457	2377
30 MAY 2016		3535	2341
29 MAY 2016		3301	2344
28 MAY 2016		3433	2338
27 MAY 2016		1968	1752
26 MAY 2016		472	439
25 MAY 2016		767	609
24 MAY 2016		611	741
23 MAY 2016		823	869

*** NOTE: 1) Discharge from (0700-2100) is computed using Spillway and Sector Gate Discharges from 0700 hrs to 2100 hrs.

2) Discharge (ALL DAY) is computed using Spillway, Sector Gate and Lockages Discharges from 0015 hrs to 2400 hrs.

(I) - Flows preceded by "I" signify an instantaneous flow computed from the single value reported for the day

* On 11 May 1999, Lake Okeechobee Elevation was switched from

Instantaneous 2400 value to an average-daily lake average.

On 14 Mar 2001, due to the isolation of various gages within the standard

10 stations, the average of the interior 4 station gages was used as the Lake Okeechobee Elevation.

On 05 November 2010, Lake Okeechobee Elevation was switched to a 9 gage mix of interior and edge gages to obtain a more reliable representation of the lake level.

On 09 May 2011, Lake Okeechobee Elevation was switched to a 8 gage mix of interior and edge gages to obtain a more reliable representation of the lake level due to isolation of S135 from low lake levels.


Today Lake Okechobee elevation is determined from the 4 Int & 4 Edge stations

++ For more information see the Jacksonville District Navigation website at <http://www.saj.usace.army.mil/>

\$ For information regarding Lake Okeechobee Service Area water restrictions please refer to www.sfwmd.gov

Lake Okeechobee

06JUN16 11:45:20



- High Lake Management
- Okeechobee Avg Elev
- Average Elev [1965-2007]
- Water Shortage Management

Classification Tables

Supplemental Tables used in conjunction with the LORS2008 Release

Guidance Flow Charts

- [Class Limits for Tributary Hydrologic Conditions](#)

Table K-2 in the Lake Okeechobee Water Control Plan

- [6-15 Day Precipitation Outlook Categories](#)

Table ?? in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Seasonal Outlook](#)

Table K-3 in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Multi-Seasonal Outlook](#)

Table K-4 in the Lake Okeechobee Water Control Plan

[Back to Lake Okeechobee Operations Main Page](#)

[Back to U.S. Army Corps of Engineers Lake Okeechobee Operations Homepage](#)

Tributary Hydrologic Classification*	Palmer Index Class Limits	2-wk Mean L.O. Net Inflow Class Limits
Very Wet	3.0 or greater	Greater \geq 6000 cfs
Wet	1.5 to 2.99	2500 - 5999 cfs
Near Normal	-1.49 to 1.49	500 - 2499 cfs
Dry	-2.99 to -1.5	-5000 – 500 cfs
Very Dry	-3.0 or less	Less than -5000 cfs

* use the wettest of the two indicators

Classification of Lake Okeechobee Net Inflow Seasonal Outlook*

Lake Net Inflow Prediction [million acre-feet]	Equivalent Depth** [feet]	Lake Okeechobee Net Inflow Seasonal Outlook
> 0.93	> 2.0	Very Wet
0.71 to 0.93	1.51 to 2.0	Wet
0.35 to 0.70	0.75 to 1.5	Normal
< 0.35	< 0.75	Dry

****Volume-depth conversion based on average lake surface area of 467,000 acres**

Classification of Lake Okeechobee Net Inflow Multi-Seasonal Outlook*

Lake Net Inflow Prediction [million acre-feet]	Equivalent Depth** [feet]	Lake Okeechobee Net Inflow Multi-Seasonal Outlook
> 2.0	> 4.3	Very Wet
1.18 to 2.0	2.51 to 4.3	Wet
0.5 to 1.17	1.1 to 2.5	Normal
< 0.5	< 1.1	Dry

****Volume-depth conversion based on average lake surface area of 467,000 acres**

6-15 Day Precipitation Outlook Categories*

6-15 Day Precipitation Outlook Categories	WSE Decision Tree Categories
Above Normal	Wet to Very Wet
Normal	Normal
Below Normal	Dry

* Corresponds to Table 7-6 in the Lake Okeechobee Water Control Plan

Under Construction