

# Application of the Lake Okeechobee Regulation Schedule (LORS2008) on 6/13/2016 (ENSO Neutral Condition)

## Lake Okeechobee Net Inflow Outlook:

The Lake Okeechobee Net Inflow Outlook has been computed using 4 methods: Croley's method<sup>1</sup>, the SFWMD empirical method<sup>2</sup>, a sub-sampling of Neutral years<sup>3</sup> and a sub-sampling of warm years of the Atlantic Multi-decadal Oscillation (AMO) in combination with Neutral ENSO years<sup>4</sup>. The results for Croley's method and the SFWMD empirical method are based on the [CPC Outlook](#).

Table of the Lake Okeechobee Net Inflow Outlooks in feet of equivalent depth. All methods are updated on a weekly basis with observed net inflow for the current month.

Season	Croley's Method <sup>1*</sup>		SFWMD Empirical Method <sup>2</sup>		Sub-sampling of Neutral ENSO Years <sup>3</sup>		Sub-sampling of AMO Warm + Neutral ENSO Years <sup>4</sup>	
	Value (ft)	<a href="#">Condition</a>	Value (ft)	<a href="#">Condition</a>	Value (ft)	<a href="#">Condition</a>	Value (ft)	<a href="#">Condition</a>
Current (Jun-Nov)	N/A	N/A	3.10	Very Wet	3.84	Very Wet	5.62	Very Wet
Multi Seasonal (Jun-Apr)	N/A	N/A	3.17	Wet	4.08	Wet	5.93	Very Wet

**\*Croley's Method Not Produced For This Report**

See [Seasonal](#) and [Multi-Seasonal](#) tables for the classification of Lake Okeechobee Outlooks.

The recommended methods and values for estimating the Lake Okeechobee Net Inflow Outlook are shaded and should be used in the LORS2008 Release Guidance Flow Charts.

## [Tributary Hydrologic Conditions Graph:](#)

**9994 cfs** 14-day running average for Lake Okeechobee Net Inflow through 6/12/2016. According to the classification in [Tributary Hydrologic Conditions](#) table, this condition is Very Wet.

**0.49** for Palmer Index on 6/11/2016.

According to the classification in [Tributary Hydrologic Conditions](#) table, this condition is Normal.

The wetter of the two conditions above is **Very Wet**.

## [LORS2008 Classification Tables:](#)

### Lake Okeechobee Stage on 6/13/2016

Lake Okeechobee Stage: **14.68 feet**

[USACE Report for Lake Okeechobee](#)

[Lake Okeechobee Stage Hydrograph](#)

Lake Okeechobee Management Zone/Band		Bottom Elevation (feet, NGVD)	Current Lake Stage
High Lake Management Band		16.06	
Operational Band	High sub-band	15.57	
	Intermediate sub-band	15.08	
	Low sub-band	13.11	← 14.68
Base Flow sub-band		12.60	
Beneficial Use sub-band		10.75	
Water Shortage Management Band			

**[Part C of LORS2008: Discharge to WCA's](#)**

Release Guidance Flow Chart Outcome: Up to Maximum Releases to the WCAs if Desirable or with Minimum Everglades Impacts

**[Part D of LORS2008: Discharge to Tidewater](#)**

Release Guidance Flow Chart Outcome: S-79 up to 3000 cfs and S-80 up to 1170 cfs

**Technical Input Summaries from:**

- [Lake Okeechobee Division](#)
- [Coastal Ecosystems](#)
- [Everglades Ecosystems Division](#)
- [Water Supply Department](#)
- [Water Resource Management Release Recommendation](#)
- [Kissimmee Watershed Environmental Conditions](#)
- [Operations Department](#)

**[Back to Lake Okeechobee Operations Main Page](#)**

**[Back to U.S. Army Corps of Engineers LORSS Homepage](#)**

## LORS2008 Implementation on 6/13/2016 (ENSO Neutral Condition):

### Water Supply Bureau Technical Input

#### Status for week ending 6/13/2016:

District wide, Raindar rainfall 3.42 inches for the week. Lake stage on 6/13/2016 is 14.68 ft, up 0.36 ft from last week.

The updated June 2016 SFWMM Dynamic Position Analysis [percentile graph](#) and [tracking chart](#) for Lake Okeechobee show that the lake stage is in the Low Operational Sub-Band.

The LORS2008 tributary [indices](#) are classified as **Very Wet**. The PDSI indicates normal condition and the LONIN is Very Wet. The classification is based on the wetter of the two.

### Water Supply Risk Evaluation


Area	Indicator	Value	Color Coded Scoring Scheme
LOK	Projected LOK Stage for the next two months	Low Sub-Band	L
	Palmer Index for LOK Tributary Conditions	0.49 (Normal)	L
	CPC Precipitation Outlook	1 month: Normal	L
		3 months: Normal	L
	LOK Seasonal Net Inflow Forecast	3.84 ft (Normal to Extremely Wet)	L
	Neutral		
LOK Multi-Seasonal Net Inflow Forecast	4.08 ft (Wet)	L	
Neutral			
WCAs	WCA 1: Site 1-7, Site 1-8T, & Site 1-9 Average	Above Line 1 (16.17 ft)	L
	WCA 2A: Site 2-17 HW	Above Line1 (12.10 ft)	L
	WCA-3A: 3 Station Average (Site 63, 64 and 65)	Above Line 1 (9.66 ft)	L
LEC	Service Area 1	Year-Round Irrigation Rule in effect	L
	Service Area 2	Year-Round Irrigation Rule in effect	L
	Service Area 3	Year-Round Irrigation Rule in effect	L

Note: The water supply risk classification based on the Palmer index, as well as the LOK seasonal and multi-seasonal net inflow forecasts use slightly different classification intervals than those used by the 2008-LORS.

[Back to Lake Okeechobee Operations Main Page](#)

[Back to U.S. Army Corps of Engineers LORSS Homepage](#)


# Lake Okeechobee SFWMM June 2016 Dynamic Position Analysis




(See assumptions on the Position Analysis Results website)

# Tributary Basin Condition Indicators as of June 13 2016

## Palmer Index



## Lake Okeechobee Net Inflow (LONIN) 14-day Running Average



Tue Jun 14 09:00:21 2016

# 2008 LORS

## Part C: Establish Allowable Lake Okeechobee Releases to the Water Conservation Areas




Figure 7-3


# 2008 LORS

## Part D: Establish Allowable Lake Okeechobee Releases to Tide (Estuaries)

Note: This operational guidance provides essential supplementary information to be used in conjunction with other supporting documentation including text within the Water Control Plan.

When conducting Base Flow releases, flows can be distributed East and West up to 650 cfs as needed to minimize impacts or provide benefits through S-80 and S-79

Apply Meteorological Forecasts on a Weekly Basis; apply Seasonal and Multi-Seasonal Climate/Hydrologic Outlooks on a Monthly Basis



\* Very Dry Conditions may require that releases to tide (estuaries) be discontinued

Figure 7-4



# 2008 LORS FORECAST

## Part C: Establish Allowable Lake Okeechobee Releases to the Water Conservation Areas




Figure 7-3


# 2008 LORS FORECAST

## Part D: Establish Allowable Lake Okeechobee Releases to Tide (Estuaries)

Note: This operational guidance provides essential supplementary information to be used in conjunction with other supporting documentation including text within the Water Control Plan.

When conducting Base Flow releases, flows can be distributed East and West up to 650 cfs as needed to minimize impacts or provide benefits through S-80 and S-79

Apply Meteorological Forecasts on a Weekly Basis; apply Seasonal and Multi-Seasonal Climate/Hydrologic Outlooks on a Monthly Basis




\* Very Dry Conditions may require that releases to tide (estuaries) be discontinued

Figure 7-4

# Lake Okeechobee Water Level History and Projected Stages

**14.73 ft, NGVD**  
14-June-2016



LORS-2008

Adopted by USACE 28-April-2008

Projected Stage Percentiles From  
SFWMD-HESM Position Analysis

U. S. Army Corps of Engineers, Jacksonville District  
 Lake Okeechobee and Vicinity Report  
 \*\* Preliminary Data - Subject to Revision \*\*

Data Ending 2400 hours 12 JUN 2016

Okeechobee Lake Regulation	Elevation	Last Year	2YRS Ago
	(ft-NGVD)	(ft-NGVD)	(ft-NGVD)
*Okeechobee Lake Elevation	14.68	12.62	12.38 (Official Elv)
Bottom of High Lake Mngmt=	16.05	Top of Water Short Mngmt=	10.73
Currently in Operational Management Band			
Simulated Average LORS2008 [1965-2000]	12.02		
Difference from Average LORS2008	2.66		
12JUN (1965-2007) Period of Record Average	13.18		
Difference from POR Average	1.50		

Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations

++Navigation Depth (Based on 2007 Channel Condition Survey) Route 1 ÷ 8.62'  
 ++Navigation Depth (Based on 2008 Channel Condition Survey) Route 2 ÷ 6.82'  
 Bridge Clearance = 49.03'

4 Interior and 4 Edge Okeechobee Lake Average (Avg-Daily values):

L001	L005	L006	LZ40	S4	S352	S308	S133
14.54	14.74	14.78	14.66	14.69	14.85	14.63	14.58

\*Combination Okeechobee Avg-Daily Lake Average = 14.68  
 (\*See Note)

Okeechobee Inflows (cfs):

S65E	8692	C5	-75	Fisheating Cr	2330
S154	25	S191	424	S135 Pumps	162
S84	2665	S133 Pumps	52	S2 Pumps	0
S84X	813	S127 Pumps	92	S3 Pumps	0
S71	1831	S129 Pumps	98	S4 Pumps	0
S72	707	S131 Pumps	79		
Total Inflows: 17896					

Okeechobee Outflows (cfs):

S135 Culverts	0	S354	0	S77	(Not Used)
S127 Culverts	0	S351	0	S77Below	3802
(USED)					
S129 Culverts	-NR-	S352	0	S308	(Not Used)

S131 Culverts -NR- L8 Canal Pt 288 S308Below 993  
 (USED)  
 Total Outflows: 5083

\*\*\*\*S77 Structure outflow is being used to compute Total Outflow.  
 \*\*\*\*S308 Structure outflow is being used to compute Total Outflow.

Okeechobee Pan Evaporation (inches):  
 S77 0.29 S308 36.00  
 Average Pan Evap x 0.75 Pan Coefficient = 13.61" = 1.13'

Lake Average Precipitation using NEXRAD: = 0.00" = 0.00'

Evaporation - Precipitation: = 13.61" = 1.13'  
 Evaporation - Precipitation using Lake Area of 730 square miles  
 is equal to 267125 cfs out of the lake.  
 Lake Okeechobee (Change in Storage) Flow is 8470 cfs or 16800 AC-FT

Note: Headwater, tailwater, and stage values below are instantaneous values unless otherwise specified.

---	Headwater Tailwater		Disch	----- Gate Positions -----						
	Elevation	Elevation		#1	#2	#3	#4	#5	#6	#7
#8	(ft-msl)	(ft-msl)	(cfs)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)
	(I) see note at bottom									
North East Shore										
S133 Pumps:	13.37	14.66	52	0	0	0	52	0	(cfs)	
S193:										
S191:	18.40	14.69	424	0.5	0.2	0.5				
S135 Pumps:	13.51	14.59	162	44	38	38	44		(cfs)	
S135 Culverts:			0	-NR-	-NR-					
North West Shore										
S65E:	21.03	15.01	8692	4.1	4.0	3.5	3.5	3.5	3.5	
S127 Pumps:	13.46	14.73	92	42	49	0	0	0	(cfs)	
S127 Culvert:			0	0.0						
S129 Pumps:	13.11	14.74	98	43	43	12			(cfs)	
S129 Culvert:			-NR-	-NR-						
S131 Pumps:	13.01	14.74	79	43	36				(cfs)	
S131 Culvert:			-NR-							
Fisheating Creek										
nr Palmdale		34.07	2330							
nr Lakeport										
C5:	14.62	14.64	-75	5.2	5.3	5.3				

South Shore

S4 Pumps:	12.28	14.65	0	0	0	0				(cfs)
S169:	14.72	12.28	0	0.0	0.0	0.0				
S310:	14.66		-174							
S3 Pumps:	10.61	14.68	0	0	0	0				(cfs)
S354:	14.68	10.61	0	0.0	0.0					
S2 Pumps:	9.52	14.61	0	0	0	0	0			(cfs)
S351:	14.61	9.52	0	0.0	0.0	0.0				
S352:	14.90	8.97	0	0.0	0.0					
C10A:	-NR-	14.72		0.0	0.0	4.0	0.0	0.0		
L8 Canal PT		14.55	288							

---

S351 and S352 Temporary Pumps/S354 Spillway

S351:	9.52	14.61	0	-NR-	-NR-	-NR-	-NR-	-NR-	-NR-
S352:	8.97	14.90	0	-NR-	-NR-	-NR-	-NR-		
S354:	10.61	14.68	0	-NR-	-NR-	-NR-	-NR-		

---

Caloosahatchee River (S77, S78, S79)

S47B:	13.14	12.04		2.4	2.4				
S47D:	11.53	11.47	203	6.0					
S77:									
Spillway and Sector Flow:									
14.19	11.61	3802	4.5	4.5	4.5	4.5			
Flow Due to Lockages+:		3							
S77 Below USGS Flow Gage		3802							
S78:									
Spillway and Sector Flow:									
-NR-	-NR-	-NR-	-NR-	-NR-	-NR-	-NR-	-NR-		
Flow Due to Lockages+:		-NR-							
S79:									
Spillway and Sector Flow:									
-NR-	-NR-	-NR-	5.0	5.0	6.0	6.0	6.0	6.0	6.0
5.0									
Flow Due to Lockages+:		-NR-							
Percent of flow from S77		-NR-%							
Chloride (ppm)		-N							

St. Lucie Canal (S308, S80)

S308:									
Spillway and Sector Flow:									
14.61	14.47	993	4.0	4.5	4.5	4.0			
Flow Due to Lockages+:		0							
S308 Below USGS Flow Gage		993							
S153:	18.78	14.27	351	1.0	0.5				
S80:									
Spillway and Sector Flow:									
14.03	0.85	1854	1.1	1.1	1.2	0.0	1.2	1.1	0.0
Flow Due to Lockages+:		28							
Percent of flow from S308		66%							

Steele Point Top Salinity (mg/ml) 7798  
 Steele Point Bottom Salinity (mg/ml) \*\*\*\*

Speedy Point Top Salinity (mg/ml) 870  
 Speedy Point Bottom Salinity (mg/ml) 1446

+ Flow Due to lockages is computed utilizing average daily headwater and tailwater along with total number of lockages for the day to calculate a volume which is then converted to an average discharge in cfs.

---

				----- Wind ---	
Daily Precipitation Totals	1-Day	3-Day	7-Day	Direction	
Speed	(inches)	(inches)	(inches)	(Degø)	
(mph)					
S133 Pump Station:	-NR-	0.00	0.00		
S193:	-NR-	0.00	0.00	-NR-	-NR-
Okeechobee Field Station:	-NR-	0.00	0.00		
S135 Pump Station:	-NR-	0.00	0.00		
S127 Pump Station:	-NR-	0.00	0.00		
S129 Pump Station:	-NR-	0.00	0.00		
S131 Pump Station:	-NR-	0.00	0.00		
S77:	0.00	1.62	4.86	248	1
S78:	0.01	0.78	3.39	-NR-	-NR-
S79:	-NR-	1.02	6.35	-NR-	-NR-
S4 Pump Station:	-NR-	0.00	0.00		
Clewiston Field Station:	-NR-	0.00	0.00		
S3 Pump Station:	-NR-	0.00	0.00		
S2 Pump Station:	-NR-	0.00	0.00		
S308:	*****	*****	*****	270	0
S80:	0.00	0.10	1.63	112	1
Okeechobee Average	*****	4942.20	*****		
(Sites S78, S79 and S80 not included)					
-----					
Oke Nexrad Basin Avg	0.00	0.34	2.64		
-----					

---

Okeechobee Lake Elevations	12 JUN 2016	14.68	Difference from
12JUN16			
12JUN16 -1 Day =	11 JUN 2016	14.64	-0.04
12JUN16 -2 Days =	10 JUN 2016	14.58	-0.10
12JUN16 -3 Days =	09 JUN 2016	14.51	-0.17
12JUN16 -4 Days =	08 JUN 2016	14.41	-0.27
12JUN16 -5 Days =	07 JUN 2016	14.41	-0.27
12JUN16 -6 Days =	06 JUN 2016	14.40	-0.28
12JUN16 -7 Days =	05 JUN 2016	14.32	-0.36
12JUN16 -30 Days =	13 MAY 2016	13.75	-0.93
12JUN16 -1 Year =	12 JUN 2015	12.62	-2.06
12JUN16 -2 Year =	12 JUN 2014	12.38	-2.30

---

Long Term Mean 30day Avearge ET for Lake Alfred (Inches) = -NR-

---

Lake Okeechobee Net Inflow (LONIN)

		Average Flow over the previous 14 days			Avg-Daily Flow
12JUN16	Today =	12 JUN 2016	10015	MON	13553
12JUN16	-1 Day =	11 JUN 2016	9546	SUN	17657
12JUN16	-2 Days =	10 JUN 2016	8903	SAT	19400
12JUN16	-3 Days =	09 JUN 2016	7989	FRI	26247
12JUN16	-4 Days =	08 JUN 2016	6196	THU	5128
12JUN16	-5 Days =	07 JUN 2016	6227	WED	6924
12JUN16	-6 Days =	06 JUN 2016	6397	TUE	22775
12JUN16	-7 Days =	05 JUN 2016	5295	MON	8056
12JUN16	-8 Days =	04 JUN 2016	5561	SUN	1924
12JUN16	-9 Days =	03 JUN 2016	6664	SAT	542
12JUN16	-10 Days =	02 JUN 2016	8159	FRI	2525
12JUN16	-11 Days =	01 JUN 2016	10703	THU	4325
12JUN16	-12 Days =	31 MAY 2016	13897	WED	4322
12JUN16	-13 Days =	30 MAY 2016	13937	TUE	6829

---



---

S65E

		Average Flow over previous 14 days			Avg-Daily Flow
12JUN16	Today=	12 JUN 2016	5397	MON	8692
12JUN16	-1 Day =	11 JUN 2016	5270	SUN	7595
12JUN16	-2 Days =	10 JUN 2016	5224	SAT	5917
12JUN16	-3 Days =	09 JUN 2016	5327	FRI	4773
12JUN16	-4 Days =	08 JUN 2016	5545	THU	3808
12JUN16	-5 Days =	07 JUN 2016	5862	WED	3889
12JUN16	-6 Days =	06 JUN 2016	6184	TUE	3842
12JUN16	-7 Days =	05 JUN 2016	6515	MON	4220
12JUN16	-8 Days =	04 JUN 2016	6632	SUN	4344
12JUN16	-9 Days =	03 JUN 2016	6641	SAT	4928
12JUN16	-10 Days =	02 JUN 2016	6529	FRI	5354
12JUN16	-11 Days =	01 JUN 2016	6326	THU	5649
12JUN16	-12 Days =	31 MAY 2016	6082	WED	5956
12JUN16	-13 Days =	30 MAY 2016	5779	TUE	6589

---

Lake Okeechobee Outlets Last 14 Days

DATE	S-77	S-77	Below S-77	S-78	S-78	S-79
	Discharge (0700-2100) (AC-FT)	Discharge (ALL DAY) (AC-FT)	Discharge (ALL-DAY) (AC-FT)	Discharge (0700-2100) (AC-FT)	Discharge (ALL DAY) (AC-FT)	Discharge (ALL DAY) (AC-FT)
12 JUN 2016			7539	-NR-	-NR-	-NR-
11 JUN 2016			7382	-NR-	-NR-	25384
10 JUN 2016			6760	-NR-	9758	22187
09 JUN 2016			5757	-NR-	6691	15885
08 JUN 2016			5458	-NR-	6078	9126
07 JUN 2016			5581	-NR-	5615	-NR-
06 JUN 2016			8012	-NR-	7364	8294
05 JUN 2016			7782	-NR-	7139	9892
04 JUN 2016			7758	-NR-	7011	9442
03 JUN 2016			8163	-NR-	7480	10428



02 JUN 2016		7440	-NR-	6650	8972
01 JUN 2016		7221	-NR-	6422	9391
31 MAY 2016		7390	-NR-	6990	10570
30 MAY 2016		8454	-NR-	9312	13113

	S-310	S-351	S-352	S-354	L8 Canal Pt
	Discharge	Discharge	Discharge	Discharge	Discharge
	(ALL DAY)	(ALL DAY)	(ALL DAY)	(ALL DAY)	(ALL DAY)
DATE	(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)
12 JUN 2016	-345	0	0	0	571
11 JUN 2016	-364	0	0	0	505
10 JUN 2016	-328	0	0	0	444
09 JUN 2016	-258	0	468	0	426
08 JUN 2016	-134	0	968	0	556
07 JUN 2016	-3	0	793	0	497
06 JUN 2016	6	0	0	0	379
05 JUN 2016	73	0	0	0	530
04 JUN 2016	180	256	36	91	515
03 JUN 2016	232	1003	6	525	493
02 JUN 2016	165	1194	276	498	464
01 JUN 2016	153	611	286	642	419
31 MAY 2016	69	571	700	131	520
30 MAY 2016	20	535	266	208	543

	S-308	Below S-308	S-80
	Discharge	Discharge	Discharge
	(ALL DAY)	(ALL-DAY)	(ALL-DAY)
DATE	(AC-FT)	(AC-FT)	(AC-FT)
12 JUN 2016		1970	2462
11 JUN 2016		1933	2433
10 JUN 2016		1872	2454
09 JUN 2016		2507	2427
08 JUN 2016		3187	2383
07 JUN 2016		2560	2415
06 JUN 2016		3179	2396
05 JUN 2016		3464	-NR-
04 JUN 2016		3558	2379
03 JUN 2016		3480	2368
02 JUN 2016		3534	2393
01 JUN 2016		3597	2414
31 MAY 2016		3457	2377
30 MAY 2016		3535	2341

\*\*\* NOTE: 1) Discharge from (0700-2100) is computed using Spillway and Sector Gate Discharges from 0700 hrs to 2100 hrs.

2) Discharge (ALL DAY) is computed using Spillway, Sector Gate and Lockages Discharges from 0015 hrs to 2400 hrs.

---

(I) - Flows preceded by "I" signify an instantaneous flow computed from the single value reported for the day

---

\* On 11 May 1999, Lake Okeechobee Elevation was switched from

Instantaneous 2400 value to an average-daily lake average.

On 14 Mar 2001, due to the isolation of various gages within the standard

10 stations, the average of the interior 4 station gages was used as the Lake Okeechobee Elevation.

On 05 November 2010, Lake Okeechobee Elevation was switched to a 9 gage mix of interior and edge gages to obtain a more reliable representation of the lake level.

On 09 May 2011, Lake Okeechobee Elevation was switched to a 8 gage mix of interior and edge gages to obtain a more reliable representation of the lake level due to isolation of S135 from low lake levels.

Today Lake Okechobee elevation is determined from the 4 Int & 4 Edge stations

++ For more information see the Jacksonville District Navigation website at <http://www.saj.usace.army.mil/>


\$ For information regarding Lake Okeechobee Service Area water restrictions please refer to [www.sfwmd.gov](http://www.sfwmd.gov)

---

—  
Report Generated 13JUN2016 @ 10:07 \*\* Preliminary Data - Subject to Revision  
\*\*

# Lake Okeechobee

13JUN16 10:00:38



- High Lake Management
- Okeechobee Avg Elev
- Average Elev [1965-2007]
- Water Shortage Management

# Classification Tables

---

Supplemental Tables used in conjunction with the LORS2008 Release

Guidance Flow Charts

- [Class Limits for Tributary Hydrologic Conditions](#)

Table K-2 in the Lake Okeechobee Water Control Plan

- [6-15 Day Precipitation Outlook Categories](#)

Table ?? in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Seasonal Outlook](#)

Table K-3 in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Multi-Seasonal Outlook](#)

Table K-4 in the Lake Okeechobee Water Control Plan

---

[Back to Lake Okeechobee Operations Main Page](#)

[Back to U.S. Army Corps of Engineers Lake Okeechobee Operations Homepage](#)

Tributary Hydrologic Classification*	Palmer Index Class Limits	2-wk Mean L.O. Net Inflow Class Limits
Very Wet	3.0 or greater	Greater $\geq$ 6000 cfs
Wet	1.5 to 2.99	2500 - 5999 cfs
Near Normal	-1.49 to 1.49	500 - 2499 cfs
Dry	-2.99 to -1.5	-5000 – 500 cfs
Very Dry	-3.0 or less	Less than -5000 cfs

\* use the wettest of the two indicators

**Classification of Lake Okeechobee Net Inflow Seasonal Outlook\***

<b>Lake Net Inflow Prediction</b> <b>[million acre-feet]</b>	<b>Equivalent Depth**</b> <b>[feet]</b>	<b>Lake Okeechobee Net Inflow Seasonal Outlook</b>
> 0.93	> 2.0	Very Wet
0.71 to 0.93	1.51 to 2.0	Wet
0.35 to 0.70	0.75 to 1.5	Normal
< 0.35	< 0.75	Dry

**\*\*Volume-depth conversion based on average lake surface area of 467,000 acres**

## Classification of Lake Okeechobee Net Inflow Multi-Seasonal Outlook\*

<b>Lake Net Inflow Prediction</b> <b>[million acre-feet]</b>	<b>Equivalent Depth**</b> <b>[feet]</b>	<b>Lake Okeechobee Net Inflow Multi-Seasonal Outlook</b>
> 2.0	> 4.3	Very Wet
1.18 to 2.0	2.51 to 4.3	Wet
0.5 to 1.17	1.1 to 2.5	Normal
< 0.5	< 1.1	Dry

**\*\*Volume-depth conversion based on average lake surface area of 467,000 acres**

**6-15 Day Precipitation Outlook Categories\***

<b>6-15 Day Precipitation Outlook Categories</b>	<b>WSE Decision Tree Categories</b>
Above Normal	Wet to Very Wet
Normal	Normal
Below Normal	Dry

\* Corresponds to Table 7-6 in the Lake Okeechobee Water Control Plan



Under Construction