

# Application of the Lake Okeechobee Regulation Schedule (LORS2008) on 6/27/2016 (ENSO Neutral Condition)

## Lake Okeechobee Net Inflow Outlook:

The Lake Okeechobee Net Inflow Outlook has been computed using 4 methods: Croley's method<sup>1</sup>, the SFWMD empirical method<sup>2</sup>, a sub-sampling of Neutral years<sup>3</sup> and a sub-sampling of warm years of the Atlantic Multi-decadal Oscillation (AMO) in combination with Neutral ENSO years<sup>4</sup>. The results for Croley's method and the SFWMD empirical method are based on the [CPC Outlook](#).

Table of the Lake Okeechobee Net Inflow Outlooks in feet of equivalent depth. All methods are updated on a weekly basis with observed net inflow for the current month.

Season	Croley's Method <sup>1*</sup>		SFWMD Empirical Method <sup>2</sup>		Sub-sampling of Neutral ENSO Years <sup>3</sup>		Sub-sampling of AMO Warm + Neutral ENSO Years <sup>4</sup>	
	Value (ft)	<a href="#">Condition</a>	Value (ft)	<a href="#">Condition</a>	Value (ft)	<a href="#">Condition</a>	Value (ft)	<a href="#">Condition</a>
Current (Jun-Nov)	N/A	N/A	2.77	Very Wet	3.07	Very Wet	3.77	Very Wet
Multi Seasonal (Jun-Apr)	N/A	N/A	3.68	Wet	4.21	Wet	5.23	Very Wet

**\*Croley's Method Not Produced For This Report**

See [Seasonal](#) and [Multi-Seasonal](#) tables for the classification of Lake Okeechobee Outlooks.

The recommended methods and values for estimating the Lake Okeechobee Net Inflow Outlook are shaded and should be used in the LORS2008 Release Guidance Flow Charts.

## [Tributary Hydrologic Conditions Graph:](#)

**9201 cfs** 14-day running average for Lake Okeechobee Net Inflow through 6/26/2016. According to the classification in [Tributary Hydrologic Conditions](#) table, this condition is Very Wet.

**1.82** for Palmer Index on 6/25/2016.

According to the classification in [Tributary Hydrologic Conditions](#) table, this condition is Wet.

The wetter of the two conditions above is **Very Wet**.

## [LORS2008 Classification Tables:](#)

### Lake Okeechobee Stage on 6/27/2016

Lake Okeechobee Stage: **14.89 feet**

[USACE Report for Lake Okeechobee](#)

[Lake Okeechobee Stage Hydrograph](#)

Lake Okeechobee Management Zone/Band		Bottom Elevation (feet, NGVD)	Current Lake Stage
High Lake Management Band		16.12	
Operational Band	High sub-band	15.65	
	Intermediate sub-band	15.18	
	Low sub-band	13.24	← 14.89
Base Flow sub-band		12.60	
Beneficial Use sub-band		11.03	
Water Shortage Management Band			

**[Part C of LORS2008: Discharge to WCA's](#)**

Release Guidance Flow Chart Outcome: Up to Maximum Releases to the WCAs if Desirable or with Minimum Everglades Impacts

**[Part D of LORS2008: Discharge to Tidewater](#)**

Release Guidance Flow Chart Outcome: S-77 up to 4000 cfs and S-80 up to 1800 cfs

**Technical Input Summaries from:**

- [Lake Okeechobee Division](#)
- [Coastal Ecosystems](#)
- [Everglades Ecosystems Division](#)
- [Water Supply Department](#)
- [Water Resource Management Release Recommendation](#)
- [Kissimmee Watershed Environmental Conditions](#)
- [Operations Department](#)

**[Back to Lake Okeechobee Operations Main Page](#)**

**[Back to U.S. Army Corps of Engineers LORSS Homepage](#)**

## LORS2008 Implementation on 6/27/2016 (ENSO Neutral Condition):

### Status for week ending 6/27/2016:

District wide, Raindar rainfall was 1.16 inches for the week. Lake stage on 6/27/2016 was 14.89 ft, unchanged from last week.

The updated June 2016 SFWMM Dynamic Position Analysis [percentile graph](#) and [tracking chart](#) for Lake Okeechobee show that the current lake stage is in the Low Operational Sub-Band.

The LORS2008 tributary [indices](#) are classified as **Very Wet**. The PDSI indicates wet condition and the LONIN is Very Wet. The classification is based on the wetter of the two.

### Water Supply Risk Evaluation


Area	Indicator	Value	Color Coded Scoring Scheme
LOK	Projected LOK Stage for the next two months	Low Sub-Band	L
	Palmer Index for LOK Tributary Conditions	1.82 (Normal)	L
	CPC Precipitation Outlook	1 month: Above Normal	L
		3 months: Above Normal	L
	LOK Seasonal Net Inflow Forecast	3.07 ft (Normal to Extremely Wet)	L
	ENSO Neutral Years		
	LOK Multi-Seasonal Net Inflow Forecast	4.21 ft (Wet)	L
ENSO Neutral Years			
WCAs	WCA 1: Site 1-7, Site 1-8T, & Site 1-9 Average	Above Line 1 (16.16 ft)	L
	WCA 2A: Site 2-17 HW	Above Line1 (12.09 ft)	L
	WCA-3A: 3 Station Average (Site 63, 64 and 65)	Above Line 1 (9.68 ft)	L
LEC	Service Area 1	Year-Round Irrigation Rule in effect	L
	Service Area 2	Year-Round Irrigation Rule in effect	L
	Service Area 3	Year-Round Irrigation Rule in effect	L

Note: The water supply risk classification based on the Palmer index, as well as the LOK seasonal and multi-seasonal net inflow forecasts use slightly different classification intervals than those used by the 2008-LORS.

[Back to Lake Okeechobee Operations Main Page](#)

[Back to U.S. Army Corps of Engineers LORSS Homepage](#)


# Lake Okeechobee SFWMM June 2016 Dynamic Position Analysis




(See assumptions on the Position Analysis Results website)

# Tributary Basin Condition Indicators as of June 27 2016

## Palmer Index



## Lake Okeechobee Net Inflow (LONIN) 14-day Running Average



# 2008 LORS

## Part C: Establish Allowable Lake Okeechobee Releases to the Water Conservation Areas




Figure 7-3


# 2008 LORS

## Part D: Establish Allowable Lake Okeechobee Releases to Tide (Estuaries)

Note: This operational guidance provides essential supplementary information to be used in conjunction with other supporting documentation including text within the Water Control Plan.

When conducting Base Flow releases, flows can be distributed East and West up to 650 cfs as needed to minimize impacts or provide benefits through S-80 and S-79

Apply Meteorological Forecasts on a Weekly Basis; apply Seasonal and Multi-Seasonal Climate/Hydrologic Outlooks on a Monthly Basis



\* Very Dry Conditions may require that releases to tide (estuaries) be discontinued

Figure 7-4



# 2008 LORS FORECAST

## Part C: Establish Allowable Lake Okeechobee Releases to the Water Conservation Areas




Figure 7-3

# 2008 LORS FORECAST

## Part D: Establish Allowable Lake Okeechobee Releases to Tide (Estuaries)

Note: This operational guidance provides essential supplementary information to be used in conjunction with other supporting documentation including text within the Water Control Plan.

When conducting Base Flow releases, flows can be distributed East and West up to 650 cfs as needed to minimize impacts or provide benefits through S-80 and S-79

Apply Meteorological Forecasts on a Weekly Basis; apply Seasonal and Multi-Seasonal Climate/Hydrologic Outlooks on a Monthly Basis





Figure 7-4

\* Very Dry Conditions may require that releases to tide (estuaries) be discontinued

# Lake Okeechobee Water Level History and Projected Stages

**14.90 ft, NGVD**  
28-June-2016



**LEGEND**

**Lake Release Color Code**

- S80 & S77 max practicable
- S80 < 2,800 cfs; S77 < 6,500 cfs
- S80 < 1,800 cfs; S77 < 4,000 cfs
- S80 < 1,170 cfs; S79 < 3000 cfs
- Baseflow S80 < 200 cfs; S79 < 450 cfs
- No Regulatory Release From Lake
- Environmental WS Release
- Regulatory Release to WCAs

U. S. Army Corps of Engineers, Jacksonville District  
 Lake Okeechobee and Vicinity Report  
 \*\* Preliminary Data - Subject to Revision \*\*

Data Ending 2400 hours    26 JUN 2016

Okeechobee Lake Regulation	Elevation	Last Year	2YRS Ago
	(ft-NGVD)	(ft-NGVD)	(ft-NGVD)
*Okeechobee Lake Elevation	14.89	12.26	12.91 (Official Elv)
Bottom of High Lake Mngmt=	16.12	Top of Water Short Mngmt=	11.02
Currently in Operational Management Band			
Simulated Average LORS2008 [1965-2000]		12.20	
Difference from Average LORS2008		2.69	
26JUN (1965-2007) Period of Record Average		13.35	
Difference from POR Average		1.54	

Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations

++Navigation Depth (Based on 2007 Channel Condition Survey) Route 1 ÷ 8.83'  
 ++Navigation Depth (Based on 2008 Channel Condition Survey) Route 2 ÷ 7.03'  
 Bridge Clearance = 48.87'

4 Interior and 4 Edge Okeechobee Lake Average (Avg-Daily values):

L001	L005	L006	LZ40	S4	S352	S308	S133
14.76	14.95	14.99	14.87	14.85	15.07	14.85	14.80

\*Combination Okeechobee Avg-Daily Lake Average = 14.89  
 (\*See Note)

Okeechobee Inflows (cfs):

S65E	4043	C5	-82	Fisheating Cr	-NR-
S154	36	S191	72	S135 Pumps	0
S84	170	S133 Pumps	165	S2 Pumps	0
S84X	812	S127 Pumps	0	S3 Pumps	-NR-
S71	326	S129 Pumps	0	S4 Pumps	0
S72	0	S131 Pumps	0		
Total Inflows:	5542				

Okeechobee Outflows (cfs):

S135 Culverts	0	S354	-NR-	S77	(Not Used)
S127 Culverts	0	S351	0	S77Below	4163
(USED)					
S129 Culverts	0	S352	0	S308	(Not Used)

S131 Culverts -NR- L8 Canal Pt 208 S308Below 1644  
 (USED)  
 Total Outflows: 6015

\*\*\*\*S77 Structure outflow is being used to compute Total Outflow.  
 \*\*\*\*S308 Structure outflow is being used to compute Total Outflow.

Okeechobee Pan Evaporation (inches):  
 S77 0.28 S308 0.09  
 Average Pan Evap x 0.75 Pan Coefficient = 0.14" = 0.01'

Lake Average Precipitation using NEXRAD: = 0.59" = 0.05'

Evaporation - Precipitation: = -0.45" = -0.04'  
 Evaporation - Precipitation using Lake Area of 730 square miles  
 is equal to 8858 cfs into the lake.  
 Lake Okeechobee (Change in Storage) Flow is -4285 cfs or -8500 AC-FT

Note: Headwater, tailwater, and stage values below are instantaneous values unless otherwise specified.

---	Headwater Tailwater		Disch	----- Gate Positions -----						
	Elevation	Elevation		#1	#2	#3	#4	#5	#6	#7
#8	(ft-msl)	(ft-msl)	(cfs)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)
	(I) see note at bottom									
North East Shore										
S133 Pumps:	13.60	14.59	165	34	34	34	28	34	(cfs)	
S193:										
S191:	19.32	14.64	72	0.5	0.5	0.9				
S135 Pumps:		-NR-	0	0	0	0	0		(cfs)	
S135 Culverts:			0	-NR-	-NR-					
North West Shore										
S65E:	20.94	14.85	4043	1.5	1.5	2.0	1.5	1.6	1.7	
S127 Pumps:	13.74	14.96	0	0	0	0	0	0	(cfs)	
S127 Culvert:			0	0.0						
S129 Pumps:	13.25	14.91	0	0	0	0			(cfs)	
S129 Culvert:			0	0.0						
S131 Pumps:	12.99	14.94	0	0	0				(cfs)	
S131 Culvert:			-NR-							
Fisheating Creek										
nr Palmdale		32.71	-NR-							
nr Lakeport										
C5:	14.77	14.81	-82	5.2	5.3	5.3				

South Shore

S4 Pumps:	10.88	14.90	0	0	0	0				(cfs)
S169:	15.01	10.88	0	0.0	0.0	0.0				
S310:	15.04		-74							
S3 Pumps:		-NR-	-NR-	-NR-	-NR-	-NR-				(cfs)
S354:	-NR-		-NR-	-NR-	-NR-					
S2 Pumps:	10.18	15.01	0	0	0	0	0			(cfs)
S351:	15.01	10.18	0	0.0	0.0	0.0				
S352:	15.12	10.45	0	0.0	0.0					
C10A:	-NR-	13.97		0.0	0.0	8.0	0.0	0.0		
L8 Canal PT		13.77	208							

---

S351 and S352 Temporary Pumps/S354 Spillway

S351:	10.18	15.01	0	-NR-	-NR-	-NR-	-NR-	-NR-	-NR-
S352:	10.45	15.12	0	-NR-	-NR-	-NR-	-NR-		
S354:		-NR-	-NR-	-NR-	-NR-	-NR-	-NR-		

---

Caloosahatchee River (S77, S78, S79)

S47B:	13.30	10.51		0.5	0.5				
S47D:	10.52	10.51	71	6.0					
S77:									
Spillway and Sector Flow:									
14.47	10.72	4163	3.9	3.9	3.9	3.9			
Flow Due to Lockages+:		6							
S77 Below USGS Flow Gage		4163							
S78:									
Spillway and Sector Flow:									
10.47	3.29	4356	4.5	0.0	4.5	4.5			
Flow Due to Lockages+:		16							
S79:									
Spillway and Sector Flow:									
3.11	1.40	6771	3.0	3.0	3.0	4.0	3.0	3.0	3.0
3.0									
Flow Due to Lockages+:		7							
Percent of flow from S77		59%							
Chloride (ppm)		40							

St. Lucie Canal (S308, S80)

S308:									
Spillway and Sector Flow:									
14.84	14.63	1644	5.0	5.0	5.0	5.0			
Flow Due to Lockages+:		0							
S308 Below USGS Flow Gage		1644							
S153:	18.98	14.45	43	0.2	0.0				
S80:									
Spillway and Sector Flow:									
14.06	0.19	1857	1.1	1.1	1.2	0.0	1.2	1.1	0.0
Flow Due to Lockages+:		19							
Percent of flow from S308		76%							

Steele Point Top Salinity (mg/ml) \*\*\*\*  
 Steele Point Bottom Salinity (mg/ml) \*\*\*\*

Speedy Point Top Salinity (mg/ml) 2950  
 Speedy Point Bottom Salinity (mg/ml) 4551

+ Flow Due to lockages is computed utilizing average daily headwater and tailwater along with total number of lockages for the day to calculate a volume which is then converted to an average discharge in cfs.

---

	----- Wind ---				
Daily Precipitation Totals	1-Day	3-Day	7-Day	Direction	
Speed	(inches)	(inches)	(inches)	(Degø)	
(mph)					
S133 Pump Station:	-NR-	0.00	0.00		
S193:	-NR-	0.00	0.00	-NR-	-NR-
Okeechobee Field Station:	-NR-	0.00	0.00		
S135 Pump Station:	-NR-	0.00	0.00		
S127 Pump Station:	-NR-	0.00	0.00		
S129 Pump Station:	-NR-	0.00	0.00		
S131 Pump Station:	-NR-	0.00	0.00		
S77:	0.09	0.24	0.24	14	1
S78:	1.13	1.13	1.13	338	1
S79:	0.11	0.64	0.80	119	1
S4 Pump Station:	-NR-	0.00	0.00		
Clewiston Field Station:	-NR-	0.00	0.00		
S3 Pump Station:	-NR-	0.00	0.00		
S2 Pump Station:	-NR-	0.00	0.00		
S308:	*****	*****	*****	49	0
S80:	0.00	0.17	1.29	0	0
Okeechobee Average	*****	4825.33	*****		
(Sites S78, S79 and S80 not included)					
-----					
Oke Nexrad Basin Avg	0.59	0.72	0.84		
-----					

---

Okeechobee Lake Elevations	26 JUN 2016	14.89	Difference from
26JUN16			
26JUN16 -1 Day =	25 JUN 2016	14.91	0.02
26JUN16 -2 Days =	24 JUN 2016	14.92	0.03
26JUN16 -3 Days =	23 JUN 2016	14.92	0.03
26JUN16 -4 Days =	22 JUN 2016	14.92	0.03
26JUN16 -5 Days =	21 JUN 2016	14.91	0.02
26JUN16 -6 Days =	20 JUN 2016	14.92	0.03
26JUN16 -7 Days =	19 JUN 2016	14.90	0.01
26JUN16 -30 Days =	27 MAY 2016	14.39	-0.50
26JUN16 -1 Year =	26 JUN 2015	12.26	-2.63
26JUN16 -2 Year =	26 JUN 2014	12.91	-1.98

---

Long Term Mean 30day Avearge ET for Lake Alfred (Inches) = -NR-

---

Lake Okeechobee Net Inflow (LONIN)

		Average Flow over the previous 14 days			Avg-Daily Flow
26JUN16	Today =	26 JUN 2016	9778	MON	-NR-
26JUN16	-1 Day =	25 JUN 2016	10047	SUN	3734
26JUN16	-2 Days =	24 JUN 2016	11042	SAT	5741
26JUN16	-3 Days =	23 JUN 2016	12018	FRI	5493
26JUN16	-4 Days =	22 JUN 2016	13500	THU	8281
26JUN16	-5 Days =	21 JUN 2016	13275	WED	4618
26JUN16	-6 Days =	20 JUN 2016	13439	TUE	10915
26JUN16	-7 Days =	19 JUN 2016	14287	MON	6247
26JUN16	-8 Days =	18 JUN 2016	14416	SUN	8098
26JUN16	-9 Days =	17 JUN 2016	13975	SAT	20953
26JUN16	-10 Days =	16 JUN 2016	12517	FRI	10351
26JUN16	-11 Days =	15 JUN 2016	11958	THU	12480
26JUN16	-12 Days =	14 JUN 2016	11375	WED	14276
26JUN16	-13 Days =	13 JUN 2016	10664	TUE	15923

---



---

S65E

		Average Flow over previous 14 days			Avg-Daily Flow
26JUN16	Today=	26 JUN 2016	6083	MON	4043
26JUN16	-1 Day =	25 JUN 2016	6417	SUN	4226
26JUN16	-2 Days =	24 JUN 2016	6660	SAT	4288
26JUN16	-3 Days =	23 JUN 2016	6780	FRI	4898
26JUN16	-4 Days =	22 JUN 2016	6774	THU	4969
26JUN16	-5 Days =	21 JUN 2016	6691	WED	5174
26JUN16	-6 Days =	20 JUN 2016	6598	TUE	5448
26JUN16	-7 Days =	19 JUN 2016	6483	MON	5895
26JUN16	-8 Days =	18 JUN 2016	6364	SUN	6505
26JUN16	-9 Days =	17 JUN 2016	6209	SAT	7073
26JUN16	-10 Days =	16 JUN 2016	6056	FRI	7720
26JUN16	-11 Days =	15 JUN 2016	5887	THU	7938
26JUN16	-12 Days =	14 JUN 2016	5724	WED	8216
26JUN16	-13 Days =	13 JUN 2016	5562	TUE	8768

---

Lake Okeechobee Outlets Last 14 Days

DATE	S-77	S-77	Below S-77	S-78	S-78	S-79
	Discharge (0700-2100) (AC-FT)	Discharge (ALL DAY) (AC-FT)	Discharge (ALL-DAY) (AC-FT)	Discharge (0700-2100) (AC-FT)	Discharge (ALL DAY) (AC-FT)	Discharge (ALL DAY) (AC-FT)
26 JUN 2016			8255	-NR-	8669	13440
25 JUN 2016			8149	-NR-	9037	13320
24 JUN 2016			8014	-NR-	8841	12893
23 JUN 2016			7339	-NR-	8924	13400
22 JUN 2016			8521	-NR-	8479	14419
21 JUN 2016			9361	-NR-	7435	17019
20 JUN 2016			9371	-NR-	11305	17968
19 JUN 2016			8916	-NR-	11219	19442
18 JUN 2016			8407	-NR-	11071	19821
17 JUN 2016			7909	-NR-	10248	16682



16 JUN 2016			7975	-NR-	9618	14084
15 JUN 2016			8294	-NR-	11951	17868
14 JUN 2016			8270	-NR-	12179	19765
13 JUN 2016			7869	-NR-	12232	22866

	S-310	S-351	S-352	S-354	L8 Canal Pt
	Discharge	Discharge	Discharge	Discharge	Discharge
	(ALL DAY)	(ALL DAY)	(ALL DAY)	(ALL DAY)	(ALL DAY)
DATE	(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)
26 JUN 2016	-148	0	0	-NR-	412
25 JUN 2016	-225	0	0	0	394
24 JUN 2016	-76	0	0	0	385
23 JUN 2016	-27	0	0	0	420
22 JUN 2016	-60	0	0	0	432
21 JUN 2016	-147	0	0	0	411
20 JUN 2016	-201	0	0	0	396
19 JUN 2016	-186	0	0	0	416
18 JUN 2016	-174	0	101	0	410
17 JUN 2016	-53	0	0	0	500
16 JUN 2016	-31	0	0	0	627
15 JUN 2016	-117	0	0	0	604
14 JUN 2016	-276	0	0	0	531
13 JUN 2016	-331	0	0	0	509

	S-308	Below S-308	S-80
	Discharge	Discharge	Discharge
	(ALL DAY)	(ALL-DAY)	(ALL-DAY)
DATE	(AC-FT)	(AC-FT)	(AC-FT)
26 JUN 2016		3260	2450
25 JUN 2016		3059	2469
24 JUN 2016		2984	2468
23 JUN 2016		3134	-NR-
22 JUN 2016		3270	2433
21 JUN 2016		3585	2448
20 JUN 2016		3479	2431
19 JUN 2016		3057	2454
18 JUN 2016		2841	2481
17 JUN 2016		3049	2448
16 JUN 2016		3326	2461
15 JUN 2016		3252	2452
14 JUN 2016		2711	2459
13 JUN 2016		2202	2452

\*\*\* NOTE: 1) Discharge from (0700-2100) is computed using Spillway and Sector Gate Discharges from 0700 hrs to 2100 hrs.

2) Discharge (ALL DAY) is computed using Spillway, Sector Gate and Lockages Discharges from 0015 hrs to 2400 hrs.

---

(I) - Flows preceded by "I" signify an instantaneous flow computed from the single value reported for the day

---

\* On 11 May 1999, Lake Okeechobee Elevation was switched from

Instantaneous 2400 value to an average-daily lake average.

On 14 Mar 2001, due to the isolation of various gages within the standard

10 stations, the average of the interior 4 station gages was used as the Lake Okeechobee Elevation.

On 05 November 2010, Lake Okeechobee Elevation was switched to a 9 gage mix of interior and edge gages to obtain a more reliable representation of the lake level.

On 09 May 2011, Lake Okeechobee Elevation was switched to a 8 gage mix of interior and edge gages to obtain a more reliable representation of the lake level due to isolation of S135 from low lake levels.

Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations

++ For more information see the Jacksonville District Navigation website at <http://www.saj.usace.army.mil/>


\$ For information regarding Lake Okeechobee Service Area water restrictions please refer to [www.sfwmd.gov](http://www.sfwmd.gov)

---

—  
Report Generated 27JUN2016 @ 10:39 \*\* Preliminary Data - Subject to Revision  
\*\*

# Lake Okeechobee

27JUN16 10:45:35



- High Lake Management
- Okeechobee Avg Elev
- Average Elev [1965-2007]
- Water Shortage Management

# Classification Tables

---

Supplemental Tables used in conjunction with the LORS2008 Release

Guidance Flow Charts

- [Class Limits for Tributary Hydrologic Conditions](#)

Table K-2 in the Lake Okeechobee Water Control Plan

- [6-15 Day Precipitation Outlook Categories](#)

Table ?? in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Seasonal Outlook](#)

Table K-3 in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Multi-Seasonal Outlook](#)

Table K-4 in the Lake Okeechobee Water Control Plan

---

[Back to Lake Okeechobee Operations Main Page](#)

[Back to U.S. Army Corps of Engineers Lake Okeechobee Operations Homepage](#)

Tributary Hydrologic Classification*	Palmer Index Class Limits	2-wk Mean L.O. Net Inflow Class Limits
Very Wet	3.0 or greater	Greater $\geq$ 6000 cfs
Wet	1.5 to 2.99	2500 - 5999 cfs
Near Normal	-1.49 to 1.49	500 - 2499 cfs
Dry	-2.99 to -1.5	-5000 – 500 cfs
Very Dry	-3.0 or less	Less than -5000 cfs

\* use the wettest of the two indicators

**Classification of Lake Okeechobee Net Inflow Seasonal Outlook\***

<b>Lake Net Inflow Prediction</b> <b>[million acre-feet]</b>	<b>Equivalent Depth**</b> <b>[feet]</b>	<b>Lake Okeechobee Net Inflow Seasonal Outlook</b>
> 0.93	> 2.0	Very Wet
0.71 to 0.93	1.51 to 2.0	Wet
0.35 to 0.70	0.75 to 1.5	Normal
< 0.35	< 0.75	Dry

**\*\*Volume-depth conversion based on average lake surface area of 467,000 acres**

## Classification of Lake Okeechobee Net Inflow Multi-Seasonal Outlook\*

<b>Lake Net Inflow Prediction</b> <b>[million acre-feet]</b>	<b>Equivalent Depth**</b> <b>[feet]</b>	<b>Lake Okeechobee</b> <b>Net Inflow</b> <b>Multi-Seasonal Outlook</b>
> 2.0	> 4.3	Very Wet
1.18 to 2.0	2.51 to 4.3	Wet
0.5 to 1.17	1.1 to 2.5	Normal
< 0.5	< 1.1	Dry

**\*\*Volume-depth conversion based on average lake surface area of 467,000 acres**

**6-15 Day Precipitation Outlook Categories\***

<b>6-15 Day Precipitation Outlook Categories</b>	<b>WSE Decision Tree Categories</b>
Above Normal	Wet to Very Wet
Normal	Normal
Below Normal	Dry

**\* Corresponds to Table 7-6 in the Lake Okeechobee Water Control Plan**



Under Construction