

# Dynamic Position Analysis for June 1, 2019

---

## SFWMM Model Simulation of 41 years ( 1965-2005 )

### Modeling Assumptions

### Discussion of UPA Results

- [Lake Okeechobee Projection within the Next 2 Months](#)
- Lake Okeechobee
  - [Percentiles](#)
  - [Dry Years](#)
  - [Wet Years](#)
  - [AMO / ENSO Sub-Sampling](#)
  - [Spaghetti Plot](#)
  - [All ENSO Years](#)
- Lake Okeechobee Probability Results
  - [Zone Probability Graphs](#)
  - [Probability Band Width Graph](#)
  - [Zone Probability Table](#)
  - [LORS Releases to the Estuaries](#)
  - [LORS Releases to the WCA's](#)
- WCA-1
  - [Percentiles](#)
  - [Dry Years](#)
  - [Wet Years](#)
  - [Canal Sub-Sampling Years](#)
  - [AMO / ENSO Sub-Sampling](#)
- WCA-2A
  - [Percentiles](#)
  - [Dry Years](#)
  - [Wet Years](#)
  - [Canal Sub-Sampling Years](#)
  - [AMO / ENSO Sub-Sampling](#)
- WCA-3A
  - [Percentiles](#)
  - [Dry Years](#)
  - [Wet Years](#)
  - [Canal Sub-Sampling Years](#)
  - [AMO / ENSO Sub-Sampling](#)
- Upper Kissimmee Stage and Flow
  - [Lake Kissimmee Stage at S65](#)
  - [Lake Toho Stage at S61](#)

**June 1, 2019**  
**Dynamic Position Analysis**  
**Using Hybrid LOWSM**  
**Modeling Assumptions**

---

- June 1, 2019 DPA is based on regular Position Analysis applying V6.7.4 of the SFWMM, and assuming the current Lake Okeechobee Net Inflow Outlook (LONINO) for each year simulated. It is based on historical climatic conditions spanning the period 1965-2005
- The model is reinitialized May 1<sup>st</sup> of each year
- The Lake Okeechobee operations follow the Lake Okeechobee Regulation Schedule (LORS2008). Modeling assumptions consistent with modeling performed for LORS-2008 Supplemental, Environmental Impact Statement (SEIS).
- LOK Temporary Forward Pump operations will be in place, whenever necessary, to improve water supply deliveries from the Lake under low Lake stages.
- STAs reflect current operational conditions
- Lake Okeechobee Water Shortage Management (LOWSM) is included in the simulation which reflects the currently approved 40E-21 and 40E-22 water shortage rules.
- Water supply restrictions simulated for the urban areas reflect current District water shortage management policies.
- Wet and Dry years selected by examining all years and choosing the wettest or driest years in both near and far-term.

Lake Okeechobee Water Shortage Triggering Line										
01/01	03/31	04/30	05/30	05/31	09/30	10/01	10/31	11/30	12/31	
12.15	11.70	10.95	10.50	10.50	13.00	13.00	12.80	12.40	12.16	

- El Niño conditions are present. El Niño is likely to continue through the summer 2019 (70% chance) and possibly fall (55-65% chance).
- ENSO (El Niño Southern Oscillation) years (El Niño, La Niña and ENSO Neutral) are selected by locating the current month as it falls in the middle of the 3-month average in the official ONI table from NOAA/CPC:


[https://origin.cpc.ncep.noaa.gov/products/analysis\\_monitoring/ensostuff/ONI\\_v5.php](https://origin.cpc.ncep.noaa.gov/products/analysis_monitoring/ensostuff/ONI_v5.php)

If the current month is within an official ENSO event (5 consecutive 3-month periods) then that year is considered an ENSO year for that month, these years are compiled ahead of the model simulations for all ENSO events within the period of record of the model simulation. Each month will have a different set of years. The strength of the ENSO event may vary among the selected years, and the DPA simulation of these years may show wide variability in modeled stages.

- S-65E inflows entering Lake Okeechobee in the SFWMM simulation were obtained by adding S-65 flows, obtained from the UK-OPS simulation in a PA mode, and local runoff contribution from the Lower Kissimmee, computed as the difference of S65E and S65 historical flows for the period 1965-2005. Runoff contribution on any given day of the current PA month is adjusted based on a correlation function of Palmer Drought Index, rainfall and historical flows.
- Back pumping of excess runoff from the EAA into Lake Okeechobee takes place only under flood control conditions (Interim Action Plan).
- Operations for structures in the SDCS are more consistent with Increment 1.1/1.2
- Temporary deviation of operations:
  1. L-29 Canal constraint of 8.5
  2. S-357 discharging to C-111SD Northern Detention Area
- Information for the initial conditions can be viewed [here](#). Initial stages for specified canals are shown [here](#) and gages are shown [here](#).
- Please view the [Documentation for the SFWMM](#).


[\*\*Back to Operational Planning Main Page\*\*](#)

# Lake Okeechobee SFWMM Jun 2019 Position Analysis




(See assumptions on the Position Analysis Results website)

# Lake Okeechobee SFWMM Jun 2019 Position Analysis




(See assumptions on the Position Analysis Results website)

# Lake Okeechobee SFWMM Jun 2019 Position Analysis




(See assumptions on the Position Analysis Results website)

# Lake Okeechobee SFWMM Jun 2019 Position Analysis



(See assumptions on the Position Analysis Results website)


# Lake Okeechobee SFWMM Jun 2019 Position Analysis




(See assumptions on the Position Analysis Results website)

# Lake Okeechobee SFWMM Jun 2019 Position Analysis

All Simulated Years Plot PA\_DPA2




# Lake Okeechobee SFWMM Jun 2019 Position Analysis



(See assumptions on the Position Analysis Results website)


# Lake Okeechobee – Band Probabilities

'(See assumptions on the Position Analysis Results website)'



# Lake Okeechobee – Probabilities for Operational Bands

'(See assumptions on the Position Analysis Results website)'




The width for each band gives the probability of stage falling in that band, as defined by the operational schedules.


Lake Okeechobee Band Probabilities (%) at the Begining of Each Month  
 '(See assumptions on the Position Analysis Results website)'  
 Initial Stage 11.21 ft. for 05/01/2019

Date	HLM	High	Inter	Low	Base	Bene	WSM
2019 05 01	2.4	0.0	0.0	0.0	0.0	95.1	2.4
2019 06 01	2.4	0.0	0.0	0.0	0.0	95.1	2.4
2019 07 01	2.4	0.0	0.0	2.5	1.9	38.4	54.7
2019 08 01	2.4	0.0	-0.0	8.1	8.5	15.2	65.7
2019 09 01	2.4	0.0	-0.0	16.4	18.0	6.1	57.0
2019 10 01	2.4	0.0	2.1	21.1	26.0	0.0	48.5
2019 11 01	2.4	-0.0	3.8	28.1	29.1	2.4	34.3
2019 12 01	2.4	-0.0	0.8	31.9	26.0	12.3	26.5
2020 01 01	2.4	-0.0	2.6	36.0	21.2	13.7	24.2
2020 02 01	2.4	-0.0	4.4	36.7	17.7	14.8	24.0
2020 03 01	2.4	2.2	5.6	36.6	10.8	13.5	28.9
2020 04 01	2.5	4.6	3.4	27.1	18.7	12.0	31.7


# Lake Okeechobee – LORS2008 Releases to the Estuaries



# Lake Okeechobee – LORS2008 Releases to the WCA's




# WCA1 SFWMM Jun 2019 Position Analysis




(See assumptions on the Position Analysis Results website)

# WCA1 SFWMM Jun 2019 Position Analysis




(See assumptions on the Position Analysis Results website)

# WCA1 SFWMM Jun 2019 Position Analysis




(See assumptions on the Position Analysis Results website)

# CA1 Canal SFWMM Jun 2019 Position Analysis




(See assumptions on the Position Analysis Results website)

# WCA1 SFWMM Jun 2019 Position Analysis




(See assumptions on the Position Analysis Results website)

# WCA2A SFWMM Jun 2019 Position Analysis




(See assumptions on the Position Analysis Results website)

# WCA2A SFWMM Jun 2019 Position Analysis




(See assumptions on the Position Analysis Results website)

# WCA2A SFWMM Jun 2019 Position Analysis




(See assumptions on the Position Analysis Results website)

# L38 Canal SFWMM Jun 2019 Position Analysis




(See assumptions on the Position Analysis Results website)

# WCA2A SFWMM Jun 2019 Position Analysis




(See assumptions on the Position Analysis Results website)

# WCA3A SFWMM Jun 2019 Position Analysis




(See assumptions on the Position Analysis Results website)

# WCA3A SFWMM Jun 2019 Position Analysis




(See assumptions on the Position Analysis Results website)

# WCA3A SFWMM Jun 2019 Position Analysis




(See assumptions on the Position Analysis Results website)

# CA3 Canal SFWMM Jun 2019 Position Analysis



(See assumptions on the Position Analysis Results website)


# WCA3A SFWMM Jun 2019 Position Analysis



(See assumptions on the Position Analysis Results website)


# S65 UK-OPS Jun 1 2019 Position Analysis

UK-OPS\_DPA2 Unconditional PA



(See assumptions on the Position Analysis Results website)

# S61 UK-OPS Jun 1 2019 Position Analysis



(See assumptions on the Position Analysis Results website)



For the Dynamic Position Analysis the Upper Kissimmee Operations Screening (UK-OPS) Model is used to simulate water levels and releases from Lakes Kissimmee-Cypress-Hatchineha, Tohopekaliga, and East Lake Tohopekaliga. The UK-OPS Model is used to obtain a representation of the Lake Kissimmee operations per the 2015 Wet Season Kissimmee Basin Interagency Planning Meeting. While SFWMD staff efforts continue toward improving the modeling tools for the Kissimmee basins, an intermediate solution is to use the UK-OPS Model.

AREA stage(ft)	:Canal Name	:SFWMM Name	:Location	:SFWMD sensor
WPB	:C-18	:C18	:G92-H	: 12.28
WPB	:C-17	:C17	:S44-H	: 7.05
WPB	:C-51W	:C51W	:S5AE-T	: 11.35
WPB	:C-51	:C51	:S155-H	: 8.16
WCA	:WCA-1 L-40	:CA1	:1-8C	: 15.65
FTLD	:Hillsboro Canal	:HLSB	:G56-H	: 7.58
WCA	:WCA-2A L-38	:L38	:S11B-H	: 11.04
WCA	:WCA-2A L-39	:CA2A	:S10A-T	: 12.60
FTLD	:C-14	:C14	:S37B-H	: 6.71
FTLD	:C-14E	:C14E	:S37A-H	: 3.62
FTLD	:Pompano	:POMP	:G57-H	: 4.61
FTLD	:C-12	:C12	:S33-H	: 2.85
FTLD	:C-13	:C13	:S36-H	: 4.21
FTLD	:North New River Canal	:NNRC	:G54-H	: 4.30
MIAMI	:L-33	:L33	:S30-H	: 5.44
MIAMI	:C-304	:C304	:S31-H	: 7.32
MIAMI	:C-9	:C9	:S29-H	: 2.27
MIAMI	:C-9 DEN	:C9DEN	:S29-H	: 2.27
MIAMI	:C-8	:C8	:S28-H	: 1.93
MIAMI	:C-7	:C7	:S27-H	: 1.94
MIAMI	:C-6	:C6	:S26-H	: 2.71
MIAMI	:C-2/C-4	:C4	:S25B-H	: 2.79
MIAMI	:L-30	:L30	:S335-H	: 6.48
WCA	:WCA-3A L-29	:CA3	:S333-H	: 8.40
WCA	:S-12A	:S12AD	:S12A-T	: 7.90
WCA	:S-12B	:S12BD	:S12B-T	: 7.67
WCA	:S-12C	:S12CD	:S12C-T	: 7.68
WCA	:S-12D	:S12DD	:S12D-T	: 6.14
MIAMI	:L-29	:L29	:S334-H	: 6.94
MIAMI	:C-100C	:C100C	:S119-H	: 2.51
MIAMI	:C-100	:C100	:S118-H	: 2.67
MIAMI	:C-100A	:C100A	:S123-H	: 2.28
HMST	:C-1/S-148	:S148U	:S148-H	: 3.43
HMST	:L-31N	:L31N	:S331-H	: 4.97
HMST	:C-1N	:C1N	:S149-H	: 2.64
MIAMI	:S-21	:S21	:S21-H	: 2.25
HMST	:L-31S	:L31S	:S176-H	: 3.85
MIAMI	:C-102N	:C102N	:S21A-H	: 2.07
HMST	:C-102	:C102	:S165-H	: 3.55
MIAMI	:C-103S	:C103S	:S167-H	: 2.85
HMST	:C-103N	:C103N	:S166-H	: 2.59
HMST	:C-103	:S179	:S179-H	: 2.31
HMST	:L-31W	:L31W	:S332-H	: 3.85
HMST	:C-111	:C111	:S177-H	: 2.84
HMST	:CNO	:CNO	:S179-H	: 2.31
HMST	:C-111E	:C111E	:S18C-H	: 1.92
HMST	:S-197	:S197	:S197-H	: 1.92
EAA	:L-23E	:L23E	:S8-T	: 11.17
EAA	:C-60	:C60	:S140-T	: 10.43

SFWMM	Name	col	row	STAGE	Source	Data	match	domain	match	areas
1-7		31	48	15.93	USACE		PA	CA1		
1-8T		34	47	15.58	USACE		PA	CA1		
1-9		33	46	15.89	USACE		PA	CA1		
2-17		29	40	11.88	USACE		PA	CA2		
2-159		28	43	13.07	SFWMD-ARDAMS		PA	CA2		
3-99		30	35	9.20	USACE			CA2		
3A-2		18	36	10.64	USACE		PA	CA3		
3A-3		25	37	9.01	USACE		PA	CA3		
3A-28		19	24	8.69	USACE		PA	CA3		
3A-4		21	29	9.23	USACE		PA	CA3		
3A-NW		18	40	11.54	SFWMD-ARDAMS			CA3		
3A-NE		23	40	9.06	SFWMD-ARDAMS			CA3		
3A-SW		16	30	8.92	SFWMD-ARDAMS			CA3		
3A-S		20	33	9.76	SFWMD-ARDAMS			CA3		
3-76		27	30	7.39	USACE					
3-71		24	26	7.42	USACE					
SHARK		24	23	7.08	USACE			CA3		
3BS1W		26	23	6.30	SFWMD-ARDAMS					
HOLY1		19	45	11.30	SFWMD-ARDAMS			WMA		
HOLY2		21	42	11.30	SFWMD-ARDAMS			WMA		
ROTTN		15	46	12.10	SFWMD-OPERATIONS			WMA		
ROTTS		16	43	11.12	SFWMD-OPERATIONS			WMA		
NP205		15	20	5.18	USACE			ENP		
NP201		19	21	6.44	USACE			ENP		
NP36		17	14	3.36	USACE			ENP		
NP38		16	9	1.36	USACE			ENP		
NP46		17	7	1.07	USACE			ENP		
NP67		22	7	1.54	USACE					
NP33		20	17	5.28	USACE			ENP		
NP34		13	17	2.22	USACE			ENP		
NP44		19	11	1.96	USACE			ENP		
NP206		21	15	3.43	USACE			ENP		
NESR2		25	21	6.63	USACE			ENP		
THSO		23	9	1.90	USACE					
RG2		23	15	3.14	USACE			ENP		
G3273		24	17	4.23	USACE		PA	ENP		
ANGEL		25	17	4.11	USACE		PA			
ANGEL		26	17	4.11	USACE		PA			
EVER4		25	8	1.42	USACE		PA	SA3		
E112		23	10	2.14	USACE			ENP		
G620		18	19	5.86	USACE			ENP		

76  
 75  
 74  
 73  
 72  
 71  
 70  
 69  
 68  
 67  
 66  
 65  
 64  
 63  
 62  
 61  
 60  
 59  
 58  
 57  
 56  
 55  
 54  
 53  
 52  
 51  
 50  
 49  
 48  
 47  
 46  
 45  
 44  
 43  
 42  
 41  
 40  
 39  
 38  
 37  
 36  
 35  
 34  
 33  
 32  
 31  
 30  
 29  
 28  
 27  
 26  
 25  
 24  
 23  
 22  
 21  
 20  
 19  
 18  
 17  
 16  
 15  
 14  
 13  
 12  
 11  
 10  
 9  
 8  
 7  
 6  
 5  
 4  
 3  
 2  
 1

**SFWMM DYNAMIC POSITION ANALYSIS RUN**  
**INITIAL STAGE VALUES Jun 1, 2019**



0    5    10    20  
 Miles

**Stage Class  
(feet NGVD)**



**SFWMM Grid**

<=1.00
1.01 - 2.00
2.01 - 3.00
3.01 - 4.00
4.01 - 5.00
5.01 - 6.00
6.01 - 7.00
7.01 - 8.00
8.01 - 9.00
9.01 - 10.00
10.01 - 11.00
11.01 - 12.00
12.01 - 13.00
13.01 - 14.00
14.01 - 15.00
15.01 - 16.00
16.01 - 17.00
< 17.00



*SFWMM DYNAMIC POSITION ANALYSIS RUN  
PONDING DEPTH VALUES Jun 01, 2019*

77  
75  
74  
73  
72  
71  
70  
69  
68  
67  
66  
65  
64  
63  
62  
61  
60  
59  
58  
57  
56  
55  
54  
53  
52  
51  
50  
49  
48  
47  
46  
45  
44  
43  
42  
41  
40  
39  
38  
37  
36  
35  
34  
33  
32  
31  
30  
29  
28  
27  
26  
25  
24  
23  
22  
21  
20  
19  
18  
17  
16  
15  
14  
13  
12  
11  
10  
9  
8  
7  
6  
5  
4  
3  
2  
1



0 5 10 20  
Miles

**Ponding Depth  
(Feet)**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41

Lake Okeechobee Band Probabilities (%) at the Begining of Each Month  
 '(See assumptions on the Position Analysis Results website)'  
 Initial Stage 11.21 ft. for 05/01/2019

Date	HLM	High	Inter	Low	Base	Bene	WSM
2019 05 01	2.4	0.0	0.0	0.0	0.0	95.1	2.4
2019 06 01	2.4	0.0	0.0	0.0	0.0	95.1	2.4
2019 07 01	2.4	0.0	0.0	2.5	1.9	38.4	54.7
2019 08 01	2.4	0.0	-0.0	8.1	8.5	15.2	65.7
2019 09 01	2.4	0.0	-0.0	16.4	18.0	6.1	57.0
2019 10 01	2.4	0.0	2.1	21.1	26.0	0.0	48.5
2019 11 01	2.4	-0.0	3.8	28.1	29.1	2.4	34.3
2019 12 01	2.4	-0.0	0.8	31.9	26.0	12.3	26.5
2020 01 01	2.4	-0.0	2.6	36.0	21.2	13.7	24.2
2020 02 01	2.4	-0.0	4.4	36.7	17.7	14.8	24.0
2020 03 01	2.4	2.2	5.6	36.6	10.8	13.5	28.9
2020 04 01	2.5	4.6	3.4	27.1	18.7	12.0	31.7


























**June 1 2019 Dynamic Position Analysis**  
**Historical and Estimated S-65E Monthly Flow**  
**for June from 1965 - 2005**



**June 1 2019 Dynamic Position Analysis**  
**Historical and Estimated S-65E Monthly Flow**  
**for July from 1965 - 2005**

