



South Florida Water Management District

Public Meeting to Discuss Regulatory Matters

November 19, 2014

10:00 a.m.

South Florida Water Management District - B-1 Storch Room
3301 Gun Club Road, West Palm Beach, FL 33406

MEETING MINUTES

Staff Present:

Sharon M. Trost, Director, Regulation Division
Anthony Waterhouse, Assistant Director, Regulation Division
Charles Walter, Regulatory Administrator, Orlando Service Center
Dan Waters, Regulatory Administrator, Orlando Service Center
Stan Orłowski, Section Administrator, Regulatory Support
Maria Clemente, Bureau Chief, Water Use
Anita Bain, Bureau Chief, Environmental Resource Permitting Bureau
Ricardo Valera, Bureau Chief, Environmental Resource Compliance
Jesse Markel, Section Leader, Okeechobee Service Center

1. Call to Order

The meeting was called to order by Sharon Trost at 10:07 a.m. Ms. Trost reviewed the purpose and requested all comments be regarding regulatory issues and introduced staff at headquarters and the service centers. There were two members of the public present at the District Headquarters. There were no members of the public present at any of the service centers.

2. Applications of Heightened Public Concern Pending Final Action

Application 141001-13 All Aboard Florida WPB & Ft Lauderdale Station Platforms

Public Comment: Alex Larson expressed concern and opposition regarding this application.

3. Applications of Heightened Public Concern Not Complete

**Application 131119-5 NPBCID Unit 2C Phase 1
131216-7 NPBCID Unit 2C Neighborhood 1**

Public Comment: Alex Larson expressed concern and opposition regarding this application.

4. Public Comment on other Pending Permit Applications

Application 140925-7 Star Ranch Excavation Rock Washing

Public Comment: Alex Larson inquired regarding this application.

Staff gave a brief summary of the application.

Application 131119-5 NPBCID Unit 2C Phase 1

Public Comment: Alex Larson expressed concern and opposition regarding this application.

Staff gave a brief summary of the application.

Application 140926-22 Sterling Ranch

Public Comment: Alex Larson inquired regarding this application.

Staff gave a brief summary of the application.

Application 140603-12 Brickell Heights 1 and 2

Public Comment: Alex Larson inquired regarding this application.

Staff gave a brief summary of the application.

Application 141020-14 Florida Superior Sand

Public Comment: Alex Larson inquired regarding these application.

Staff explained this is a letter modification to change the monitoring schedule.

Application 141020-1 Project 664 (Turkey Lake)

Public Comment: Alex Larson inquired regarding this application.

Staff gave a brief summary of the application.

Application 141013-29 South Florida Conservancy District

Public Comment: Alex Larson inquired regarding this application.

Staff explained this is a Works of the District permit.

Application 141021-2 All Aboard Florida- Fiber Optics- Miami to West Palm Beach

Public Comment: Alex Larson inquired regarding this application is specifically pertaining to any digging and canal crossing.

Staff gave a brief summary of the application.

Application 141029-2 Riverland- Kennedy

Public Comment: Alex Larson inquired regarding this application.

Staff gave a brief summary of the application.

Application 140723-12 SR 29 Wildlife Crossings

Public Comment: Alex Larson inquired regarding this application.

Staff responded with a brief summary of the application.

Golf Courses application in general in Boca Raton Area

Public Comment: Alex Larson inquired regarding reclaim use for Golf Course irrigation in Boca Raton.

Staff explained that almost all the Golf Courses in Boca are on reclaim water.

Application 140908-16 Williamson Cattle Company Wetland Restoration Project

Public Comment: Alex Larson inquired regarding this application.

Staff responded with a brief summary of the application.

Application 141107-1 PGA Boulevard – from SR710 (Beeline Hwy) to the C-18 Canal

Public Comment: Alex Larson inquired regarding this application.

Staff responded with a brief summary of the application.

**Application 141103-18 Treeline Distribution Center
141103-20 Treeline Distribution Center Dewatering**

Public Comment: Alex Larson inquired regarding these applications.

Staff responded with a brief summary of the application.

Application 141101-12 Lake Worth Drainage District

Public Comment: Alex Larson inquired regarding this application.

Staff explained this was received in error and has been sent back.

5. Public Comment on General Regulatory Issues

Public Comment: Alex Larson inquired regarding work being done around the L-8.

Staff responded with a brief summary of work being done in the area.

Public Comment: Alex Larson expressed concern and opposition regarding reclaim water.

6. Adjourn

The meeting was adjourned at 11:08 a.m.