

### SETTLEMENT AGREEMENT QUARTERLY REPORT

July - September 2017

#### Jonathan P. Madden, P.E.

Section Leader Compliance Assessment & Reporting Section Water Quality Bureau

**Technical Oversight Committee January 23, 2018** 



#### **SUMMARY**

Month		Geometric TP Concent (ppb)	centration Long-t				Stage GVD 29)	Number of Samples	
Arthur R. Marshall Loxahatchee National Wildlife Refuge									
Jul 201	7.9	10.1		16.40		5.40	13		
Aug 2017		6.6	8.8			16.69		14	
Sep 2017		7.5	8.0			16.89		13	
Period   'S		tal Flow	12-Month FWM TP Concentration (ppb)		Long-term Limit		Percent of Sampling Events Greater than 10 ppb		
		kac-ft)			(p	pb)	Guidelin	е	Observed
Everglade	Everglades National Park – Shark River Slough – <i>PROVISIONAL DATA and RESULTS</i>								
Jul 2017	781	.4 (785.2)	10.	9 (10.9)	9.0	(9.0)	46.9 (46.8)		20.8 (20.0)
Aug 2017	901	.4 (902.2)	10.	2 (10.2)	8.4	(8.4)	43.8 (43.8)		20.8 (20.0)
Sep 2017	1038	1038.0 (1042.2)		8 (9.8)	7.7	(7.7)	40.6 (40.5	5)	20.8 (20.0)
Everglades National Park – Taylor Slough and Coastal Basins									
Jul 2017	322.1 (	336.4, 329.9)	5.2	(5.2, 5.2)	1	1.0	53.1		0.0 (0.0, 0.0)
Aug 2017	346.6 (	374.6, 368.2)	5.3	(5.3, 5.3)	1	1.0	53.1		0.0 (0.0, 0.0)
Sep 2017	383.3 (	420.1, 413.7)	5.9	(5.9, 6.0)	1	1.0	53.1		1.6 (1.6, 1.6)


SRS - Method 1 (left values) computed as S12s+(S333+S355A+S355B-S334) and Method 2 (values in parentheses) computed as S12s+(S333+S355A+S355B+S356-S334)

Neither method excludes S334 flow from the total flow for long-term limit calculations.

TS and CB - Method 1 (left values) computed as S332D+S18C, Method 2 (first values in parentheses) computed as S332D+S18C+G737, and Method 3 as (S332D-S332DX1–S328)+S328+G737+S18C.



# **A.R.M Loxahatchee National Wildlife Refuge**Monthly Total Phosphorus Geometric Mean Concentrations




Average TP geometric mean = 7.2 ppb (35 months excluding July 2015)



#### A.R.M Loxahatchee National Wildlife Refuge

Deviation of monthly geometric mean total phosphorus concentrations with calculated long-term levels



Average TP geometric mean = 2.6 ppb below the Long-Term Level (35 months excluding July 2015)



#### **Refuge TP Compliance Tracking**

For July - February 2018

Month	Geometric Mean TP Concentration (ppb)	Long-Term Level (ppb) Effective 12/31/2006	Average Stage (feet NGVD 29)	Number of Samples			
	3rd Quarter Compliance Tracking						
Jul-2017	7.9	10.1	16.40	13			
Aug-2017	6.6	8.8	16.69	14			
Sep-2017	7.5	8.0	16.89	13			
	Preliminary Data Outlook						
Oct-2017	7.8	7.2	17.50	14			
Nov-2017	5.6	7.2	17.71	14			
Dec-2017	7.3	7.2	17.43	14			
Jan-2018	4.5	7.2	17.13	14			
Feb-2018	5.8	8.2	16.85	14			

Note: Samples collected only if site water depth is at least 10 centimeters.



#### **Shark River Slough**

### TP Concentration Compliance Tracking (October 2016–September 2017 Flow Data are Provisional)

12-Month Period	Total Flow (kac-ft)	Flow-Weighted Mean TP Concentration	Long-Term Limit (ppb) Effective 12/31/2006	Percent of Sampling Events Greater than 10 ppb	
		(ppb)		Guideline	Observed
Aug 2016 - Jul 2017	781.4 (785.2)	10.9 (10.9)	9.0 (9.0)	46.9 (46.8)	20.8 (20.0)
Sep 2016 - Aug 2017	901.4 (902.2)	10.2 (10.2)	8.4 (8.4)	43.8 (43.8)	20.8 (20.0)
Oct 2016 - Sep 2017	1038.0 (1042.2)	9.8 (9.8)	7.7 (7.7)	40.6 (40.5)	20.8 (20.0)

**Shark River Slough PROVISIONAL RESULTS:** 


Method 1 (left values) FWMC computed as S12s+(S333+S355A&B-S334) and

Method 2 (in parenthesis) FWMC computed as S12s+(S333+S355A&B+S356-S334) using all flow and TP grabs on bi-weekly compliance sampling dates.

Neither method excludes S334 flow from the flow for long-term limit calculations.



# Annual Flow-weighted Mean Concentrations Inflows to ENP through Shark River Slough




Water year (12-month) FWMC compared to the TP interim and long-term limits



#### **Shark River Slough Daily Flows**


(October 2016-September 2017 Flow Data are Provisional)






#### Daily Flows at S12 Structures to Shark River Slough

(October 2016– September 2017 Flow Data are Provisional)






Daily Flows at Individual Inflow Structures to Shark River Slough






# Daily Flows Into Shark River Slough through S333, S355A&B, and S356 and Out through S334






### **Shark River Slough**



Flow at Shark River Slough structures and the corresponding TP FWMCs for individual sampling events



# Flow-Weighted Mean Concentrations Inflows to ENP through Shark River Slough



The composite TP concentration and 12-month FWMC at the end of each month for each sampling event



# **Taylor Slough and Coastal Basins TP Concentration Compliance Tracking**

12-Month Period	Total Flow in kac-ft	Flow-Weighted Mean TP Concentration in ppb LTL = 11.0 ppb Effective 12/31/2006	Observed Percent of Sampling Events Greater than 10 ppb Guideline = 53.1%
Aug 2016 - Jul 2017	322.1 (336.4, 329.9)	5.2 (5.2, 5.2)	0.0 (0.0, 0.0)
Sep 2016 - Aug 2017	346.6 (374.6, 368.2)	5.3 (5.3, 5.3)	0.0 (0.0, 0.0)
Oct 2016 - Sep 2017	383.3 (420.1, 413.7)	5.9 (5.9, 6.0)	1.6 (1.6, 1.6)


Method 1 (S332D+S18C) results are the left most values.

Method 2 (S332D+S18C+G737) results are the first values in parentheses.

Method 3 [(S332D-S332DX1-S328)+S328+G737+S18C] results are the second values in parentheses.



### **Annual Flow-Weighted Mean Concentrations**Inflows to the ENP through Taylor Slough and Coastal Basins




The 12-month FWMC at the end of each water year compared to the 11 ppb long-term TP limit

Note: Blue bars show S332D, S18C, & S174 until September 2007 when S174 was plugged.




### Daily Flows at Taylor Slough and Coastal Basins Structures into ENP






Daily Flows at
Individual
Taylor Slough
and Coastal
Basins
Structures into
ENP






# Daily Flows into and Out of C-111 Detention Area






# **Taylor Slough and Coastal Basins Sampling Event Flow and FWMC**



Flow at Taylor Slough and Coastal Basins structures and the corresponding TP FWMCs for individual sampling events



# Flow-Weighted Mean Concentrations Inflows to the ENP through Taylor Slough and Coastal Basins



The 12-month FWMC at the end of each month and the composite TP concentration for each sampling event



SOUTH FLORIDA WATER MANAGEMENT DISTRICT

