

WEEKLY STA PERFORMANCE SUMMARY

PROJECT	STA-1E	DATE	3/12/2024	LATEST DATA	03/10/2024
----------------	---------------	-------------	------------------	--------------------	-------------------

PROJECT	STA-1E	DATE	3/12/2024	LATEST DATA	03/10/2024
----------------	---------------	-------------	------------------	--------------------	-------------------


PROJECT	STA-1E	DATE	3/12/2024	LATEST DATA	03/10/2024
----------------	---------------	-------------	------------------	--------------------	-------------------

PROJECT	STA-1E	DATE	3/12/2024	LATEST DATA	03/10/2024
----------------	---------------	-------------	------------------	--------------------	-------------------


WY2024 to Date Flow-weighted Mean Conc (µg/L) Inflow: 105 Outflow: 22			Entire STA	W Flow-way	C Flow-way	E Flow-way		
365-day Values	Inflow Volume (ac-ft)		144,865	no flow	72,989	60,715		
	Inflow Load (kg)		19,002	N/A	9,321	4,881		
	Inflow Flow-weighted Mean Conc (µg/L)		106	N/A	104	65		
	Outflow Volume (ac-ft)		134,607	2,957	61,273	64,903		
	Outflow Load (kg)		3,637	N/A	2,597	1,079		
	Outflow Flow-weighted Mean Conc (µg/L)		22	N/A	34	13		
365-day load reduction (kg)			15,365	no flow	6,724	3,802		
28-day Values	Inflow Volume (ac-ft)		3,063	no flow	1,750	no flow		
	Inflow Load (kg)		401	N/A	196	no flow		
	Inflow Flow-weighted Mean Conc (µg/L)		106	N/A	91	no flow		
	Outflow Volume (ac-ft)		2,272	300	1,256	2,741		
	Outflow Load (kg)		78	9	44	N/A		
	Outflow Flow-weighted Mean Conc (µg/L)		28	24	28	N/A		
7-day Values	Inflow Volume (ac-ft)		704	no flow	189	no flow		
	Inflow Flow-weighted Mean Conc (µg/L)		116	no flow	68	no flow		
	Outflow Volume (ac-ft)		155	no flow	no flow	713		
	Outflow Flow-weighted Mean Conc (µg/L)		23	no flow	no flow	N/A		
365-day Phosphorus Loading Rate (g/m²/yr)			1.6	N/A	1.3	N/A		
6-month trend in outflow TP concentration (- means decrease; µg/L)			-1	no flow	-1	-3		
Redirected to STA-1 Inflow Basin for the last 365 days through G-311			Volume (ac-ft)	8,981	Load (kg)	1,143	Conc (µg/L)	103

Flow-Way Information (Research projects, stage-duration, vegetation, etc.)



W Flow-way	C Flow-way	E Flow-way
On-line	On-line	Off-line
On-line with restrictions for post-construction vegetation grow in starting on 12/27/2023.		Off-line for Cell 2 erosion repair effective 12/27/2023.



Moving 365-day & 28-day TP Concentrations - Entire STA POR: 5/1/2005 - 4/30/2023



Moving 365-day Flows - Entire STA [POR: 5/1/2005 - 4/30/2023](#)

Moving 365-day TP Loads - Entire STA POR: 5/1/2005 - 4/30/2023

The data provided in this summary report were developed using a combination of provisional and quality-assured flow and water quality data. In some cases, best professional judgment was used to estimate missing data and revise questionable data. Values provided are not considered final, but are appropriate for use in STA operational decision-making. The PLRs being reported on the weekly sheets are adjusted to account for length of time and/or treatment area offline.

WEEKLY STA PERFORMANCE SUMMARY

PROJECT	STA-1W	DATE	3/12/2024	LATEST DATA	3/10/2024
---------	--------	------	-----------	-------------	-----------

PROJECT	STA-1W	DATE	3/12/2024	LATEST DATA	3/10/2024
---------	--------	------	-----------	-------------	-----------


PROJECT	STA-1W	DATE	3/12/2024	LATEST DATA	3/10/2024
---------	--------	------	-----------	-------------	-----------

PROJECT	STA-1W	DATE	3/12/2024	LATEST DATA	3/10/2024
---------	--------	------	-----------	-------------	-----------

WY2024 to Date Flow-weighted Mean Conc (µg/L)		Inflow: 123	Outflow: 18	Entire STA	W Flow-way	E Flow-way	N Flow-way	Cell 6	Cell 7+8
365-day Values	Inflow Volume (ac-ft)	192,319	55,522	156,700	11,671	115,044	107,430		
	Inflow Load (kg)	29,489	7,650	19,923	2,213	3,404	3,324		
	Inflow Flow-weighted Mean Conc (µg/L)	124	112	103	154	24	25		
	Outflow Volume (ac-ft)	226,992	57,958	149,554	14,961	145,367	80,678		
	Outflow Load (kg)	4,984	1,325	5,174	229	2,847	1,804		
	Outflow Flow-weighted Mean Conc (µg/L)	18	19	28	12	16	18		
365-day load reduction (kg)		24,506	6,325	14,748	1,984	557	1,519		
28-day Values	Inflow Volume (ac-ft)	8,691	2,101	7,339	no flow	143	8,527		
	Inflow Load (kg)	1,326	334	1,154	no flow	6	345		
	Inflow Flow-weighted Mean Conc (µg/L)	124	129	127	no flow	35	33		
	Outflow Volume (ac-ft)	7,879	1,934	6,735	no flow	4,129	3,953		
	Outflow Load (kg)	183	53	297	no flow	97	113		
	Outflow Flow-weighted Mean Conc (µg/L)	19	22	36	no flow	19	23		
7-day Values	Inflow Volume (ac-ft)	2,368	447	1,919	no flow	no flow	3,059		
	Inflow Flow-weighted Mean Conc (µg/L)	140	125	133	no flow	no flow	36		
	Outflow Volume (ac-ft)	3,632	1,018	2,042	no flow	1,841	1,283		
	Outflow Flow-weighted Mean Conc (µg/L)	19	24	42	no flow	23	28		
365-day Phosphorus Loading Rate (g/m²/yr)		0.7	1.1	2.3	0.1	0.7	0.7		
6-month trend in outflow TP concentration (- means decrease; µg/L)		-1	0	1	-1	0	-2		
Redirection to STA-1E over the last 365 days Volume (ac-ft)		0	Load (kg)	0	Conc (µg/L)	no flow			
Redirection to S-5AS over the last 365 days Volume (ac-ft)		190,888	Load (kg)	29,483	Conc (µg/L)	125			


Flow-Way Information (Research projects, stage-duration, vegetation, etc.)

W Flow-way	E Flow-way	N Flow-way	Cells 6, 7, and 8
On-line	On-line	On-line	On-line
		Online with restrictions for vegetation management activities effective 5/16/2022.	




Moving 365-day & 28-day TP Concentrations - Entire STA POR: 5/1/1995 - 4/30/2023

Moving 365-day & 28-day TP Concentrations - Entire STA POR: 5/1/1995 - 4/30/2023




Moving 365-day Flows - Entire STA

Moving 365-day Flows - Entire STA



Moving 365-day TP Loads - Entire STA	POR: 5/1/1995 - 4/30/2023
---	----------------------------------





Moving 365-day TP Loads - Entire STA	POR: 5/1/1995 - 4/30/2023
---	----------------------------------



The data provided in this summary report were developed using a combination of provisional and quality-assured flow and water quality data. In some cases, best professional judgment was used to estimate missing data and revise questionable data. Values provided are not considered final, but are appropriate for use in STA operational decision-making. The PLRs being reported on the weekly sheets are adjusted to account for length of time and/or treatment area offline.

PROJECT STA-2		DATE 3/12/2024			LATEST DATA					3/10/2024
WY2024 to Date Flow-weighted Mean Conc (µg/L)		Inflow: 76	Outflow: 16	Entire STA	Flow-way 5	Flow-way 4	Flow-way 3	Flow-way 2	Flow-way 1	
365-day Values	Inflow Volume (ac-ft)	419,300	42,346	172,423	77,477	84,511	81,753			
	Inflow Load (kg)	38,564	2,162	15,367	7,162	8,246	9,120			
	Inflow Flow-weighted Mean Conc (µg/L)	75	41	72	75	79	90			
	Outflow Volume (ac-ft)	447,152	40,445	146,610	90,633	93,087	105,563			
	Outflow Load (kg)	8,657	516	1,710	2,571	2,257	1,379			
	Outflow Flow-weighted Mean Conc (µg/L)	16	10	9	23	20	11			
365-day load reduction (kg)		29,907	1,647	13,657	4,591	5,989	7,741			
28-day Values	Inflow Volume (ac-ft)	38,449	2,164	11,527	5,978	18,326	4,668			
	Inflow Load (kg)	2,502	56	403	545	1,313	440			
	Inflow Flow-weighted Mean Conc (µg/L)	53	21	28	74	58	76			
	Outflow Volume (ac-ft)	40,808	2,478	9,164	7,049	17,546	7,866			
	Outflow Load (kg)	861	39	148	191	471	82			
	Outflow Flow-weighted Mean Conc (µg/L)	17	13	13	22	22	8			
7-day Values	Inflow Volume (ac-ft)	6,883	1,656	1,156	1,479	3,175	226			
	Inflow Flow-weighted Mean Conc (µg/L)	30	21	32	25	22	39			
	Outflow Volume (ac-ft)	10,806	559	3,274	2,875	4,557	555			
	Outflow Flow-weighted Mean Conc (µg/L)	20	24	13	25	21	12			
365-day phosphorus loading rate (g/m ² /yr)		0.7	0.2	0.6	0.8	1.5	1.2			
6-month trend in outflow TP concentration (- means decrease; µg/L)		-11	0	-1	-28	-22	-5			

Flow-way information (research project's stage duration, vegetation cover)				
Flow-way 5	Flow-way 4	Flow-way 3	Flow-way 2	Flow-way 1
On-line	On-line	On-line	On-line	On-line
	On-line with restrictions for vegetation managements activities starting on 10/28/2019.		On-line with restrictions for vegetation management activities starting on 08/14/2023.	



The data provided in this summary report were developed using a combination of provisional and quality-assured flow and water quality data. In some cases, best professional judgment was used to estimate missing data or revise questionable data. Values provided are not considered final, but are appropriate for use in STA operational decision-making. The PLRs being reported on the weekly sheets are adjusted to account for length of time and/or treatment area offline.

WEEKLY STA PERFORMANCE SUMMARY

PROJECT STA-3/4

DATE 3/12/2024


LATEST DATA

3/10/2024


WY2024 to Date Flow-weighted Mean Conc (µg/L)		Inflow: 63	Outflow: 13	Entire STA	W Flow-way	C Flow-way	E Flow-way
365-day Values	Inflow Volume (ac-ft)		489,404	210,362	265,904	13,137	
	Inflow Load (kg)		43,540	12,956	14,200	576	
	Inflow Flow-weighted Mean Conc (µg/L)		72	50	43	36	
	Outflow Volume (ac-ft)		431,823	191,704	211,808	28,311	
	Outflow Load (kg)		7,003	3,286	3,046	671	
	Outflow Flow-weighted Mean Conc (µg/L)		13	14	12	19	
365-day load reduction (kg)			36,537	9,670	11,155	-96	
28-day Values	Inflow Volume (ac-ft)		21,832	7,357	7,704	6,770	
	Inflow Load (kg)		1,943	451	486	386	
	Inflow Flow-weighted Mean Conc (µg/L)		72	50	51	46	
	Outflow Volume (ac-ft)		20,950	8,194	5,749	7,007	
	Outflow Load (kg)		415	170	110	135	
	Outflow Flow-weighted Mean Conc (µg/L)		16	17	16	16	
7-day Values	Inflow Volume (ac-ft)		6,052	2,476	2,524	1,052	
	Inflow Flow-weighted Mean Conc (µg/L)		65	53	56	50	
	Outflow Volume (ac-ft)		8,189	3,185	2,352	2,652	
	Outflow Flow-weighted Mean Conc (µg/L)		15	15	16	13	
365-day Phosphorus Loading Rate (g/m ² /yr)			0.8	0.7	0.7	N/A	
6-month trend in outflow TP concentration (- means decrease; µg/L)			-1	-3	0	-3	

Flow-Way Information (Research projects, stage-duration, vegetation, etc.)


W Flow-way	C Flow-way	E Flow-way
On-line	On-line	On-line
		On-line with restrictions for vegetation management activities effective 8/29/2023.




Moving 365-day & 28-day TP Concentrations - Entire STA POR: 5/1/2004 - 4/30/2023



Moving 365-day Flows - Entire STA POR: 5/1/2004 - 4/30/2023



Moving 365-day TP Loads - Entire STA POR: 5/1/2004 - 4/30/2023



The data provided in this summary report were developed using a combination of provisional and quality-assured flow and water quality data. In some cases, best professional judgment was used to estimate missing data and revise questionable data. Values provided are not considered final, but are appropriate for use in STA operational decision-making. The PLRs being reported on the weekly sheets are adjusted to account for length of time and/or treatment area offline.

